# Optical Engineering

## 2003 Author Index (Volume 42)

### KEY TO INDEX USE

Each principal author's entry includes coauthors, title of paper, and location of the paper in Volume 42. A "See" reference means the person is a coauthor of the referenced paper.

## A


**Aalto, Timo T.** — Method for the rotational alignment of polarization-maintaining optical fibers and waveguides. — Timo T. Aalto, Mikko Harjanne, and Markku Kapulainen; **42** (10), 2861-7 (2003).

**Abe, Yoshito** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).

**Abeysinghe, Don C.** — See Li, Weizhuo, **42** (2), 431-8 (2003).

**Abreu, Manuel A.** — See Coelho, João M. P., **42** (11), 3365-73 (2003).

**Adamovsky, Grigory** — Detection sensitivity optimization of optical signals generated by fiber optic Bragg gratings under dynamic excitation. — Grigory Adamovsky, John Lekki, and James A. Lock; **42** (2), 425-30 (2003).

**Adel, Mouloud** — See Guis, Vincente H., **42** (2), 357-66 (2003).

**Agili, Sedig S.** — Direct electro-optic intermodulation in fibers. — Sedig S. Agili and Thomas Koryu Ishii; **42** (9), 2542-50 (2003).

**Agrawal, Naveen Kumar** — See Chakrabarti, P., **42** (4), 939-47 (2003).

**Agrawal, Shishir** — See Chakrabarti, P., **42** (4), 939-47 (2003).

**Aharoni, Herzl** — See Snyman, Lukas Willem, **42** (10), 3059 (2003).

**Ahmed, Tasdiq** — See Shepard, Steven M., **42** (5), 1337-42 (2003).

**Ahn, Tae Gyoung** — Improved multilevel successive elimination algorithm using efficient decision conditions. — Tae Gyoung Ahn, Yong Ho Moon, and Jae Ho Kim; **42** (11), 3247-52 (2003).

**Akiyama, Nobuyuki** — See Yoshida, Masahiro, **42** (4), 1121-7 (2003).

— See Liangpanich, Ekrit, **42** (9), 2568-75 (2003).

**Akram, Muhammad Nadeem** — Design of a multiple-field-of-view optical system for 3- to 5-$\mu$m infrared focal-plane arrays. — Muhammad Nadeem Akram; **42** (6), 1704-14 (2003).

**Alam, Mohammad S.** — See Alsamman, A., **42** (2), 560-7 (2003).

— Computer study of nonlinearity in constant current biased mercury-cadmium-telluride detectors. — Mohammad S. Alam and Joseph P. Predina; **42** (12), 3491-7 (2003).

**Alam, Muhammad Zulfiker** — See Uddin, M. Forkan, **42** (9), 2761-7 (2003).

**Alda, Javier** — See López-Alonso, José Manuel, **42** (7), 1915-22 (2003).

**Al-Ghamdi, A. G.** — Optical wireless multibeam transmitter with line strip, diamond, and uniform geometries. — A. G. Al-Ghamdi and J. M. H. Elmirghani; **42** (11), 3295-301 (2003).

**Almazán, Saul** — See Montoya, Marcial, **42** (3), 696-700 (2003).

**Almazán-Cuéllar, Saúl** — Two-step phase-shifting algorithm. — Saúl Almazán-Cuéllar and Daniel Malacara-Hernández; **42** (12), 3524-31 (2003).

**Al-Otum, Hazem Munawer** — Morphological operators for color image processing based on Mahalanobis distance measure. — Hazem Munawer Al-Otum; **42** (9), 2595-606 (2003).

**Alsamman, A.** — Face recognition through pose estimation and fringe-adjusted joint transform correlation. — A. Alsamman and Mohammad S. Alam; **42** (2), 560-7 (2003).

**Alvarez-Borrego, Josué** — See Pech-Pacheco, José Luis, **42** (2), 551-9 (2003).

— See Kober, Vitaly, **42** (4), 1018-23 (2003).

**Anand, Arun** — Beamsplitter testing using the photorefractive effect. — Arun Anand and C. S. Narayanamurthy; **42** (3), 608-12 (2003).

— Collimation testing using photorefractive crystal and temporal coherence. — Arun Anand and C. S. Narayanamurthy; **42** (4), 1108-13 (2003).

**André, P. S. B.** — See Lima, M. J. N., **42** (9), 2502-5 (2003).

**Angra, S. K.** — See Thakur, Madhuri, **42** (1), 86-91 (2003).

**Ansari, Farhad** — See Sun, Changsen, **42** (10), 2987-93 (2003).

**Arai, Yukihiko** — See Yoshimura, Tetsuzo, **42** (2), 439-46 (2003).

**Arakawa, Tomiyuki** — Optical waveguide fabrication by combination of spin-on-glass and plasma-enhanced chemical vapor deposition for optoelectronic integration. — Tomiyuki Arakawa, Tatsushi Hasegawa, and Masatoshi Kagawa; **42** (4), 898-9 (2003).

— Fabrication method of Bragg gratings in silica channel optical waveguides. — Tomiyuki Arakawa, Yutaka Uno, Hideki Ono, Hiromi Takahashi, Kentaro Harase, and Hideaki Okayama; **42** (12), 3419-20 (2003).

**Arbel, Dan** — Criteria for satellite image restoration success. — Dan Arbel, Shlomo Greenberg, Ofer Hadar, and Norman S. Kopeika; **42** (9), 2607-13 (2003).

**Armenise, Mario N.** — See Giorgio, Agostino, **42** (4), 1100-7 (2003).

**Arnon, Shlomi** — See Polishuk, Anna, **42** (7), 2015-24 (2003).

**Arokiaraj, J.** — See Sookdhis, C., **42** (12), 3421-2 (2003).

**Arregui, Francisco J.** — See Fernández-Valdivielso, Carlos, **42** (3), 656-61 (2003).

**Arsenault, Henri H.** — See Roy, Sébastien, **42** (3), 813-21 (2003).

**Asama, Kunihiko** — See Yoshimura, Tetsuzo, **42** (2), 439-46 (2003).

**Assoufid, Lahsen** — See Liu, Chian, **42** (12), 3622-8 (2003).

**Asundi, Anand** — See Kemao, Qian, **42** (9), 2642-5 (2003).

— See Qian, Kemao, **42** (10), 2792-3 (2003).

**Asundi, Anand K.** — See Qian, Kemao, **42** (6), 1721-4 (2003).

— See Xu, Lei, **42** (8), 2218-24 (2003).

**Aubrecht, Ivo** — See Miler, Miroslav, **42** (11), 3114-22 (2003).

**Avila, Ricardo E.** — See Gramsch, Ernesto, **42** (9), 2496-501 (2003).

**Avramopoulos, H.** — See Vlachos, K., **42** (2), 300-1 (2003).

— See Vyrsokinos, K., **42** (11), 3075-6 (2003).

— See Kalyvas, M., **42** (12), 3413-4 (2003).

**Aytaç, Tayfun** — Rule-based target differentiation and position estimation based on infrared intensity measurements. — Tayfun Aytaç and Billur Barshan; **42** (6), 1766-71 (2003).

— See Barshan, Billur, **42** (12), 3589-94 (2003).

**Azzam, Rasheed M. A.** — See El-Saba, A. M., **42** (12), 3487-90 (2003).


## B


**Badawy, Wael** — Parallel multiplication-free algorithm and architecture for affine-based motion compensation. — Wael Badawy and Magdy A. Bayoumi; **42** (1), 255-64 (2003).

**Bae, Jin-Woo** — Efficient disparity estimation algorithm based on spatial correlation. — Jin-Woo Bae, Ho-Chong Park, Eun-Soo Kim, and Ji-Sang Yoo; **42** (1), 176-81 (2003).

**Bae, Jinho** — Numerical optimization approach for designing bandpass filters using fiber Bragg gratings. — Jinho Bae and Joohwan Chun; **42** (1), 23-9 (2003).

**Bae, Kyung-Hoon** — New disparity estimation scheme based on adaptive matching windows for intermediate view reconstruction. — Kyung-Hoon Bae, Jung-Jin Kim, and Eun-Soo Kim; **42** (6), 1778-86 (2003).

**Baek, Seungin** — See Jeong, Yoonchan, **42** (4), 964-8 (2003).

**Baek, Yunju** — See Kim, Hyung-Shin, **42** (2), 340-9 (2003).

**Bahn, Ji-Eun** — See Son, Jung-Young, **42** (11), 3326-33 (2003).

**Balagurunathan, Yoganand** — Morphological quantification of surface roughness. — Yoganand Balagurunathan and Edward R. Dougherty; **42** (6), 1795-804 (2003).

**Baldine, Ilia** — See Zaim, Abdul Halim, **42** (2), 568-85 (2003).

**Banfield, Donald** — See Klaasen, Kenneth P., **42** (2), 494-509 (2003).

**Barbé, Joaquim** — Multichannel optical correlator for texture classification. — Joaquim Barbé, Juan Campos, Josep Nicolás, and Claudio Iemmi; **42** (7), 2062-7 (2003).

**Barnard, Kenneth J.** — See Driggers, Ronald G., **42** (3), 738-46 (2003).

**Barnes, Thomas H.** — See Matsuda, Kiyofumi, **42** (12), 3537-44 (2003).

**Barrientos García, Bernardino** — Profilometry of optically smooth surfaces by a Gaussian probe beam. — Bernardino Barrientos García, Moisés Cywiak, and Manuel Servín; **42** (10), 3004-12 (2003).

**Barshan, Billur** — See Aytaç, Tayfun, **42** (6), 1766-71 (2003).

— Position-invariant surface recognition and localization using infrared sensors. — Billur Barshan and Tayfun Aytaç; **42** (12), 3589-94 (2003).

**Basaran, Cemal** — See Liu, Heng, **42** (9), 2646-52 (2003).

**Bastard, Lionel** — Glass integrated optics ultranarrow linewidth distributed feedback laser matrix for dense wavelength division multiplexing applications. — Lionel Bastard, Sylvain Blaize, and Jean-Emmanuel Broquin; **42** (10), 2800-4 (2003).

**Bayoumi, Magdy A.** — See Badawy, Wael, **42** (1), 255-64 (2003).

**Bazalgette Courrèges-Lacoste, G.** — Modeling of Spectralon diffusers for radiometric calibration in remote sensing. — G. Bazalgette Courrèges-Lacoste, J. Groote Schaarsberg, R. Sprik, and S. Delwart; **42** (12), 3600-7 (2003).

**Beach, David** — Ultra-high-speed wide-angle catadioptric corrector system for medium-scale spherical mirror telescopes. — David Beach; **42** (2), 405-15 (2003).

**Bednarz, David** — See Meitzler, Thomas J., **42** (6), 1820-5 (2003).

**Bell, Mark R.** — See Daba, Jihad S., **42** (1), 211-27 (2003).

**Bellucci, M.** — See Iodice, M., **42** (1), 169-75 (2003).

**Benavente, Robert** — See Ponsa, Daniel, **42** (4), 1114-20 (2003).

**Ben-David, Avishai** — Correlation spectroscopy with diffractive grating synthetic spectra and orthogonal subspace projection filters. — Avishai Ben-David, Agustin Ifarraguerri, and Alan C. Samuels; **42** (3), 325-33 (2003).

**Benech, Pierre** — See Nannini, Matthieu, **42** (1), 75-9 (2003).

— See Ghibaudo, Elise, **42** (10), 2850-5 (2003).

**Ben-Yosef, Nissim** — See Hadas, Zadok, **42** (6), 1683-9 (2003).

**Berliner, Marilyn J.** — See Chiu, Wilson K. S., **42** (8), 2304-10 (2003).

**Berneschi, S.** — See Conti, G. Nunzi, **42** (10), 2805-11 (2003).

**Berriel-Valdos, L. R.** — See Padilla-Sosa, P., **42** (2), 459-66 (2003).

**Bettinelli, M.** — See Conti, G. Nunzi, **42** (10), 2805-11 (2003).

**Bhatnagar, P. K.** — See Mongia, Geeta, **42** (1), 148-50 (2003).

— Optical properties and average flow of energy in AgInSbTe films used for phase change optical recording. — P. K. Bhatnagar, Geeta Mongia, and P. C. Mathur; **42** (11), 3274-8 (2003).

**Bian, Jing** — See Zhang, Ruiying, **42** (3), 798-802 (2003).

**Biber, Alice** — See Snyman, Lukas Willem, **42** (10), 3059 (2003).

**Bickel, Douglas** — See Martinez, Ana, **42** (8), 2427-38 (2003).

**Bihari, Bipin** — See Zhao, Feng, **42** (1), 273-80 (2003).

**Biswas, J. C.** — See Chakraborty, R., **42** (9), 2624-9 (2003).

**Blaize, Sylvain** — See Bastard, Lionel, **42** (10), 2800-4 (2003).

**Blakley, Rick** — Dialyte-refractor design for self-correcting lateral color. — Rick Blakley; **42** (2), 400-4 (2003).

**Blomquist, Robert** — See Shacklette, Lawrence W., **42** (10), 2841-9 (2003).

**Bo, Feng** — See Liu, Cheng, **42** (3), 651-5 (2003).

**Bold, Geoffrey T.** — See Matsuda, Kiyofumi, **42** (12), 3537-44 (2003).

**Borel, Peter Ingo** — See Poulsen, Mogens Rysholt, **42** (10), 2821-34 (2003).

**Boreman, Glenn D.** — See Sellar, R. Glenn, **42** (11), 3320-5 (2003).

**Bos, Philip J.** — See Duncan, Bradley D., **42** (4), 1038-47 (2003).

**Bouchara, Frédéric** — See Piazzola, Jacques, **42** (4), 912-24 (2003).

**Boyd, Joseph T.** — See Li, Weizhuo, **42** (2), 431-8 (2003).

**Brenci, M.** — See Conti, G. Nunzi, **42** (10), 2805-11 (2003).

**Breneman, H. Herbert** — See Klaasen, Kenneth P., **42** (2), 494-509 (2003).

**Briot, Maurice** — See Lescure, Marc, **42** (9), 2653-8 (2003).

**Broquin, Jean-Emmanuel** — See Bastard, Lionel, **42** (10), 2800-4 (2003).

— See Ghibaudo, Elise, **42** (10), 2850-5 (2003).

**Brown, Daniel M.** — High-power laser diode beam combiner. — Daniel M. Brown; **42** (11), 3086-7 (2003).

**Brown, G. M.** — See Chen, F., **42** (5), 1359-69 (2003).

**Bruce, Neil C.** — See Rosete-Aguilar, Martha, **42** (6), 1772-7 (2003).

**Brunnström, Kjell** — Object detection in cluttered infrared images. — Kjell Brunnström, Bo N. Schenkman, and Bengt Jacobson; **42** (2), 388-99 (2003).
**Bruyneel, Filip** — Response to "Comment on the paper 'Method for measuring the cell gap in liquid-crystal displays' ". — Filip Bruyneel, Herbert De Smet, Jan Vanfleteren, and André Van Calster; **42** (8), 2466 (2003).
**Bruynooghe, Michel** — See Fasquel, Jean-Baptiste, **42** (11), 3352-64 (2003).
**Bryan, Ngoi Kok Ann** — See Fu, Yongqi, **42** (8), 2214-7 (2003).
**Bryk, Darryl** — See Meitzler, Thomas J., **42** (6), 1820-5 (2003).
**Bu, J.** — See He, M., **42** (8), 2180-1 (2003).
**Büyüksalih, Gürcan** — Geometric calibration models of infrared cameras and scanners for photogrammetric and remote sensing applications. — Gürcan Büyüksalih; **42** (7), 1923-34 (2003).
**Byun, Young-Tae** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).

## C

**Cable, Adrian** — Production of computer-generated holograms on recordable compact disk media using a compact disk writer. — Adrian Cable, Peter Mash, and Timothy Wilkinson; **42** (9), 2514-20 (2003).
**Cabrera, Robert** — See Ferrante, Ronald A., **42** (7), 2155-9 (2003).
**Cai, Yi** — See Xing, Suxia, **42** (3), 682-5 (2003).
**Campos, Juan** — See Barbé, Joaquim, **42** (7), 2062-7 (2003).
— See Villarreal, Mirta, **42** (8), 2354-61 (2003).
**Cantore, Francesca** — 1.55-$\mu$m silicon-based reflection-type waveguide-integrated thermo-optic switch. — Francesca Cantore and Francesco G. Della Corte; **42** (10), 2835-40 (2003).
**Cao, Nianwen** — See Fukuchi, Tetsuo, **42** (1), 98-104 (2003).
**Cao, Yang** — Gain-flattened ultra-wideband fiber amplifiers. — Yang Cao and M. Yasin Akhtar Raja; **42** (12), 3447-51 (2003).
**Caricato, Anna P.** — See D'Orazio, Antonella, **42** (3), 765-72 (2003).
**Carlsten, John L.** — See Repasky, Kevin S., **42** (8), 2229-34 (2003).
**Carriere, James T. A.** — See Choo, Peng Y., **42** (10), 2812-6 (2003).
**Cartwright, Alexander N.** — See Liu, Heng, **42** (9), 2646-52 (2003).
**Cassada, Mark** — See Zaim, Abdul Halim, **42** (2), 568-85 (2003).
**Cerecedo-Núñez, H. H.** — See Zhang, Po, **42** (6), 1597-603 (2003).
**Chakrabarti, P.** — Noise analysis of an optically controlled metal semiconductor field effect transistor at microwave frequencies. — P. Chakrabarti, Badri Nath Tiwari, and Suman Kumar; **42** (2), 447-55 (2003).
— Noise modeling of an InP/InGaAs heterojunction bipolar phototransistor. — P. Chakrabarti, Naveen Kumar Agrawal, Pankaj Kalra, Shishir Agrawal, and Gaurav Gupta; **42** (4), 939-47 (2003).
— Double-heterojunction photodetector for midinfrared applications: theoretical model and experimental results. — P. Chakrabarti, A. Krier, and A. F. Morgan; **42** (9), 2614-23 (2003).
**Chakraborty, R.** — Analytical model for computing propagation constant of Ti:$LiNbO_3$ periodically segmented waveguides by effective-index-based matrix method. — R. Chakraborty, J. C. Biswas, and S. K. Lahiri; **42** (9), 2624-9 (2003).
**Chan, Alex Lipchen** — Multistage infrared target detection. — Alex Lipchen Chan, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (9), 2746-54 (2003).
**Chan, C. C.** — See Shi, C. Z., **42** (11), 3179-81 (2003).
**Chang, Benkang** — See Xing, Suxia, **42** (3), 682-5 (2003).
— See Liu, Lei, **42** (7), 2056-61 (2003).
**Chang, Hsuan T.** — See Lin, Guo-Shiang, **42** (8), 2331-9 (2003).
**Chang, J. Y.** — See Yee, Hoshin H., **42** (10), 2918-22 (2003).
**Chang, Jeng-Horng** — See Chang, Yang-Lang, **42** (9), 2576-87 (2003).
**Chang, Kuo-Chu** — See Tian, Zhi, **42** (6), 1572-82 (2003).
**Chang, Liann-Be** — See Cheng, Yi-Chang, **42** (1), 119-23 (2003).
**Chang, Ming** — High speed three-dimensional profilometry utilizing laser diode arrays. — Ming Chang, Wei-Che Chang, and Kao-Hui Lin; **42** (12), 3595-9 (2003).
**Chang, S.** — See Zhao, Y.-G., **42** (2), 298-9 (2003).
**Chang, Tae-gyu** — See Kim, Hoseong, **42** (8), 2291-5 (2003).
**Chang, Wei-Che** — See Chang, Ming, **42** (12), 3595-9 (2003).
**Chang, Yang-Lang** — Greedy modular eigenspaces and positive Boolean function for supervised hyperspectral image classification. — Yang-Lang Chang, Chin-Chuan Han, Kuo-Chin Fan, K. S. Chen, Chia-Tang Chen, and Jeng-Horng Chang; **42** (9), 2576-87 (2003).
**Chao, Shao-Hua** — See Shealy, David L., **42** (11), 3123-38 (2003).
**Chao, Yuh J.** — See Luo, Perng-Fei, **42** (12), 3433-42 (2003).
**Chatterjee, Sanjib** — Simple technique for polishing laser rods. — Sanjib Chatterjee; **42** (4), 1076-83 (2003).
— Design considerations and fabrication techniques of Nomarski reflection microscope. — Sanjib Chatterjee; **42** (8), 2202-13 (2003).
— Simple technique for measurement of residual wedge angle of high optical quality transparent parallel plate. — Sanjib Chatterjee; **42** (11), 3235-8 (2003).
**Chavez-Pirson, Arturo** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Chen, B.** — See Conti, G. Nunzi, **42** (10), 2805-11 (2003).
**Chen, Bo** — See Peng, Qinjun, **42** (2), 477-81 (2003).
**Chen, Chaoyang** — See Sang, Hongshi, **42** (8), 2182-9 (2003).
**Chen, Chia-Tang** — See Chang, Yang-Lang, **42** (9), 2576-87 (2003).
**Chen, Chin-Hsing** — See Chen, Wen-Yuan, **42** (6), 1826-35 (2003).
— See Chen, Wen-Yuan, **42** (10), 2886-92 (2003).
**Chen, Chulung** — See Wu, Chih-Sung, **42** (6), 1758-65 (2003).
**Chen, Dehuai** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Chen, F.** — Recent advances in brake noise and vibration engineering using laser metrology. — F. Chen, G. M. Brown, M. M. Marchi, and M. Dale; **42** (5), 1359-69 (2003).
**Chen, Frank** — See Hung, Michael Y. Y., **42** (5), 1186-7 (2003).
**Chen, George C. K.** — See Yao, Jianping, **42** (2), 317-24 (2003).
**Chen, Hai-Wen** — Adaptive spatiotemporal multiple sensor fusion. — Hai-Wen Chen and Teresa Olson; **42** (5), 1481-95 (2003).
**Chen, Hsiang-Chih** — See Lu, Hai-Han, **42** (5), 1370-4 (2003).
**Chen, Jianguo** — See Zhou, Dingfu, **42** (11), 3315-9 (2003).
**Chen, Jun** — See Ishii, Yukihiro, **42** (1), 60-7 (2003).
**Chen, K. S.** — See Chang, Yang-Lang, **42** (9), 2576-87 (2003).
**Chen, Kun-Huang** — Measurement of the concentration of a solution with surface plasmon resonance heterodyne interferometry. — Kun-Huang Chen, Cheng-Chih Hsu, and Der-Chin Su; **42** (7), 1884-7 (2003).
**Chen, Mao-Hsiung** — See Lin, Wuu-Wen, **42** (9), 2551-7 (2003).
**Chen, Minghua** — See Ma, Yonghong, **42** (10), 2942-6 (2003).
— See Yan, Juanjuan, **42** (12), 3456-60 (2003).
**Chen, Mingyi** — See Guo, Hongwei, **42** (4), 900-5 (2003).
**Chen, Qiansong** — Self-triggering pulsed time-of-flight laser range-finding method. — Qiansong Chen, Dalong Zhao, Chengwei Yang, and Yujing Huo; **42** (12), 3608-11 (2003).
**Chen, Qingyun** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Chen, Ray T.** — See Zhao, Feng, **42** (1), 273-80 (2003).
— See Kim, Jin-Ha, **42** (3), 620-4 (2003).
— See Chen, Yihong, **42** (7), 2000-5 (2003).
**Chen, Victor C.** — See Wang, Genyuan, **42** (1), 190-9 (2003).
**Chen, Wen-Shiung** — Two algorithms to estimate fractal dimension of gray-level images. — Wen-Shiung Chen, Shang-Yuan Yuan, and Chih-Ming Hsieh; **42** (8), 2452-64 (2003).
**Chen, Wen-Yuan** — Robust watermarking scheme for still images using frequency shift keying with high-variance block selection. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (6), 1826-35 (2003).
— Public-key image steganography using discrete cosine transform and quadtree partition vector quantization coding. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (10), 2886-92 (2003).
**Chen, Ya-Lin** — See Lu, Hai-Han, **42** (5), 1370-4 (2003).
**Chen, Yen-Yu** — See Tai, Shen-Chuan, **42** (7), 1956-63 (2003).
**Chen, Yihong** — K-band phased-array antenna system demonstration using substrate guided wave true-time delay. — Yihong Chen and Ray T. Chen; **42** (7), 2000-5 (2003).
**Chen, Yu-Weng** — See Su, Wei-Chia, **42** (6), 1528-9 (2003).
**Chen, Zikuan** — Multiresolution vessel tracking in angiographic images using valley courses. — Zikuan Chen and Sabee Molloi; **42** (6), 1673-82 (2003).
**Cheng, Jianbo** — See Wang, Qiong-Hua, **42** (3), 837-9 (2003).
**Cheng, Liu** — Simultaneous measurement of displacement and its spatial derivatives with a digital holographic method. — Liu Cheng; **42** (12), 3443-6 (2003).
**Cheng, Lizhi** — See Liang, DianLong, **42** (7), 1949-55 (2003).
**Cheng, Yi** — See Yang, Lin, **42** (3), 606-7 (2003).
**Cheng, Yi-Chang** — Fabrication of a far-infrared photodetector based on InAs/GaAs quantum-dot superlattices. — Yi-Chang Cheng, San-Te (Ching-Ming) Yang, Jyh-Neng Yang, Wen-How Lan, Liann-Be Chang, and Li-Zen Hsieh; **42** (1), 119-23 (2003).
**Cheng, Yih-Shyang** — Image-plane conical multiplex holography by one-step recording. — Yih-Shyang Cheng and Chien-Mo Lai; **42** (6), 1631-9 (2003).
**Cheng, Yong-Mei** — See Pan, Quan, **42** (8), 2368-74 (2003).
**Cheong, W. C.** — See Yuan, X.-C., **42** (2), 302-3 (2003).
— See He, M., **42** (8), 2180-1 (2003).
**Chia, Tsorng-Lin** — See Tien, Shen-Chi, **42** (1), 200-10 (2003).
**Chiang, Fu-Pen** — See Huang, Peisen S., **42** (1), 163-8 (2003).
— See Huang, Peisen S., **42** (2), 482-6 (2003).
— See Hu, Qingying, **42** (2), 487-93 (2003).
— Evolution of white light speckle method and its application to micro/nanotechnology and heart mechanics. — Fu-Pen Chiang; **42** (5), 1288-92 (2003).
**Chiang, Kin Seng** — See Kong, Ka Hang, **42** (2), 421-4 (2003).
— Temperature-compensated fiber-Bragg-grating-based magnetostrictive sensor for dc and ac currents. — Kin Seng Chiang, Ramesh Kancheti, and Vipul Rastogi; **42** (7), 1906-9 (2003).
**Chine, Ching-Fung** — See Hwang, Wen-Jyi, **42** (5), 1397-404 (2003).
**Chiou, Arthur E. T.** — See Su, Wei-Chia, **42** (1), 9-10 (2003).
**Chiu, Chung-Yi** — See Tang, Tsung-Yi, **42** (7), 1910-4 (2003).
**Chiu, Wilson K. S.** — Phase sensitivity of conventional single-mode and holey optical fibers: a comparison study. — Wilson K. S. Chiu, Jason M. Maguire, and Marilyn J. Berliner; **42** (8), 2304-10 (2003).
**Cho, Choongyeun** — See Yeang, Chen-Pang, **42** (7), 2129-49 (2003).
**Cho, Sunghoon** — See Seo, Youngmin, **42** (11), 3198-203 (2003).
**Choe, Yoonsik** — See Kim, Donyeon, **42** (9), 2485-6 (2003).
**Choi, Chul-Chae** — See Kim, Jin-Ha, **42** (3), 620-4 (2003).
**Choi, Don-Muk** — See Kwon, Kwang-Hee, **42** (9), 2630-41 (2003).
**Choi, Hyunhee** — See Son, Jung-Young, **42** (11), 3326-33 (2003).
**Choi, Jae-Gark** — See Won, Jong-Un, **42** (5), 1511-8 (2003).
**Choi, Jieun** — See La, Jongpil, **42** (3), 730-7 (2003).
**Choi, Tae Y.** — Ultrafast laser-induced crystallization of amorphous silicon films. — Tae Y. Choi, David J. Hwang, and Costas P. Grigoropoulos; **42** (11), 3383-8 (2003).
**Choi, Woon-Kyung** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Choi, Yong-Jin** — See Son, Jung-Young, **42** (11), 3326-33 (2003).
**Choi, Young-Wan** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Choo, Peng Y.** — Measurement and modeling of ion-exchange parameters for IOG-10 glass. — Peng Y. Choo, Jesse A. Frantz, James T. A. Carriere, David L. Mathine, Raymond K. Kostuk, and Nasser Peyghambarian; **42** (10), 2812-6 (2003).
**Chu, Beatrice C. B.** — See Kong, Ka Hang, **42** (2), 421-4 (2003).
**Chu, Pak L.** — See Lu, Yi Bin, **42** (3), 875-81 (2003).
**Chua, Soo-Jin** — See Li, Baojun, **42** (7), 1993-9 (2003).
**Chuang, C. K.** — See Luo, Perng-Fei, **42** (12), 3433-42 (2003).
**Chuang, Cheng-Hung** — See Lie, Wen-Nung, **42** (5), 1405-16 (2003).
— See Lin, Guo-Shiang, **42** (8), 2331-9 (2003).
**Chun, Joohwan** — See Bae, Jinho, **42** (1), 23-9 (2003).
**Chung, Eui Yoon** — See Park, Young Sik, **42** (1), 245-54 (2003).
**Chung, Henry Shu-Hung** — See Kong, Ka Hang, **42** (2), 421-4 (2003).
**Chung, Ronald** — See Wong, Hau-san, **42** (3), 632-41 (2003).
**Claus, Holger** — See Ferrante, Ronald A., **42** (7), 2155-9 (2003).
**Cochrell, Kerry** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Coelho, João M. P.** — Thermal modeling $CO_2$ laser radiation transmission welding of superposed thermoplastic films. — João M. P. Coelho, Manuel A. Abreu, and F. Carvalho Rodrigues; **42** (11), 3365-73 (2003).
**Coic, H.** — See Jolly, Alain, **42** (5), 1427-38 (2003).
**Colbourne, Paul** — See Yang, Lianxiang, **42** (5), 1417-26 (2003).
**Collings, Neil** — See Mias, Solon, **42** (7), 2075-81 (2003).
**Conley, Ray** — See Liu, Chian, **42** (12), 3622-8 (2003).
**Conti, G. Nunzi** — Characterization of ion-exchanged waveguides in tungsten tellurite and zinc tellurite $Er^{3+}$-doped glasses. — G. Nunzi Conti, V. K. Tikhomirov, M. Bettinelli, S. Berneschi, M. Brenci, B. Chen, S. Pelli, A. Speghini, A. B. Seddon, and G. C. Righini; **42** (10), 2805-11 (2003).
**Coomber, Stuart** — See Mias, Solon, **42** (7), 2075-81 (2003).
**Cox, Jeffery A.** — See Lohokare, Saurabh K., **42** (9), 2683-8 (2003).
**Cristóbal, Gabriel** — See Pech-Pacheco, José Luis, **42** (2), 551-9 (2003).
**Crossland, William A.** — See Mias, Solon, **42** (7), 2075-81 (2003).

**Crosta, Giovanni F.** — Classification of single-particle two-dimensional angular optical scattering patterns and heuristic scatterer reconstruction. — Giovanni F. Crosta, Simeone Zomer, Yong-Le Pan, and Stephen Holler; **42** (9), 2689-701 (2003).
**Cui, Zheng** — See Peng, Qinjun, **42** (2), 477-81 (2003).
**Curley, Michael J.** — See Liu, Zhifu, **42** (3), 803-12 (2003).
**Cywiak, Moisés** — See Barrientos García, Bernardino, **42** (10), 3004-12 (2003).

## D

**Daba, Jihad S.** — Synthetic-aperture-radar surface reflectivity estimation using a marked point-process speckle model. — Jihad S. Daba and Mark R. Bell; **42** (1), 211-27 (2003).
**Dabke, Kishor P.** — See Le, Khoa N., **42** (8), 2400-15 (2003).
— See Le, Khoa N., **42** (10), 3017-37 (2003).
**Dale, M.** — See Chen, F., **42** (5), 1359-69 (2003).
**Dan'ko, Volodymir P.** — See Son, Jung-Young, **42** (11), 3389-98 (2003).
**Das, Gautam** — Ring resonator for multiwavelength fiber laser using a Sagnac loop filter. — Gautam Das and John W. Y. Lit; **42** (8), 2257-62 (2003).
— Sagnac loop reflector and its multiwavelength laser application. — Gautam Das and John W. Y. Lit; **42** (10), 2880-5 (2003).
**Davies, Angela** — See Schmitz, Tony L., **42** (8), 2281-90 (2003).
**De, Swades** — See Liu, Pao-Lo, **42** (4), 981-4 (2003).
**de Groot, Peter** — Valve cone measurement using white light interference microscopy in a spherical measurement geometry. — Peter de Groot and Xavier Colonna de Lega; **42** (5), 1232-7 (2003).
**de Jong, Arie N.** — Alternative measurement techniques for infrared sensor performance. — Arie N. de Jong, Eric M. Franken, and Hans Winkel; **42** (3), 712-24 (2003).
**de Leeuw, Gerrit** — See Piazzola, Jacques, **42** (4), 912-24 (2003).
**de Lega, Xavier Colonna** — See de Groot, Peter, **42** (5), 1232-7 (2003).
**Della Corte, F. G.** — See Iodice, M., **42** (1), 169-75 (2003).
— See Sirleto, L., **42** (12), 3417-8 (2003).
**Della Corte, Francesco G.** — See Cantore, Francesca, **42** (10), 2835-40 (2003).
**Dell'Acqua, Fabio** — Meteorological structures and pattern recognition: Modal analysis of shapes extracted from satellite images. — Fabio Dell'Acqua and Paolo Gamba; **42** (3), 822-9 (2003).
**Delwart, S.** — See Bazalgette Courrèges-Lacoste, G., **42** (12), 3600-7 (2003).
**Deng, Luogen** — Nonlinear optical limiting of the azo dye methyl-red doped nematic liquid crystalline films. — Luogen Deng and Hua-Kuang Liu; **42** (10), 2936-41 (2003).
**Deng, Xuegong** — See Zhao, Feng, **42** (1), 273-80 (2003).
**De Nicola, Sergio** — Experimental demonstration of the longitudinal image shift in digital holography. — Sergio De Nicola, Pietro Ferraro, Andrea Finizio, Simonetta Grilli, and Giovanni Pierattini; **42** (6), 1625-30 (2003).
**de Pedraza, M. L.** — See Soares, O. D. D., **42** (2), 510-23 (2003).
**Der, Sandor Z.** — See Hutchinson, Brett A., **42** (9), 2734-45 (2003).
— See Chan, Alex Lipchen, **42** (9), 2746-54 (2003).
— See Kwon, Heesung, **42** (11), 3342-51 (2003).
**De Sario, Marco** — See D'Orazio, Antonella, **42** (3), 765-72 (2003).
**Deschaseaux, G.** — See Jolly, Alain, **42** (5), 1427-38 (2003).
**De Smet, Herbert** — See Bruyneel, Filip, **42** (8), 2466 (2003).
**De Visschere, Patrick** — See Meuret, Youri, **42** (3), 840-5 (2003).
— See Meuret, Youri, **42** (12), 3551-6 (2003).
**Devitt, Nicole** — See Driggers, Ronald G., **42** (3), 738-46 (2003).
— See O'Connor, John D., **42** (10), 3047-52 (2003).
**Dhliwayo, Jabulani** — Measurement of low differential group delay and fiber birefringence. — Jabulani Dhliwayo, Aiyu Zhang, and Rahim Nathoo; **42** (7), 1896-900 (2003).
**Dianat, Soheil A.** — See Viassolo, Daniel E., **42** (3), 625-31 (2003).
**Dickey, Fred M.** — Window functions for imaging radar: a maximum energy approach to contiguous and notched spectrums. — Fred M. Dickey, Louis A. Romero, and Armin W. Doerry; **42** (7), 2113-28 (2003).
— See Shealy, David L., **42** (11), 3077-9 (2003).
**DiIna, S.** — See George, Sajan D., **42** (5), 1476-80 (2003).
**Ding, Mingyue** — See Peng, Xiaoming, **42** (10), 2794-5 (2003).
**Ding, Xiaohua** — See Yu, Qifeng, **42** (1), 68-74 (2003).
**Ding, Yingchun** — Displacement sensors based on feedback effect of orthogonally polarized lights of frequency-split HeNe lasers. — Yingchun Ding, Shulian Zhang, Yan Li, Jun Zhu, Wenhua Du, and Rui Suo; **42** (8), 2225-8 (2003).
**DiVittorio, Michael** — See Restaino, Sergio R., **42** (9), 2491-5 (2003).
**Djie, H. S.** — See Sookdhis, C., **42** (12), 3421-2 (2003).
**Djordjevich, Alexandar** — Alternative to strain measurement. — Alexandar Djordjevich; **42** (7), 1888-92 (2003).
**Doel, A. Peter** — See Lu, Yueguang, **42** (7), 2006-9 (2003).
**Doerry, Armin W.** — See Dickey, Fred M., **42** (7), 2113-28 (2003).
— See Martinez, Ana, **42** (8), 2427-38 (2003).
**Dogru, Nuran** — Effect of spontaneous noise on mode-locked fiber grating external cavity lasers. — Nuran Dogru and M. Sadettin Özyazici; **42** (1), 18-22 (2003).
**Dong, Jie** — See Zhang, Ruiying, **42** (3), 798-802 (2003).
**D'Orazio, Antonella** — Design of praseodymium-doped optical waveguides. — Antonella D'Orazio, Marco De Sario, Luciano Mescia, Vincenzo Petruzzelli, Francesco Prudenzano, Anna P. Caricato, Gilberto Leggieri, and Maurizio Martino; **42** (3), 765-72 (2003).
**Dorrington, Adrian A.** — Single sideband techniques for laser Doppler velocimeter frequency offset. — Adrian A. Dorrington and Rainer Künnemeyer; **42** (11), 3239-46 (2003).
**Dougherty, Edward R.** — See Balagurunathan, Yoganand, **42** (6), 1795-804 (2003).
**Doulah, A. B. M. Nasirud** — See Uddin, M. Forkan, **42** (9), 2761-7 (2003).
**Doumanidis, Charalabos C.** — See Lind, Robert J., **42** (2), 304-16 (2003).
**Drabik, Timothy J.** — See Titus, Albert H., **42** (8), 2416-26 (2003).
**Driggers, Ronald G.** — Impact of speckle on laser range-gated shortwave infrared imaging system target identification performance. — Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, Carl Halford, and Kenneth J. Barnard; **42** (3), 738-46 (2003).
— Synthetic aperture radar target acquisition model based on a National Imagery Interpretability Rating Scale to probability of discrimination conversion. — Ronald G. Driggers, James A. Ratches, Jon C. Leachtenauer, and Regina W. Kistner; **42** (7), 2104-12 (2003).
— See Moyer, Steve, **42** (8), 2296-303 (2003).
— See O'Connor, John D., **42** (10), 3047-52 (2003).
**Drouard, Emmanuel** — See Escoubas, Ludovic, **42** (12), 3579-84 (2003).
**Du, Jinglei** — See Peng, Qinjun, **42** (2), 477-81 (2003).
**Du, Wenhua** — See Ding, Yingchun, **42** (8), 2225-8 (2003).
**Duan, Yuhong** — See Qi, Bing, **42** (11), 3165-71 (2003).
**Duan, Zhihui** — See Gokhler, Mark, **42** (3), 830-6 (2003).
**Duncan, Bradley D.** — Wide-angle achromatic prism beam steering for infrared countermeasure applications. — Bradley D. Duncan, Philip J. Bos, and Vassili Sergan; **42** (4), 1038-47 (2003).
**du Plessis, Monuko** — See Snyman, Lukas Willem, **42** (10), 3059 (2003).
**Durieu, Cécile** — See Prunet, Stéphanie, **42** (4), 985-93 (2003).

## E

**Eden, J. G.** — See Knecht, B. A., **42** (12), 3612-21 (2003).
**Egan, Gregory K.** — See Le, Khoa N., **42** (8), 2400-15 (2003).
— See Le, Khoa N., **42** (10), 3017-37 (2003).
**Eifert, Joseph** — See Lee, D. J., **42** (10), 2947-55 (2003).
**Eiju, Tomoaki** — See Matsuda, Kiyofumi, **42** (12), 3537-44 (2003).
**Elmirghani, J. M. H.** — See Al-Ghamdi, A. G., **42** (11), 3295-301 (2003).
**El-Nahal, F. I.** — Applications of active arrayed-waveguide grating in future wavelength division multiplexing networks. — F. I. El-Nahal and R. J. Mears; **42** (3), 867-74 (2003).
**El-Saba, A. M.** — Power, efficiency, and polarization analysis of a beamsplitter for the equipartition of infrared input power in the presence of angular, film-thickness, and spectral deviations. — A. M. El-Saba and Rasheed M. A. Azzam; **42** (12), 3487-90 (2003).
**Escoubas, Ludovic** — Optical and electro-optical properties of pulse laser deposited PLZT thin films. — Ludovic Escoubas, Pascal Huguet-Chantôme, Miroslav Jelínek, Francois Flory, Emmanuel Drouard, Ján Lančok, Jean-Jacques Simon, and Thomas Mazingue; **42** (12), 3579-84 (2003).
**Esteban, Ó.** — See Márquez-Borbón, L., **42** (5), 1182-3 (2003).
**Ettemeyer, Andreas** — See Yang, Lianxiang, **42** (5), 1257-66 (2003).
— See Krupka, René, **42** (5), 1354-8 (2003).
**Evans, Chris J.** — See Schmitz, Tony L., **42** (8), 2281-90 (2003).

## F

**Fage-Pedersen, Jacob** — See Poulsen, Mogens Rysholt, **42** (10), 2821-34 (2003).
**Fainman, Yeshaiahu** — See Pang, Lin, **42** (10), 2912-7 (2003).
**Falciai, Riccardo** — Simple tunable chirp of fiber Bragg gratings without center wavelength shift. — Riccardo Falciai and Cosimo Trono; **42** (8), 2263-7 (2003).
**Fan, Kuo-Chin** — See Chang, Yang-Lang, **42** (9), 2576-87 (2003).
**Fang, Guangjiu** — See Wang, Qiong-Hua, **42** (3), 837-9 (2003).
**Fasquel, Jean-Baptiste** — New hybrid opto-electronic method for fast and unsupervised object detection. — Jean-Baptiste Fasquel and Michel Bruynooghe, **42** (11), 3352-64 (2003).
**Faz-Gómez, José A.** — See Rodriguez-Dagnino, Ramón M., **42** (6), 1843-9 (2003).
**Fdez-Valdivia, Joaquin** — See Garcia, Jose A., **42** (11), 3215-34 (2003).
**Fdez-Valdivia, Joaquin** — See Garcia, Jose A., **42** (4), 1000-12 (2003).
**Fdez-Vidal, Xose R.** — See Garcia, Jose A., **42** (4), 1000-12 (2003).
**Feng, Stephen T.** — Novel method of chaotic-signal estimation. — Stephen T. Feng and Patrick C. Yip; **42** (6), 1550-9 (2003).
**Feng, Zhiwei** — See Zhang, Ruiying, **42** (3), 798-802 (2003).
**Ferm, Paul M.** — See Shacklette, Lawrence W., **42** (10), 2841-9 (2003).
**Fernández-Valdivielso, Carlos** — Thermochromic-effect-based temperature optical fiber sensor for underwater applications. — Carlos Fernández-Valdivielso, Ignacio R. Matías, Francisco J. Arregui, Joaquín Roca-Dorda, Jose A. Vera, and Manuel Jimenez; **42** (3), 656-61 (2003).
**Fernelius, Nils C.** — See Singh, N. B., **42** (11), 3270-3 (2003).
**Ferrante, Ronald A.** — Color correction of metal halide arc lamp sources. — Ronald A. Ferrante, Michael L. Fulton, Robert Cabrera, James Walker, and Holger Claus; **42** (7), 2155-9 (2003).
**Ferraro, Pietro** — See De Nicola, Sergio, **42** (6), 1625-30 (2003).
**Ferreira da Rocha, J. R.** — See Lima, M. J. N., **42** (9), 2502-5 (2003).
**Finizio, Andrea** — See De Nicola, Sergio, **42** (6), 1625-30 (2003).
**Fitzgerald, Eugene A.** — See Li, Baojun, **42** (7), 1993-9 (2003).
**Fleming, Simon C.** — See Huntington, Shane T., **42** (7), 1893-5 (2003).
**Flory, Francois** — See Escoubas, Ludovic, **42** (12), 3579-84 (2003).
**Fokitis, Emmanuel** — See Geranios, Athanasios K., **42** (3), 759-64 (2003).
**Fomitchov, Pavel** — Response of a fiber Bragg grating ultrasonic sensor. — Pavel Fomitchov and Sridhar Krishnaswamy; **42** (4), 956-63 (2003).
**Frajka, Tamás** — Residual image coding for stereo image compression. — Tamás Frajka and Kenneth Zeger; **42** (1), 182-9 (2003).
— Disparity estimation window size. — Tamás Frajka and Kenneth Zeger; **42** (11), 3334-41 (2003).
**Franken, Eric M.** — See de Jong, Arie N., **42** (3), 712-24 (2003).
**Frantz, Jesse A.** — See Choo, Peng Y., **42** (10), 2812-6 (2003).
**Fraser, R. D.** — See Knecht, B. A., **42** (12), 3612-21 (2003).
**Frazão, O.** — See Lima, M. J. N., **42** (9), 2502-5 (2003).
**Frese, Ines** — See Ziołkowski, Sławomir, **42** (5), 1451-5 (2003).
**Frietman, Edward** — See Zhao, Feng, **42** (1), 273-80 (2003).
**Fu, Qionglin** — See Hu, Qingying, **42** (2), 487-93 (2003).
**Fu, Yongqi** — Investigation of diffractive optical element fabricated on diamond film by use of focused ion beam direct milling. — Yongqi Fu and Ngoi Kok Ann Bryan; **42** (8), 2214-7 (2003).
**Fu, Yunchang** — See Li, Junchang, **42** (12), 3545-50 (2003).
**Fuhrmann, Daniel R.** — Empirical modeling and calibration of Fourier transform spectrometers. — Daniel R. Fuhrmann and William H. Smith; **42** (8), 2268-76 (2003).
**Fujigaki, Motoharu** — See Yoneyama, Satoru, **42** (1), 137-42 (2003).
— See Ikeda, Yasuyuki, **42** (5), 1249-56 (2003).
**Fujii, Takashi** — See Fukuchi, Tetsuo, **42** (1), 98-104 (2003).
**Fujita, Koetsu** — See Matsuzoe, Yuji, **42** (1), 124-31 (2003).
**Fukuchi, Tetsuo** — Differential absorption lidar system for simultaneous measurement of $O_3$ and $NO_2$: system development and measurement error estimation. — Tetsuo Fukuchi, Takuya Nayuki, Nianwen Cao, Takashi Fujii, Koshichi Nemoto, Hideto Mori, and Nobuo Takeuchi; **42** (1), 98-104 (2003).
**Fulton, Michael L.** — See Ferrante, Ronald A., **42** (7), 2155-9 (2003).
**Funes-Gallanzi, M.** — See Padilla-Sosa, P., **42** (2), 459-66 (2003).
**Fung, George S. K.** — Camera calibration from road lane markings. — George S. K. Fung, Nelson H. C. Yung, and Grantham K. H. Pang; **42** (10), 2967-77 (2003).
**Furlan, Walter D.** — Assessment of a Wigner-distribution-function-based method to compute the polychromatic axial response given by an aberrated optical system. — Walter D. Furlan, Genaro Saavedra, Enrique Silvestre, Juan A. Monsoriu, and José D. Patrignani; **42** (3), 753-8 (2003).

**Furlong, Cosme** — Optoelectronic characterization of shape and deformation of MEMS accelerometers used in transportation applications. — Cosme Furlong and Ryszard J. Pryputniewicz; **42** (5), 1223-31 (2003).
**Futakuchi, N.** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).

## G

**Galbraith, Ruben L.** — See Hutchinson, Brett A., **42** (9), 2734-45 (2003).
**Gamba, Paolo** — See Dell'Acqua, Fabio, **42** (3), 822-9 (2003).
**Gan, Fuxi** — See Wei, Jingsong, **42** (6), 1749-53 (2003).
— See Liu, Bo, **42** (9), 2702-6 (2003).
**Ganibal, Christian** — See Lescure, Marc, **42** (9), 2653-8 (2003).
**Gao, Yiqing** — See Wan, Xiong, **42** (9), 2659-69 (2003).
**Gao, Yizhi** — See Wang, Jianping, **42** (8), 2380-3 (2003).
**Garcia, Jose A.** — CORAL: collective rationality for the allocation of bits. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Xose R. Fdez-Vidal; **42** (4), 1000-12 (2003).
— Self-control of quantizer risk attitude in rational embedded wavelet image coding. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Javier Martinez-Baena; **42** (11), 3215-34 (2003).
**García, Víctor** — See Salas, Luis, **42** (11), 3307-14 (2003).
**García-Valenzuela, Augusto** — See Peña-Gomar, Mary Carmen, **42** (3), 853-61 (2003).
— Sensitivity analysis of angle-sensitive detectors based on a film resonator. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Joel Villatoro; **42** (4), 1084-92 (2003).
**Gaunaurd, Guillermo C.** — Use of Mueller matrices in the photoelastic determination of the stress distribution in a model for a solid propellant rocket grain. — Guillermo C. Gaunaurd; **42** (2), 467-76 (2003).
**Ge, Changjun** — See Wang, Qiong-Hua, **42** (3), 837-9 (2003).
**George, Sajan D.** — Photoacoustic study of the effect of doping concentration on the transport properties of GaAs epitaxial layers. — Sajan D. George, S. Dilna, R. Prasanth, P. Radhakrishnan, C. P. G. Vallabhan, and V. P. N. Nampoori; **42** (5), 1476-80 (2003).
**Geranios, Athanasios K.** — Evaluation method of optical filters used in fluorescence detectors. — Athanasios K. Geranios, Emmanuel Fokitis, Stavros Maltezos, A. Petridis, and M. Vassiliou; **42** (3), 759-64 (2003).
**Ghatak, Ajoy K.** — See Goyal, I. C., **42** (4), 977-80 (2003).
**Ghibaudo, Elise** — Design of a 2-×200-nm bandwith integrated optic duplexer. — Elise Ghibaudo, Jean-Emmanuel Broquin, and Pierre Benech; **42** (10), 2850-5 (2003).
**Ghosh, Ajay** — See Sanyal, Sucharita, **42** (4), 1058-64 (2003).
**Gilbreath, G. Charmaine** — Progress in development of multiple-quantum-well retromodulators for free-space data links. — G. Charmaine Gilbreath, William S. Rabinovich, Timothy J. Meehan, Michael J. Vilcheck, Mena Stell, Rita Mahon, Peter G. Goetz, Eun Oh, John A. Vasquez, Kerry Cochrell, Robert L. Lucke, and Sharon Mozersky; **42** (6), 1611-7 (2003).
— See Restaino, Sergio R., **42** (9), 2491-5 (2003).
**Giniotis, Vytautas** — See Skeivalas, Jonas, **42** (7), 2025-8 (2003).
**Giorgio, Agostino** — Design of guided-wave photonic bandgap devices by using the Bloch-Floquet theory. — Agostino Giorgio, Anna Gina Perri, and Mario N. Armenise; **42** (4), 1100-7 (2003).
**Gleyze, J. F.** — See Jolly, Alain, **42** (5), 1427-38 (2003).
**Go, Chun-Soo** — See Oh, Yong-Ho, **42** (4), 994-9 (2003).
**Goetz, Peter G.** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Gokhler, Mark** — Spatial coherence radar applied for tilted surface profilometry. — Mark Gokhler, Zhihui Duan, Joseph Rosen, and Mitsuo Takeda; **42** (3), 830-6 (2003).
**Goldberg, Arnold C.** — Comparison of HgCdTe and quantum-well infrared photodetector dual-band focal plane arrays. — Arnold C. Goldberg, Stephen W. Kennerly, John W. Little, Thomas A. Shafer, C. Lynn Mears, Herbert F. Schaake, Michael Winn, Michael Taylor, and Parvez N. Uppal; **42** (1), 30-46 (2003).
**Gong, Ma-li** — See Yan, Ping, **42** (1), 159-62 (2003).
**Gong, Mali** — See Zhang, Kai, **42** (9), 2721-6 (2003).
— See Liu, Qiang, **42** (11), 3265-9 (2003).
**Gorecki, Michal** — See Sypek, Maciej, **42** (11), 3158-64 (2003).
**Goyal, I. C.** — Design of a small residual dispersion fiber and a corresponding dispersion compensating fiber for dense wavelength division multiplexing systems. — I. C. Goyal, R. K. Varshney, and Ajoy K. Ghatak; **42** (4), 977-80 (2003).
**Gramsch, Ernesto** — Performance of a novel planar-processed avalanche photodiode for light and x-ray detection. — Ernesto Gramsch and Ricardo E. Avila; **42** (9), 2496-501 (2003).
**Granberg, Hjalmar** — Forward scattering of fiber-containing surfaces studied by 3-D reflectance distribution simulations and measurements. — Hjalmar Granberg, Jon Jensen, and Lars Mattsson; **42** (8), 2384-90 (2003).
**Green, Kenton A.** — See Singh, N. B., **42** (11), 3270-3 (2003).
**Greenberg, Shlomo** — See Arbel, Dan, **42** (9), 2607-13 (2003).
**Griffiths, Peter R.** — See Richardson, Robert L., **42** (8), 2197-201 (2003).
**Grigoropoulos, Costas P.** — See Choi, Tae Y., **42** (11), 3383-8 (2003).
**Grilli, Simonetta** — See De Nicola, Sergio, **42** (6), 1625-30 (2003).
**Grover, Chander P.** — See Matsuda, Kiyofumi, **42** (12), 3537-44 (2003).
**Guekos, G.** — See Kalyvas, M., **42** (12), 3413-4 (2003).
**Guis, Vincente H.** — Adaptive neighborhood contrast enhancement in mammographic phantom images. — Vincente H. Guis, Mouloud Adel, Monique Rasigni, Georges Rasigni, Brigitte Séradour, and Patrice Heid; **42** (2), 357-66 (2003).
**Guo, Cheng-Shan** — Effect of the fill factor of CCD pixels on digital holograms: comment on the papers "Frequency analysis of digital holography" and "Frequency analysis of digital holography with reconstruction by convolution". — Cheng-Shan Guo, Li Zhang, Zhen-Yu Rong, and Hui-Tian Wang; **42** (9), 2768-71 (2003).
**Guo, Hanwei** — Detection of invisible moving targets in foliage penetration ultra-wide-band synthetic aperture radar images. — Hanwei Guo, Diannong Liang, Yan Wang, and Xiaotao Huang; **42** (10), 2796-7 (2003).
**Guo, Hongwei** — Multiview connection technique for 360-deg three-dimensional measurement. — Hongwei Guo and Mingyi Chen; **42** (4), 900-5 (2003).
**Guo, Liangfu** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Guo, Shiju** — See Wang, Dawei, **42** (12), 3585-8 (2003).
**Guo, Yili** — See Liaw, Shien-Kuei, **42** (8), 2178-9 (2003).
**Guo, Yongkang** — See Peng, Qinjun, **42** (2), 477-81 (2003).
**Gupta, Gaurav** — See Chakrabarti, P., **42** (4), 939-47 (2003).
**Gupta, Mridula** — See Singh, Adarsh, **42** (9), 2563-7 (2003).
**Gupta, R. S.** — See Singh, Adarsh, **42** (9), 2563-7 (2003).
**Gupta, V. K.** — See Qureshi, G. J., **42** (6), 1754-7 (2003).

## H

**Ha, Yeong Ho** — See Park, Young Sik, **42** (1), 245-54 (2003).
**Habib, Associate Professor, Ayman F.** — Automatic calibration of low-cost digital cameras. — Ayman F. Habib, Associate Professor and Michel F. Morgan; **42** (4), 948-55 (2003).
**Hadar, Ofer** — See Arbel, Dan, **42** (9), 2607-13 (2003).
— See Raiter, Sergey, **42** (11), 3253-64 (2003).
**Hadas, Zadok** — Introducing anisotropy in the autocorrelation function of natural terrain infrared images. — Zadok Hadas, Kalman Wilner, and Nissim Ben-Yosef; **42** (6), 1683-9 (2003).
**Hafez, Moustapha** — Study of the beam path distortion profiles generated by a two-axis tilt single-mirror laser scanner. — Moustapha Hafez, Thomas Sidler, and René-Paul Salathé; **42** (4), 1048-57 (2003).
**Haidar, S.** — Seed-source tuning of a broadband noncollinear optical parametric generator based on periodically poled $LiNbO_3$. — S. Haidar, T. Usami, J. Shikata, and H. Ito; **42** (1), 143-7 (2003).
**Halford, Carl** — See Driggers, Ronald G., **42** (3), 738-46 (2003).
**Hällstig, Emil** — Intensity variations using a quantized spatial light modulator for nonmechanical beam steering. — Emil Hällstig, Lars Sjöqvist, and Mikael Lindgren; **42** (3), 613-9 (2003).
**Han, Chin-Chuan** — See Chang, Yang-Lang, **42** (9), 2576-87 (2003).
**Han, Pin** — See Hwang, Hone-Ene, **42** (3), 686-95 (2003).
**Han, Sang-Kook** — See Kang, Jeung-Mo, **42** (6), 1836-42 (2003).
**Hand, Duncan P.** — See Reeves, Mark, **42** (10), 2923-9 (2003).
**Harase, Kentaro** — See Arakawa, Tomiyuki, **42** (12), 3419-20 (2003).
**Harding, Kevin G.** — See Qian, Xiaoping, **42** (5), 1238-48 (2003).
**Harjanne, Mikko** — See Aalto, Timo T., **42** (10), 2861-7 (2003).
**Hasebe, Satoshi** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Hasegawa, Tatsushi** — See Arakawa, Tomiyuki, **42** (4), 898-9 (2003).
**Hasman, Erez** — Three-dimensional optical metrology with extended depth-measuring range using a holographic axilens. — Erez Hasman and Vladimir Kleiner; **42** (1), 132-6 (2003).
**He, M.** — Simple fabrication of cylindrical sol-gel microlens array by reflowing technique. — M. He, X.-C. Yuan, N. Q. Ngo, W. C. Cheong, and J. Bu; **42** (8), 2180-1 (2003).
**He, Shaobo** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**He, Xiaoyuan** — See Kang, Xin, **42** (10), 3053-8 (2003).
**Heard, Peter J.** — See Rashed, Atef M., **42** (3), 792-7 (2003).
**Heid, Patrice** — See Guis, Vincente H., **42** (2), 357-66 (2003).
**Heide, Thomas** — Investigation of optical interconnect receivers in standard micron and submicron MOS technology. — Thomas Heide and Horst Zimmermann; **42** (3), 773-86 (2003).
**Heizmann, Michael** — Imaging and analysis of forensic striation marks. — Michael Heizmann and Fernando Puente León; **42** (12), 3423-32 (2003).
**Helm, Jeffrey D.** — Deformations in wide, center-notched, thin panels, part I: three-dimensional shape and deformation measurements by computer vision. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1293-305 (2003).
— Deformations in wide, center-notched, thin panels, part II: finite element analysis and comparison to experimental measurements. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1306-20 (2003).
**Hirose, Akira** — See Kawata, Sotaro, **42** (9), 2670-5 (2003).
**Ho, H. L.** — See Shi, C. Z., **42** (11), 3179-81 (2003).
**Ho, Ho Pui** — Multilayer optical storage disk based on the frequency up-conversion effect from rare-earth ions. — Ho Pui Ho, W. W. Wong, and S. Y. Wu; **42** (8), 2349-53 (2003).
**Ho, S. T.** — See Zhao, Y.-G., **42** (2), 298-9 (2003).
**Hocde, Sandrine** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Hock Soon, Seah** — See Kemao, Qian, **42** (9), 2642-5 (2003).
**Hoffnagle, John A.** — Beam shaping with a plano-aspheric lens pair. — John A. Hoffnagle and C. Michael Jefferson; **42** (11), 3090-9 (2003).
**Holler, Stephen** — See Crosta, Giovanni F., **42** (9), 2689-701 (2003).
**Hong, H. F.** — See Yee, Hoshin H., **42** (10), 2918-22 (2003).
**Hong, Hanyu** — Fast restoration approach for rotational motion blurred image based on deconvolution along the blurring paths. — Hanyu Hong and Tianxu Zhang; **42** (12), 3471-86 (2003).
**Hoon, Kam See** — See Tayag, Tristan J., **42** (1), 105-11 (2003).
**Hopkins, F. Kenneth** — See Singh, N. B., **42** (11), 3270-3 (2003).
**Hore, Edward S.** — Improved vector filtering for color images using fuzzy noise detection. — Edward S. Hore, Bin Qiu, and Hong Ren Wu; **42** (6), 1656-64 (2003).
**Horng, Ming-Huwi** — Texture feature coding method for texture classification. — Ming-Huwi Horng; **42** (1), 228-38 (2003).
**Hossain, A. B. M. Ishteak** — See Uddin, M. Forkan, **42** (9), 2761-7 (2003).
**Hou, Xingsong** — Wavelet packet image coding algorithm combined with the actual coding costs. — Xingsong Hou and Guizhong Liu; **42** (6), 1640-8 (2003).
**Hou, Xun** — See Yu, Zhong, **42** (10), 2790-1 (2003).
**Houbavlis, T.** — Ultrafast all-optical exclusive OR operation with semiconductor optical amplifier-assisted fiber Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (9), 2481-2 (2003).
— 10-GHz all-optical recirculating shift register with semiconductor optical amplifier (SOA)-assisted Sagnac switch and SOA feedback. — T. Houbavlis and K. E. Zoiros; **42** (9), 2483-4 (2003).
— See Vyrsokinos, K., **42** (11), 3075-6 (2003).
— See Kalyvas, M., **42** (12), 3413-4 (2003).
— Ultrafast pattern-operated all-optical Boolean XOR with semiconductor optical amplifier-assisted Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (12), 3415-6 (2003).
**How Kee Chun, Lip Sun** — See Shacklette, Lawrence W., **42** (10), 2841-9 (2003).
**Hsiao, Yi-Nan** — See Hsu, Ken Y., **42** (5), 1390-6 (2003).
**Hsieh, Chih-Ming** — See Chen, Wen-Shiung, **42** (8), 2452-64 (2003).
**Hsieh, Li-Zen** — See Cheng, Yi-Chang, **42** (1), 119-23 (2003).
**Hsu, Cheng-Chih** — See Chen, Kun-Huang, **42** (7), 1884-7 (2003).
**Hsu, Chih-Yuan** — See Sun, Ching-Cherng, **42** (10), 2788-9 (2003).
**Hsu, Ken Y.** — Experimental characterization of phenanthrenequinone-doped poly(methyl methacrylate) photopolymer for volume holographic storage. — Ken Y. Hsu, Shiuan Huei Lin, Yi-Nan Hsiao, and Wha Tzong Whang; **42** (5), 1390-6 (2003).
**Hu, Qingying** — See Huang, Peisen S., **42** (2), 482-6 (2003).
— Calibration of a three-dimensional shape measurement system. — Qingying Hu, Peisen S. Huang, Qionglin Fu, and Fu-Pen Chiang; **42** (2), 487-93 (2003).
**Hu, Wentao** — See Xie, Wenjie, **42** (5), 1439-44 (2003).
— See Xie, Wenjie, **42** (6), 1787-94 (2003).
**Hu, Xiaotang** — See Zhang, Zonghua, **42** (7), 1935-9 (2003).
**Hu, Yongdan** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Hu, Yu-Chen** — Low-complexity and low-bit-rate image compression scheme based on absolute moment block truncation coding. — Yu-Chen Hu; **42** (7), 1964-75 (2003).

**Hu, Zhaohui** — See Wang, Jia, **42** (2), 373-82 (2003).
**Huang, Hsu-Hung** — See Lu, Hai-Han, **42** (5), 1180-1 (2003).
— See Lu, Hai-Han, **42** (7), 1901-5 (2003).
**Huang, Peisen S.** — High-speed 3-D shape measurement based on digital fringe projection. — Peisen S. Huang, Chengping Zhang, and Fu-Pen Chiang; **42** (1), 163-8 (2003).
— Error compensation for a three-dimensional shape measurement system. — Peisen S. Huang, Qingying Hu, and Fu-Pen Chiang; **42** (2), 482-6 (2003).
— See Hu, Qingying, **42** (2), 487-93 (2003).
**Huang, Shih-Chu** — See Lin, Wuu-Wen, **42** (9), 2551-7 (2003).
**Huang, Xiaotao** — See Guo, Hanwei, **42** (10), 2796-7 (2003).
**Huang, Zhenyu** — See Qi, Bing, **42** (11), 3165-71 (2003).
**Hübner, Jörg** — See Poulsen, Mogens Rysholt, **42** (10), 2821-34 (2003).
**Huguet-Chantôme, Pascal** — See Escoubas, Ludovic, **42** (12), 3579-84 (2003).
**Hui, W. K.** — See Sivakumar, N. R., **42** (2), 367-72 (2003).
**Hung, Fu-Chung** — See Liaw, Shien-Kuei, **42** (8), 2178-9 (2003).
**Hung, Michael Y. Y.** — Optical Metrology Developments and Applications in the Transportation Industry. — Michael Y. Y. Hung and Frank Chen; **42** (5), 1186-7 (2003).
— Unified approach for holography and shearography in surface deformation measurement and nondestructive testing. — Michael Y. Y. Hung, H. M. Shang, and Lianxiang Yang; **42** (5), 1197-207 (2003).
— Nondestructive testing of specularly reflective objects using reflection three-dimensional computer vision technique. — Michael Y. Y. Hung and H. M. Shang; **42** (5), 1343-7 (2003).
**Huntington, Shane T.** — Complete characterization of a high-numerical-aperture small-core fiber with subwavelength resolution using atomic force microscopy and near-field scanning optical microscopy. — Shane T. Huntington, Ann Roberts, Keith A. Nugent, and Simon C. Fleming; **42** (7), 1893-5 (2003).
**Huntley, Jonathan M.** — See Maranon, Alejandro, **42** (5), 1328-36 (2003).
**Huo, Wei** — See Qi, Bing, **42** (11), 3165-71 (2003).
**Huo, Yihua** — See Zhou, Dingfu, **42** (11), 3315-9 (2003).
**Huo, Yujing** — See Chen, Qiansong, **42** (12), 3608-11 (2003).
**Hutchinson, Brett A.** — Simulation-based analysis of range and cross-range resolution requirements for the identification of vehicles in ladar imagery. — Brett A. Hutchinson, Ruben L. Galbraith, Barry L. Stann, and Sandor Z. Der; **42** (9), 2734-45 (2003).
**Hwang, David J.** — See Choi, Tae Y., **42** (11), 3383-8 (2003).
**Hwang, Hone-Ene** — Near-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam from a circular aperture. — Hone-Ene Hwang, Gwo-Huei Yang, and Pin Han; **42** (3), 686-95 (2003).
— Far-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam incident on the reflection grating. — Hone-Ene Hwang; **42** (11), 3374-82 (2003).
**Hwang, Jung Ho** — See Kim, Kwang Taek, **42** (3), 675-81 (2003).
**Hwang, Tae-Joon** — Phase-shifting diffraction-grating interferometer for testing concave mirrors. — Tae-Joon Hwang and Seung-Woo Kim; **42** (12), 3532-6 (2003).
**Hwang, Wen-Jyi** — Scalable and robust image transmission using block-based layered set partitioning in hierarchical trees. — Wen-Jyi Hwang, Ching-Fung Chine, and Wen-Liang Hwang; **42** (5), 1397-404 (2003).
**Hwang, Wen-Liang** — See Hwang, Wen-Jyi, **42** (5), 1397-404 (2003).
**Hwangbo, Seung** — See Kim, Kwang Taek, **42** (3), 675-81 (2003).

## I

**Ice, Gene E.** — See Liu, Chian, **42** (12), 3622-8 (2003).
**Iemmi, Claudio** — See Barbé, Joaquim, **42** (7), 2062-7 (2003).
— See Villarreal, Mirta, **42** (8), 2354-61 (2003).
**Ifarraguerri, Agustin** — See Ben-David, Avishai, **42** (2), 325-33 (2003).
**Ignac-Nowicka, Jolanta** — Examination of thin films of phthalocyanines in plasmon system for application in $NO_2$ sensors. — Jolanta Ignac-Nowicka, Tadeusz Pustelny, Zbigniew Opilski, Erwin Maciak, Wiesław P. Jakubik, and Marian Urbanczyk; **42** (10), 2978-86 (2003).
**Ikeda, Yasuyuki** — See Yoneyama, Satoru, **42** (1), 137-42 (2003).
— Absolute phase analysis method for three-dimensional surface profilometry using frequency-modulated grating. — Yasuyuki Ikeda, Satoru Yoneyama, Motoharu Fujigaki, and Yoshiharu Morimoto; **42** (5), 1249-56 (2003).
**Inaudi, Daniele** — See LLoret, Sandra, **42** (3), 662-9 (2003).
**Iodice, M.** — Transient analysis of a high-speed thermo-optic modulator integrated in an all-silicon waveguide. — M. Iodice, F. G. Della Corte, I. Rendina, P. M. Sarro, and M. Bellucci; **42** (1), 169-75 (2003).
— See Sirleto, L., **42** (12), 3417-8 (2003).
**Ishii, Thomas Koryu** — See Agili, Sedig S., **42** (9), 2542-50 (2003).
**Ishii, Yukihiro** — Phase-shifting Fizeau interference microscope with a wavelength-shifted laser diode. — Yukihiro Ishii, Jun Chen, Ribun Onodera, and Taizo Nakamura; **42** (1), 60-7 (2003).
**Islam, Mohammed Nazrul** — See Uddin, M. Forkan, **42** (9), 2761-7 (2003).
**Ito, H.** — See Haidar, S., **42** (1), 143-7 (2003).
**Itoh, Akinori** — See Takino, Hideo, **42** (9), 2676-82 (2003).

## J

**Jackson, J. Carl** — Toward integrated single-photon-counting microarrays. — J. Carl Jackson, Don Phelan, Alan P. Morrison, R. Michael Redfern, and Alan Mathewson; **42** (1), 112-8 (2003).
**Jacobson, Bengt** — See Brunnström, Kjell, **42** (2), 388-99 (2003).
**Jafri, Ijaz H.** — See Tayag, Tristan J., **42** (1), 105-11 (2003).
**Jakubik, Wiesław P.** — See Ignac-Nowicka, Jolanta, **42** (10), 2978-86 (2003).
**Jamshidi, Mo** — See Martinez, Ana, **42** (8), 2427-38 (2003).
**Jang, Chiou-Hung** — See Kim, Jin-Ha, **42** (3), 620-4 (2003).
**Jang, Ju-Seog** — Formation of orthoscopic three-dimensional real images in direct pickup one-step integral imaging. — Ju-Seog Jang and Bahram Javidi; **42** (7), 1869-70 (2003).
**Javidi, Bahram** — See Jang, Ju-Seog, **42** (7), 1869-70 (2003).
— Real-time remote identification and verification of objects using optical ID tags. — Bahram Javidi; **42** (8), 2346-8 (2003).
**Jefferson, C. Michael** — See Hoffnagle, John A., **42** (11), 3090-9 (2003).
**Jelinek, Miroslav** — See Escoubas, Ludovic, **42** (12), 3579-84 (2003).
**Jen, Yi-Jun** — Determination of the optical constants of an arbitrarily oriented anisotropic thin film by exciting surface plasmons analyzed by the nonsymmetric theory. — Yi-Jun Jen and Cheng-Chung Lee; **42** (4), 925-8 (2003).
**Jensen, Jon** — See Granberg, Hjalmar, **42** (8), 2384-90 (2003).
**Jeon, Yong-Soo** — See Kang, Jeung-Mo, **42** (6), 1836-42 (2003).
**Jeon, Yongbae** — See Lee, Changho, **42** (6), 1589-96 (2003).
**Jeong, In-Shik** — Video shot boundary detection using relative difference between frames. — In-Shik Jeong and Oh-Jin Kwon; **42** (3), 604-5 (2003).
**Jeong, Yoonchan** — Polarization-isolated electrical modulation of an etched long-period fiber grating with an outer liquid-crystal cladding. — Yoonchan Jeong, Hak-Rin Kim, Seungin Baek, Yonghyun Kim, Yong Wook Lee, Sin-Doo Lee, and Byoungho Lee; **42** (4), 964-8 (2003).
**Jhun, Chul Gyu** — Dual-antiferroelectric liquid crystal display with high transmittance efficiency and no dispersion. — Chul Gyu Jhun, Jin-Woo Kang, Tae-Hoon Yoon, and Jae Chang Kim; **42** (7), 2047-50 (2003).
**Jia, Dagong** — See Jing, Wencai, **42** (11), 3285-9 (2003).
**Jiang, Dong** — See Zhou, Dingfu, **42** (11), 3315-9 (2003).
**Jiang, Jie** — Distortion correction for a wide-angle lens based on real-time digital image processing. — Jie Jiang, Guangjun Zhang, Fuqiang Zhou, Daoyin Yu, Hongbo Xie, and Hang Liu; **42** (7), 2029-39 (2003).
**Jiang, Shibin** — Compact multimode pumped erbium-doped phosphate fiber amplifiers. — Shibin Jiang, Sergio B. Mendes, Yongdan Hu, Gualtiero Nunzi-Conti, Arturo Chavez-Pirson, Yushi Kaneda, Tao Luo, Qingyun Chen, Sandrine Hocde, Dan T. Nguyen, Ewan Wright, Jiafu Wang, Wenyan Tian, Thomas Nikolajsen, and Nasser Peyghambarian; **42** (10), 2817-20 (2003).
**Jiang, Wenhan** — See Zhang, Hongtao, **42** (8), 2190-6 (2003).
— See Zhou, Weichao, **42** (9), 2755-60 (2003).
**Jiang, Xuejun** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Jiao, Li-Cheng** — See Zhong, Hua, **42** (7), 2082-91 (2003).
**Jiao, Yueguang** — See Liaw, Shien-Kuei, **42** (8), 2178-9 (2003).
**Jimenez, Manuel** — See Fernández-Valdivielso, Carlos, **42** (3), 656-61 (2003).
**Jin, Guo Liang** — See Liu, Gang Jun, **42** (10), 2930-5 (2003).
**Jin, Guofan** — See Tan, Qiaofeng, **42** (11), 3100-5 (2003).
**Jin, W.** — See Shi, C. Z., **42** (11), 3179-81 (2003).
**Jing, Wencai** — Design of a multichannel ring network with tunable laser diodes and fixed optical detectors. — Wencai Jing, Yi-Mo Zhang, and Ge Zhou; **42** (8), 2324-30 (2003).
— Design of single-channel optical rotary joint using bulk optical detector. — Wencai Jing, Yi-Mo Zhang, Ge Zhou, Dagong Jia, Bao Liu, and Feng Tang; **42** (11), 3285-9 (2003).
**Jing, Zhong-liang** — See Li, Jian-xun, **42** (8), 2439-51 (2003).
**Johnson, Eric G.** — See Mohammed, Waleed S., **42** (8), 2311-7 (2003).
**Johnson, Richard N.** — See Stark, Henry, **42** (1), 11-7 (2003).
**Johnson, Steven** — Constrained energy minimization and the target-constrained interference-minimized filter. — Steven Johnson; **42** (6), 1850-4 (2003).
**Jolly, Alain** — Front-end sources of the LIL-LMJ fusion lasers: progress report and prospects. — Alain Jolly, J. F. Gleyze, J. Luce, H. Coic, and G. Deschaseaux; **42** (5), 1427-38 (2003).
**Jones, Julian D. C.** — See Reeves, Mark, **42** (10), 2923-9 (2003).
**Josefsson, Weine** — See Meinander, Outi, **42** (6), 1812-9 (2003).
**Joseph, Joby** — See Nishchal, Naveen Kumar, **42** (6), 1583-8 (2003).
— See Nishchal, Naveen Kumar, **42** (12), 3566-71 (2003).
**Journet, Bernard** — See Prunet, Stéphanie, **42** (4), 985-93 (2003).
**Jóźwicki, Romuald** — See Tkaczyk, Tomasz, **42** (8), 2391-9 (2003).
**Jung, Jaehoon** — See Wook Lee, Yong, **42** (10), 2786-7 (2003).
**Juškaitis, R.** — See Wilson, T., **42** (11), 3088-9 (2003).

## K

**Kaarna, Arto** — See Mielikainen, Jarno, **42** (4), 1013-7 (2003).
**Kaestner, Anders P.** — Estimating the relative shrinkage profile of newsprint. — Anders P. Kaestner and Carl Magnus Nilsson; **42** (5), 1467-75 (2003).
**Kagawa, Masatoshi** — See Arakawa, Tomiyuki, **42** (4), 898-9 (2003).
**Kahn, Joseph M.** — See Zhu, Xiaoming, **42** (6), 1741-8 (2003).
**Kalms, Michael** — Mobile shearography system for the inspection of aircraft and automotive components. — Michael Kalms and Wolfgang Osten; **42** (5), 1188-96 (2003).
**Kalra, Pankaj** — See Chakrabarti, P., **42** (4), 939-47 (2003).
**Kalyvas, M.** — All-optical packet clock generation from decision pulses. — M. Kalyvas, K. Yiannopoulos, G. Theophilopoulos, T. Houbavlis, H. Avramopoulos, and G. Guekos; **42** (12), 3413-4 (2003).
**Kalyvas, Marios** — 40 Gb/s all-optical write/store memory using a single semiconductor optical amplifier-based logic gate. — Marios Kalyvas; **42** (11), 3073-4 (2003).
**Kancheti, Ramesh** — See Chiang, Kin Seng, **42** (7), 1906-9 (2003).
**Kaneda, Yushi** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Kaneko, Kazumasa** — See Mizukami, Masato, **42** (6), 1604-10 (2003).
**Kang, Jeung-Mo** — Performance variation of preamplifier integrated cross-phase modulation wavelength converter by internal reflectivity of semiconductor optical amplifiers. — Jeung-Mo Kang, Yong-Soo Jeon, Sang-Kook Han, and Seok Lee; **42** (6), 1836-42 (2003).
**Kang, Jin-Woo** — See Jhun, Chul Gyu, **42** (7), 2047-50 (2003).
**Kang, Min-Sig** — See Kim, Hoseong, **42** (8), 2291-5 (2003).
**Kang, Moon Gi** — See Shin, Gun Shik, **42** (11), 3204-14 (2003).
**Kang, Shinill** — See Seo, Youngmin, **42** (11), 3198-203 (2003).
**Kang, Xin** — Evaluation of Young's modulus of a vibrating beam by optical method. — Xin Kang, C. J. Tay, C. Quan, and Xiaoyuan He; **42** (10), 3053-8 (2003).
**Kapoor, Avinashi** — See Qureshi, G. J., **42** (6), 1754-7 (2003).
**Kapulainen, Markku** — See Aalto, Timo T., **42** (10), 2861-7 (2003).
**Karaalioğlu, Canan** — Fourier transform method for measurement of thin film thickness by speckle interferometry. — Canan Karaalioğlu and Yani Skarlatos; **42** (6), 1694-8 (2003).
**Karkulovska, Mar'jana** — See Kosoboutski, Petro, **42** (8), 2465-6 (2003).
**Kasprzak, Henryk** — See Ziołkowski, Sławomir, **42** (5), 1451-5 (2003).
**Kato, Jun-ichi** — See Yamaguchi, Ichirou, **42** (5), 1267-71 (2003).
**Kaufmann, Guillermo H.** — Nondestructive testing with thermal waves using phase-shifted temporal speckle pattern interferometry. — Guillermo H. Kaufmann; **42** (7), 2010-4 (2003).
**Kaurola, Jussi** — See Meinander, Outi, **42** (6), 1812-9 (2003).
**Kawakami, Shinji** — See Yoshimura, Tetsuzo, **42** (2), 439-46 (2003).
**Kawata, Sotaro** — Coherent lightwave associative memory system that possesses a carrier-frequency-controlled behavior. — Sotaro Kawata and Akira Hirose; **42** (9), 2670-5 (2003).
**Kehayas, E.** — See Vyrsokinos, K., **42** (11), 3075-6 (2003).
**Keil, Matthias S.** — See Pech-Pacheco, José Luis, **42** (2), 551-9 (2003).
**Kemao, Qian** — Noise suppression in spatial carrier phase shifting method. — Qian Kemao, Seah Hock Soon, and Anand Asundi; **42** (9), 2642-5 (2003).
**Kennerly, Stephen W.** — See Goldberg, Arnold C., **42** (1), 30-46 (2003).

**Khotiaintsev, Sergei** — See Svirid, Vladimir, **42** (5), 1383-9 (2003).
**Kiang, Yean-Woei** — See Tang, Tsung-Yi, **42** (7), 1910-4 (2003).
**Kikuchi, Hisakazu** — Extra encoding of fine grayscale data into 8-bit sRGB color space. — Hisakazu Kikuchi, Hiroto Sato, Satoshi Hasebe, Naoki Mizutani, Shogo Muramatsu, Shigenobu Sasaki, Jie Zhou, Seishi Sekine, Yoshito Abe, Ikuo Tofukuji, and Makoto Nakashizuka; **42** (7), 1940-8 (2003).
**Killian, Kevin** — See Shacklette, Lawrence W., **42** (10), 2841-9 (2003).
**Kim, Changhyun** — See Kim, Hoseong, **42** (8), 2291-5 (2003).
**Kim, Cheol Ho** — See Kim, Kwang Taek, **42** (3), 675-81 (2003).
**Kim, Donyeon** — Fast algorithm for discrete cosine transform (DCT)-domain image downsampling using Winograd DCTs. — Donyeon Kim and Yoonsik Choe; **42** (9), 2485-6 (2003).
**Kim, Doo-Gun** — Optical characteristics of PnpN optical thyristor operating at 1.55 $\mu$m. — Doo-Gun Kim, Hee-Hyun Lee, Woon-Kyung Choi, Jung-Jun Lee, Young-Wan Choi, S. Lee, Deokha H. Woo, Young-Tae Byun, J. H. Kim, Soo Hyun Kim, N. Futakuchi, and Yoshiaki Nakano; **42** (4), 1093-9 (2003).
**Kim, Eun-Soo** — See Bae, Jin-Woo, **42** (1), 176-81 (2003).
— See Bae, Kyung-Hoon, **42** (6), 1778-86 (2003).
**Kim, Gi Seok** — See Park, Young Sik, **42** (1), 245-54 (2003).
**Kim, H. K.** — See Kim, M. J., **42** (9), 2489-90 (2003).
**Kim, Hak-Rin** — See Jeong, Yoonchan, **42** (4), 964-8 (2003).
**Kim, Hoseong** — Laser Doppler vibrometer with body vibration compensation. — Hoseong Kim, Youngjin Lee, Changhyun Kim, Tae-gyu Chang, and Min-Sig Kang; **42** (8), 2291-5 (2003).
**Kim, Hyung-Shin** — Rotation-, scale-, and translation-invariant image watermark using higher order spectra. — Hyung-Shin Kim, Yunju Baek, and Heung-Kyu Lee; **42** (2), 340-9 (2003).
**Kim, J. H.** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Kim, Jae Chang** — See Jhun, Chul Gyu, **42** (7), 2047-50 (2003).
**Kim, Jae Ho** — See Ahn, Tae Gyoung, **42** (11), 3247-52 (2003).
**Kim, Jae-kyoon** — See Lee, Sang-hee, **42** (4), 1065-75 (2003).
**Kim, Jin-Ha** — Polymer-based thermo-optic waveguide beam deflector with novel dual folded-thin-strip heating electrodes. — Jin-Ha Kim, Lin Sun, Chiou-Hung Jang, Chul-Chae Choi, and Ray T. Chen; **42** (3), 620-4 (2003).
**Kim, Jung-Jin** — See Bae, Kyung-Hoon, **42** (6), 1778-86 (2003).
**Kim, Kwang Taek** — Investigation on the optical properties of side-polished fiber contacted with planar waveguide including a thin metal film. — Kwang Taek Kim, Jung Ho Hwang, Jun Ock Lee, Jae Pyung Mah, Cheol Ho Kim, and Seung Hwangbo; **42** (3), 675-81 (2003).
**Kim, Kyoungsuk** — See La, Jongpil, **42** (3), 730-7 (2003).
**Kim, M. J.** — Low-loss optical add drop multiplexer module using a $2\times2$ port optical device. — M. J. Kim, H. K. Kim, H. M. Lee, H. Y. Park, and S. G. Lee; **42** (9), 2489-90 (2003).
**Kim, Seung-Woo** — See Hwang, Tae-Joon, **42** (12), 3532-6 (2003).
**Kim, Shiho** — See Oh, Yong-Ho, **42** (4), 994-9 (2003).
**Kim, Soo Hyun** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Kim, Sung-Kyu** — See Son, Jung-Young, **42** (11), 3326-33 (2003).
**Kim, Taeeeui** — See Sciammarella, Cesar A., **42** (11), 3182-93 (2003).
**Kim, Yonghyun** — See Jeong, Yoonchan, **42** (4), 964-8 (2003).
**Kistner, Regina W.** — See Driggers, Ronald G., **42** (7), 2104-12 (2003).
**Klaasen, Kenneth P.** — Operations and calibration of the solid-state imaging system during the Galileo extended mission at Jupiter. — Kenneth P. Klaasen, H. Herbert Breneman, Amy A. Simon-Miller, Donald Banfield, and Greg C. Levanas; **42** (2), 494-509 (2003).
**Klebanov, Matvei** — See Spektor, Boris, **42** (11), 3279-84 (2003).
**Kleiner, Vladimir** — See Hasman, Erez, **42** (1), 132-6 (2003).
**Knecht, B. A.** — Optical pumping of the XeF(C→A) and iodine 1.315-$\mu$m lasers by a compact surface discharge system. — B. A. Knecht, R. D. Fraser, D. J. Wheeler, C. J. Zietkiewicz, A. A. Senin, L. D. Mikheev, V. S. Zuev, and J. G. Eden; **42** (12), 3612-21 (2003).
**Knigge, A.** — See Ullrich, Bruno, **42** (4), 1152-6 (2003).
**Knopf, George K.** — See Kofman, Jonathan, **42** (5), 1496-510 (2003).
**Kobayashi, Teruki** — See Takino, Hideo, **42** (9), 2676-82 (2003).
**Kobel, Joanna** — Examination of sol-gel production repeatability by statistical pattern recognition methods. — Joanna Kobel, Artur Suchwałko, Halina Podbielska, and Agnieszka Ulatowska-Jarza; **42** (4), 1137-43 (2003).
**Kober, Vitaly** — Karhunen-Loeve expansion of stationary random signals with exponentially oscillating covariance function. — Vitaly Kober and Josué Alvarez-Borrego; **42** (4), 1018-23 (2003).
**Koch, Grady J.** — Automatic laser frequency locking to gas absorption lines. — Grady J. Koch; **42** (6), 1690-3 (2003).
**Kofman, Jonathan** — Continuous unconstrained range sensing of free-form surfaces without sensor-head pose measurement. — Jonathan Kofman and George K. Knopf; **42** (5), 1496-510 (2003).
**Kokhanovsky, Alexander A.** — Optical properties of semiinfinite turbid media: some simple analytical approximations. — Alexander A. Kokhanovsky; **42** (7), 2040-6 (2003).
**Kolesar, Edward S.** — See Tayag, Tristan J., **42** (1), 105-11 (2003).
**Kolodzey, James** — See Shi, Shouyuan, **42** (2), 383-7 (2003).
**Komatsu, Shinichi** — See Ono, Shinya, **42** (4), 1024-8 (2003).
**Komatsuda, Hideki** — See Takino, Hideo, **42** (9), 2676-82 (2003).
**Kong, Ka Hang** — Triangular-shaped bulk-optic glass sensor for simultaneous measurement of three ac currents. — Ka Hang Kong, Beatrice C. B. Chu, Henry Shu-Hung Chung, and Kin Seng Chiang; **42** (2), 421-4 (2003).
**Kopeika, Norman S.** — Effects of image restoration on target acquisition. — Norman S. Kopeika, Stanley R. Rotman, Israel Taig, and Ariel Vander; **42** (2), 534-40 (2003).
— See Arbel, Dan, **42** (9), 2607-13 (2003).
— See Raiter, Sergey, **42** (11), 3253-64 (2003).
**Koskela, Tapani** — See Meinander, Outi, **42** (6), 1812-9 (2003).
**Kosoboutski, Petːo** — Comment on the paper "Method for measuring the cell gap in liquid-crystal displays". — Petro Kosoboutski, Marˈjana Karkulovska, and Yaroslav Kosobutskyy; **42** (8), 2465-6 (2003).
**Kosobutskyy, Yaroslav** — See Kosoboutski, Petro, **42** (8), 2465-6 (2003).
**Kostuk, Raymond K.** — See Choo, Peng Y., **42** (10), 2812-6 (2003).
**Kreis, Thomas M.** — Response to "Effect of the fill factor of CCD pixels on digital holograms: comment on the papers 'Frequency analysis of digital holography' and 'Frequency analysis of digital holography with reconstruction by convolution' ". — Thomas M. Kreis; **42** (9), 2772 (2003).
**Krier, A.** — See Chakrabarti, P., **42** (9), 2614-23 (2003).
**Krishnaswamy, Sridhar** — See Fomitchov, Pavel, **42** (4), 956-63 (2003).
**Kristensen, Martin** — See Poulsen, Mogens Rysholt, **42** (10), 2821-34 (2003).
**Krupka, René** — Fast and full-field measurement of brake squeal using pulsed ESPI technique. — René Krupka, Thomas Walz, and Andreas Ettemeyer; **42** (5), 1354-8 (2003).
**Kudo, Jun-ichi** — See Okamura, Toshihiro, **42** (6), 1665-72 (2003).
**Kufner, Stefan** — See Ziółkowski, Sławomir, **42** (5), 1451-5 (2003).
**Kukhtarev, Nicholai** — See Su, Wei-Chia, **42** (1), 9-10 (2003).
— See Su, Wei-Chia, **42** (7), 1871-2 (2003).
**Kuki, Masaaki** — See Takino, Hideo, **42** (9), 2676-82 (2003).
**Kumar, Suman** — See Chakrabarti, P., **42** (2), 447-55 (2003).
**Künnemeyer, Rainer** — See Dorrington, Adrian A., **42** (11), 3239-46 (2003).
**Kurokawa, Hiroaki** — See Yoshimura, Tetsuzo, **42** (2), 439-46 (2003).
**Kuwabara, Kazutoshi** — See Liangpanich, Ekrit, **42** (9), 2568-75 (2003).
**Kuzin, E. A.** — See May-Alarcón, Manuel, **42** (8), 2246-9 (2003).
**Kwak, Dong-Min** — See Won, Jong-Un, **42** (5), 1511-8 (2003).
**Kwak, Kae-Dal** — See Son, Jung-Young, **42** (11), 3389-98 (2003).
**Kwok, H. S.** — See Zhou, Ying, **42** (8), 2318-23 (2003).
**Kwok, S. H.** — See Yang, Christopher C., **42** (3), 701-11 (2003).
**Kwon, Heesung** — Adaptive anomaly detection using subspace separation for hyperspectral imagery. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (11), 3342-51 (2003).
**Kwon, Kwang-Hee** — Light coupling and propagation in a fiber–dielectric-slab composite with a conductor cladding. — Kwang-Hee Kwon, Jae-Won Song, Euy-Don Park, and Don-Muk Choi; **42** (9), 2630-41 (2003).
**Kwon, Oh-Jin** — See Jeong, In-Shik, **42** (3), 604-5 (2003).
**Kwon, Ohjae** — See Lee, Chulhee, **42** (1), 265-72 (2003).
**Kwon, Young** — See Xie, Wenjie, **42** (6), 1787-94 (2003).

## L

**La, Jongpil** — Continuous scanning laser Doppler vibrometer for mode shape analysis. — Jongpil La, Jieun Choi, Semyung Wang, Kyoungsuk Kim, and Kyihwan Park; **42** (3), 730-7 (2003).
**Lacquet, Beatrys M.** — See Zhu, Yinian, **42** (5), 1445-50 (2003).
**Lahiri, S. K.** — See Chakraborty, R., **42** (9), 2624-9 (2003).
**Lai, Chien-Mo** — See Cheng, Yih-Shyang, **42** (6), 1631-9 (2003).
**Lai, Po-Chou** — See Lu, Hai-Han, **42** (5), 1370-4 (2003).
**Lai, Shurong** — See Zhao, Yong, **42** (3), 670-4 (2003).
**Lai, Yinchieh** — See Shu, Su-Frang, **42** (10), 2856-60 (2003).
**Lakkala, Kaisa** — See Meinander, Outi, **42** (6), 1812-9 (2003).
**Lamela, Horacio** — Optical broadcast interconnection neural network. — Horacio Lamela, Marta Ruiz-Llata, and Cardinal Warde; **42** (9), 2487-8 (2003).
**Lan, Wen-How** — See Cheng, Yi-Chang, **42** (1), 119-23 (2003).
**Lančok, Ján** — See Escoubas, Ludovic, **42** (12), 3579-84 (2003).
**Lane, Kimberly** — See Meitzler, Thomas J., **42** (6), 1820-5 (2003).
**La Rivière, Patrick J.** — Interlaced interpolation weighting functions for multislice helical computed tomography. — Patrick J. La Rivière and Xiaochuan Pan; **42** (12), 3461-70 (2003).
**Lárraga-Orozco, Ignacio** — See Rodríguez-Dagnino, Ramón M., **42** (6), 1843-9 (2003).
**Le, Khoa N.** — Hyperbolic kernel for time-frequency power spectrum. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (8), 2400-15 (2003).
— Hyperbolic wavelet power spectra of nonstationary signals. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (10), 3017-37 (2003).
**Le, Shuping** — See Wan, Xiong, **42** (9), 2659-69 (2003).
**Leachtenauer, Jon C.** — See Driggers, Ronald G., **42** (7), 2104-12 (2003).
**Leclerc, Xavier** — See Le Thuc, Vianney, **42** (7), 1976-92 (2003).
**Lee, Byoungho** — See Jeong, Yoonchan, **42** (4), 964-8 (2003).
— See Wook Lee, Yong, **42** (10), 2786-7 (2003).
**Lee, Changho** — Lithium niobate electro-optic sensor for examining conductive patterns on display panels. — Changho Lee, Yongbae Jeon, and Kwangsoo No; **42** (6), 1589-96 (2003).
**Lee, Charles** — See Liu, Zhifu, **42** (3), 803-12 (2003).
**Lee, Cheng-Chung** — See Jen, Yi-Jun, **42** (4), 925-8 (2003).
**Lee, Chulhee** — Objective measurements of video quality using the wavelet transform. — Chulhee Lee and Ohjae Kwon; **42** (1), 265-72 (2003).
**Lee, D. J.** — Fast surface approximation for volume and surface area measurements using distance transform. — D. J. Lee, Joseph Eifert, Pengcheng Zhan, and Benjamin Westover; **42** (10), 2947-55 (2003).
**Lee, H. M.** — See Kim, M. J., **42** (9), 2489-90 (2003).
**Lee, Haw-Long** — Transient microbending loss induced by thermal loading in double-coated optical fibers. — Haw-Long Lee; **42** (4), 969-76 (2003).
**Lee, Hee-Hyun** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Lee, Heung-Kyu** — See Kim, Hyung-Shin, **42** (2), 340-9 (2003).
**Lee, Hungte** — See Li, Yajun, **42** (9), 2707-20 (2003).
**Lee, Jai-Cheol** — See Oh, Yong-Ho, **42** (4), 994-9 (2003).
**Lee, Jun Ock** — See Kim, Kwang Taek, **42** (3), 675-81 (2003).
**Lee, Jung-Jun** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Lee, S.** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Lee, S. G.** — See Kim, M. J., **42** (9), 2489-90 (2003).
**Lee, Sang-hee** — Investigation on convergence behaviors of the differential method for 2-D motion parameter estimation. — Sang-hee Lee, Kook-yeol Yoo, and Jae-kyoon Kim; **42** (4), 1065-75 (2003).
**Lee, Seok** — See Kang, Jeung-Mo, **42** (6), 1836-42 (2003).
**Lee, Sin-Doo** — See Jeong, Yoonchan, **42** (4), 964-8 (2003).
**Lee, Yong Wook** — See Jeong, Yoonchan, **42** (4), 964-8 (2003).
**Lee, Youngjin** — See Kim, Hoseong, **42** (8), 2291-5 (2003).
**Lee, Yung-Lyul** — Fast loop filtering using separable characteristics of the integer 2-D discrete cosine transform. — Yung-Lyul Lee, Il-Hong Shin, and Hyun Wook Park; **42** (9), 2588-94 (2003).
**Lefebvre, Daniel** — See Roy, Sébastien, **42** (3), 813-21 (2003).
**Leggieri, Gilberto** — See D'Orazio, Antonella, **42** (3), 765-72 (2003).
**Lekki, John** — See Adamovsky, Grigory, **42** (2), 425-30 (2003).
**Leng, Yuxin** — Regenerative amplifier with continuously variable pulse duration used in an optical parametric chirped-pulse amplification laser system for synchronous pumping. — Yuxin Leng, Lihuang Lin, Xiaodong Yang, Haihe Lu, Zhengquan Zhang, and Zhizhan Xu; **42** (3), 862-6 (2003).
**Lescure, Marc** — Compact robotics perception system based on a laser range finder coupled with silicon micromirrors. — Marc Lescure, Christian Ganibal, Roland Prajoux, and Maurice Briot; **42** (9), 2653-8 (2003).

**Le Thuc, Vianney** — Method to segment the brain automatically applied to a magnetic resonance imaging sequence. — Vianney Le Thuc, Abdelmalik Taleb-Ahmed, Xavier Leclerc, and Thierry Saint Michel; **42** (7), 1976-92 (2003).
**Leung, A. F.** — Automatic refractometer. — A. F. Leung and J. J. Vandiver; **42** (4), 1128-31 (2003).
**Levanas, Greg C.** — See Klaasen, Kenneth P., **42** (2), 494-509 (2003).
**Levy, David C.** — See Zou, Ju Jia, **42** (10), 2900-11 (2003).
**Leyderman, Alexander** — See Liu, Zhifu, **42** (3), 803-12 (2003).
**Lhota, James R.** — See Shepard, Steven M., **42** (5), 1337-42 (2003).
**Li, Baojun** — Theoretical analysis of $Si_{1-x-y}Ge_xC_y$ near-infrared photodetectors. — Baojun Li, Soo-Jin Chua, and Eugene A. Fitzgerald; **42** (7), 1993-9 (2003).
**Li, Chuan** — Study of wedge-adjusted Talbot interferometer for writing fiber gratings with variable inscribed Bragg wavelengths. — Chuan Li, Yi-Mo Zhang, Xue-Fei Tian, and Bing-Heng Xiong; **42** (12), 3452-5 (2003).
**Li, Hao** — All-fiber acousto-optical tunable filter with loop structure. — Hao Li, Tong Liu, Changyun Wen, Yeng Chai Soh, and Ying Zhang; **42** (12), 3409-10 (2003).
**Li, Jian-xun** — Practical system for tracking multiple maneuvering targets. — Jian-xun Li and Zhong-liang Jing; **42** (8), 2439-51 (2003).
**Li, Junchang** — Rapid calculation research of temperature fields in laser heat treatments. — Junchang Li, J. Merlin, Yingxiong Qin, Qiguang Zheng, and Yunchang Fu; **42** (12), 3545-50 (2003).
**Li, Mei** — See Zhou, Weichao, **42** (9), 2755-60 (2003).
**Li, Qu** — See Liu, Gang Jun, **42** (10), 2930-5 (2003).
**Li, Sumei** — See Yuan, Jinghe, **42** (8), 2277-80 (2003).
**Li, Weizhuo** — Wavelength multiplexing of microelectromechanical system pressure and temperature sensors using fiber Bragg gratings and arrayed waveguide gratings. — Weizhuo Li, Don C. Abeysinghe, and Joseph T. Boyd; **42** (2), 431-8 (2003).
**Li, Y. F.** — See Zhang, Beiwei, **42** (6), 1542-9 (2003).
**Li, Yajun** — Effect of edge rounding and sloping of sidewalls on the readout signal of the information pits on optical disks. — Yajun Li, Hungte Lee, and Emil Wolf; **42** (9), 2707-20 (2003).
**Li, Yan** — See Ding, Yingchun, **42** (8), 2225-8 (2003).
**Li, Yingle** — See Yang, Tingwu, **42** (11), 3290-4 (2003).
**Li, Yizheng** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Li, Yong-Ping** — See Zhao, Yiqiong, **42** (11), 3080-1 (2003).
**Li, Zhonghao** — See Xiao, Yan, **42** (9), 2534-41 (2003).
**Liang, Bin Ming** — See Liu, Gang Jun, **42** (10), 2930-5 (2003).
**Liang, DianLong** — General construction of wavelet filters via a lifting scheme and its application in image coding. — DianLong Liang, Lizhi Cheng, and ZengHui Zhang; **42** (7), 1949-55 (2003).
**Liang, Diannong** — See Guo, Hanwei, **42** (10), 2796-7 (2003).
**Liang, Jinwen** — See Wang, Jia, **42** (2), 373-82 (2003).
**Liangpanich, Ekrit** — Analysis of measurement accuracy of quadrilateral hole using optical inner-diameter-measuring machine. — Ekrit Liangpanich, Nobuyuki Akiyama, Masahiro Yoshida, and Kazutoshi Kuwabara; **42** (9), 2568-75 (2003).
**Liao, Y. B.** — See Shi, C. Z., **42** (11), 3179-81 (2003).
**Liao, Yanbiao** — See Zhao, Yong, **42** (2), 416-20 (2003).
— See Zhao, Yong, **42** (3), 670-4 (2003).
— See Zeng, Nan, **42** (9), 2558-62 (2003).
**Liaw, Shien-Kuei** — Wavelength tuning and multiple-wavelength array-waveguide-grating lasers. — Shien-Kuei Liaw, Fu-Chung Hung, Zhengchun Xu, Yueguang Jiao, Tao Qin, Hanyi Zhang, Yili Guo, and Xiaoping Zheng; **42** (8), 2178-9 (2003).
**Lie, Wen-Nung** — Contour-based image registration with local deformations. — Wen-Nung Lie and Cheng-Hung Chuang; **42** (5), 1405-16 (2003).
— See Lin, Guo-Shiang, **42** (8), 2331-9 (2003).
**Lim, K. H.** — See Ng, T. W., **42** (8), 2375-9 (2003).
**Lim, Sungwoo** — See Oh, Yong-Ho, **42** (4), 994-9 (2003).
**Lim, Tuan-Kay** — See Yao, Jianping, **42** (2), 317-24 (2003).
**Lima, M. J. N.** — Comparison of the thermal tuning capability of different types of Bragg grating filters for wavelength division multiplexing applications. — M. J. N. Lima, A. L. J. Teixeira, J. R. Ferreira da Rocha, O. Frazão, and P. S. B. André; **42** (9), 2502-5 (2003).
**Lin, Chang-Chou** — Secret image sharing with capability of share data reduction. — Chang-Chou Lin and Wen-Hsiang Tsai; **42** (8), 2340-5 (2003).
**Lin, Chih-Nan** — See Tang, Tsung-Yi, **42** (7), 1910-4 (2003).
**Lin, Donghui** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Lin, Guo-Shiang** — Public-key-based optical image cryptosystem based on data embedding techniques. — Guo-Shiang Lin, Hsuan T. Chang, Wen-Nung Lie, and Cheng-Hung Chuang; **42** (8), 2331-9 (2003).
**Lin, Kao-Hui** — See Chang, Ming, **42** (12), 3595-9 (2003).
**Lin, Lihuang** — See Leng, Yuxin, **42** (3), 862-6 (2003).
**Lin, Shiuan Huei** — See Hsu, Ken Y., **42** (5), 1390-6 (2003).
**Lin, Tusheng** — Node-matching-based pattern recognition method for retinal blood vessel images. — Tusheng Lin and Yibin Zheng; **42** (11), 3302-6 (2003).
**Lin, Wuu-Wen** — Fiber-optic current sensor. — Wuu-Wen Lin; **42** (4), 896-7 (2003).
— Fiber optic microampere dc current sensor. — Wuu-Wen Lin, Shih-Chu Huang, and Mao-Hsiung Chen; **42** (9), 2551-7 (2003).
**Lind, Robert J.** — Active deformable sheets: prototype implementation, modeling, and control. — Robert J. Lind and Charalabos C. Doumanidis; **42** (2), 304-16 (2003).
**Lindgren, Mikael** — See Hällstig, Emil, **42** (3), 613-9 (2003).
**Lit, John W. Y.** — See Das, Gautam, **42** (8), 2257-62 (2003).
— See Das, Gautam, **42** (10), 2880-5 (2003).
**Little, John W.** — See Goldberg, Arnold C., **42** (1), 30-46 (2003).
**Liu, A. Q.** — See Quan, C., **42** (1), 92-7 (2003).
**Liu, Bao** — See Jing, Wencai, **42** (11), 3285-9 (2003).
**Liu, Bo** — Laser-induced changes on the complex refractive indices of phase-change thin film. — Bo Liu, Hao Ruan, and Fuxi Gan; **42** (9), 2702-6 (2003).
**Liu, Cheng** — Digital holographic aberration compensation in electron holography. — Cheng Liu, Zhigang Liu, Feng Bo, Yong Wang, and Jianqiang Zhu; **42** (3), 651-5 (2003).
**Liu, Chian** — Profile coating and its application for Kirkpatrick-Baez mirrors. — Chian Liu, Lahsen Assoufid, Ray Conley, Albert T. Macrander, Gene E. Ice, and J. Z. Tischler; **42** (12), 3622-8 (2003).
**Liu, Fang** — See Zhong, Hua, **42** (7), 2082-91 (2003).
**Liu, Gang Jun** — Three-core nonlinear directional coupler with variable coupling coefficient. — Gang Jun Liu, Bin Ming Liang, Qu Li, and Guo Liang Jin; **42** (10), 2930-5 (2003).
**Liu, Guizhong** — See Hou, Xingsong, **42** (6), 1640-8 (2003).
**Liu, Hang** — See Jiang, Jie, **42** (7), 2029-39 (2003).
**Liu, Heng** — Sensitivity improvement in phase-shifted moiré interferometry using 1-D continuous wavelet transform image processing. — Heng Liu, Alexander N. Cartwright, and Cemal Basaran; **42** (9), 2646-52 (2003).
**Liu, Hongyu** — See Su, Wei-Hung, **42** (6), 1730-40 (2003).
**Liu, Hua-Kuang** — See Deng, Luogen, **42** (10), 2936-41 (2003).
**Liu, J. S.** — Simulation of the fabrication infidelity of diffractive-optical elements by using halftone gray-scale masks. — J. S. Liu, M. J. Thomson, and M. R. Taghizadeh; **42** (2), 334-9 (2003).
**Liu, Lei** — Visual range of low-light-level night vision goggles for driving. — Lei Liu and Benkang Chang; **42** (7), 2056-61 (2003).
**Liu, Pao-Lo** — Fiber design—from optical mode to index profile. — Pao-Lo Liu and Swades De; **42** (4), 981-4 (2003).
**Liu, Qiang** — Tunable pulse-duration optical parametric oscillator pumped by stimulated Brillouin scattering phase-conjugation wave. — Qiang Liu, Bin Shi, Mali Gong, Ping Yan, Yuezhu Wang, and Qi Wang; **42** (11), 3265-9 (2003).
**Liu, Shangqian** — See Yang, Tingwu, **42** (11), 3290-4 (2003).
**Liu, Shijie** — See Peng, Qinjun, **42** (2), 477-81 (2003).
**Liu, Tong** — See Wang, Qijie, **42** (11), 3172-8 (2003).
— See Li, Hao, **42** (12), 3409-10 (2003).
**Liu, Xiaolin** — See Yu, Qifeng, **42** (1), 68-74 (2003).
**Liu, Xing-zhan** — See Yan, Ping, **42** (1), 159-62 (2003).
**Liu, Yong** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Liu, Yongdong** — See Wang, Jia, **42** (2), 373-82 (2003).
**Liu, Yuliang** — See Yang, Lin, **42** (3), 606-7 (2003).
**Liu, Yunqi** — See Yang, Jianliang, **42** (1), 239-44 (2003).
**Liu, Zhifu** — Thin film electro-optic modulator based on single crystal of N-(4-nitrophenyl)-(L)-prolinol (NPP) grown from melt by the modified Bridgman method. — Zhifu Liu, Sergey S. Sarkisov, Michael J. Curley, Alexander Leyderman, and Charles Lee; **42** (3), 803-12 (2003).
**Liu, Zhigang** — See Liu, Cheng, **42** (3), 651-5 (2003).
**Liu, Zhongli** — See Yan, Qingfeng, **42** (8), 2235-9 (2003).
**LLoret, Sandra** — Measurement of dynamic deformations using a path-unbalance Michelson-interferometer-based optical fiber sensing device. — Sandra LLoret, Pramod Rastogi, Luc Thévenaz, and Daniele Inaudi; **42** (3), 662-9 (2003).
**Lock, James A.** — See Adamovsky, Grigory, **42** (2), 425-30 (2003).
**Lohokare, Saurabh K.** — Integrated optoelectronic transmitter and receiver multi-chip modules for three-dimensional chip-level micro-optical interconnects. — Saurabh K. Lohokare, Dennis W. Prather, Jeffery A. Cox, Paul E. Sims, Michael G. Mauk, and Oleg V. Sulima; **42** (9), 2683-8 (2003).
**López-Alonso, José Manuel** — Operational parametrization of the $1/f$ noise of a sequence of frames by means of the principal component analysis in focal plane arrays. — José Manuel López-Alonso and Javier Alda; **42** (7), 1915-22 (2003).
**Lou, Caiyun** — See Wang, Jianping, **42** (8), 2380-3 (2003).
**Lu, Chao** — See Zhu, Yinian, **42** (5), 1445-50 (2003).
**Lu, H.-I.** — See Zhao, Y.-G., **42** (2), 298-9 (2003).
**Lu, Hai-Han** — Dispersion compensation and crosstalk reduction in a bidirectional dense wavelength division multiplexing cable television system. — Hai-Han Lu and Wen-Shing Tsai; **42** (1), 281-4 (2003).
— Improved performance of an externally modulated system with external light injection technique. — Hai-Han Lu, Heng-Sheng Su, Ming-Chuan Wang, and Hsu-Hung Huang; **42** (5), 1180-1 (2003).
— OC-192 and CATV hybrid dense-wavelength-division-multiplexing transport system. — Hai-Han Lu, Po-Chou Lai, Hsiang-Chih Chen, and Ya-Lin Chen; **42** (5), 1370-4 (2003).
— Improvement of composite second-order and composite triple-beat performances by using chirped fiber gratings in a wavelength-division-multiplexing transport system. — Hai-Han Lu, Wen-Shing Tsai, Wen-Jen Wang, and Hsu-Hung Huang; **42** (7), 1901-5 (2003).
**Lu, Haihe** — See Leng, Yuxin, **42** (3), 862-6 (2003).
**Lu, Jianren** — See Xu, Jianqiu, **42** (9), 2527-33 (2003).
**Lu, Junhua** — See Xu, Jianqiu, **42** (9), 2527-33 (2003).
**Lu, Yi Bin** — Wavelength selector using dual-core fiber for dense wavelength division multiplexing networks. — Yi Bin Lu and Pak L. Chu; **42** (3), 875-81 (2003).
**Lu, Yibin** — See Tien, Shen-Chi, **42** (1), 200-10 (2003).
**Lu, Yueguang** — Dynamic measurement of displacement with phase-shifting technique. — Yueguang Lu, A. Peter Doel, David D. Walker, and Xia Zhao; **42** (7), 2006-9 (2003).
**Luce, J.** — See Jolly, Alain, **42** (5), 1427-38 (2003).
**Lucke, Robert L.** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Lumbreras, Felipe** — See Ponsa, Daniel, **42** (4), 1114-20 (2003).
**Luna, Esteban** — See Salas, Luis, **42** (11), 3307-14 (2003).
**Luna-Moreno, D.** — See Robillard, J. J., **42** (12), 3575-8 (2003).
**Luo, Perng-Fei** — Measurement of $J$ integral by shadow spot generated from out-of-plane displacement. — Perng-Fei Luo, C. K. Chuang, and Yuh J. Chao; **42** (12), 3433-42 (2003).
**Luo, Tao** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Lyubin, Victor** — See Spektor, Boris, **42** (11), 3279-84 (2003).

## M

**Ma, Kung-Jen** — See Tang, Tsung-Yi, **42** (7), 1910-4 (2003).
**Ma, Yonghong** — Optimal design for bidirectionally pumped Raman transmission systems. — Yonghong Ma, Shizhong Xie, Shouxian She, and Minghua Chen; **42** (10), 2942-6 (2003).
**Maciak, Erwin** — See Ignac-Nowicka, Jolanta, **42** (10), 2978-86 (2003).
**Mackey, Jeffrey R.** — Modulation, alignment, and calibration methods for phase-modulated optical polarimeters. — Jeffrey R. Mackey, Ezzatollah Salari, and Padateha Tin; **42** (5), 1460-6 (2003).
**Macrander, Albert T.** — See Liu, Chian, **42** (12), 3622-8 (2003).
**Maguire, Jason M.** — See Chiu, Wilson K. S., **42** (8), 2304-10 (2003).
**Mah, Jae Pyung** — See Kim, Kwang Taek, **42** (3), 675-81 (2003).
**Mahalanobis, Abhijit** — See Van Nevel, Alan, **42** (2), 541-50 (2003).
— Signal-to-clutter measure for measuring automatic target recognition performance using complimentary eigenvalue distribution analysis. — Abhijit Mahalanobis, S. Richard F. Sims, and Alan Van Nevel; **42** (4), 1144-51 (2003).
**Mahon, Rita** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Malacara-Hernández, Daniel** — See Montoya, Marcial, **42** (3), 696-700 (2003).
— See Almazán-Cuéllar, Saúl, **42** (12), 3524-31 (2003).
**Maltezos, Stavros** — See Geranios, Athanasios K., **42** (3), 759-64 (2003).
**Marais, Jan F. K.** — See Snyman, Lukas Willem, **42** (10), 3059 (2003).

**Maranon, Alejandro** — Characterization of a single delamination using geometric moments and genetic algorithms. — Alejandro Maranon, Andrew D. Nurse, and Jonathan M. Huntley; **42** (5), 1328-36 (2003).
**Marchetti, James** — See Tayag, Tristan J., **42** (1), 105-11 (2003).
**Marchi, M. M.** — See Chen, F., **42** (5), 1359-69 (2003).
**Markov, Vladimir** — Optoacoustical sensor to examine the structural integrity of transportation systems. — Vladimir Markov, James Trolinger, John Webster, and Gerard Pardoen; **42** (5), 1277-87 (2003).
**Marks, T. J.** — See Zhao, Y.-G., **42** (2), 298-9 (2003).
**Márquez-Borbón, I.** — Remote sensing with ultra-low-reflective Bragg gratings written in standard telecommunication fiber. — I. Márquez-Borbón, M. G. Shlyagin, O. Esteban, S. V. Miridonov, and V. V. Spirin; **42** (5), 1182-3 (2003).
— See May-Alarcón, Manuel, **42** (8), 2246-9 (2003).
**Martinez, Ana** — Coherent data alignment and baseline calibration for improved two-pass interferometric synthetic aperture radar. — Ana Martinez, Armin W. Doerry, Mo Jamshidi, and Douglas Bickel; **42** (8), 2427-38 (2003).
**Martinez, Judit** — See Ponsa, Daniel, **42** (4), 1114-20 (2003).
**Martinez-Baena, Javier** — See Garcia, Jose A., **42** (11), 3215-34 (2003).
**Martinez-Rios, Alejandro** — See Wang, Yong, **42** (9), 2521-6 (2003).
**Martino, Maurizio** — See D'Orazio, Antonella, **42** (3), 765-72 (2003).
**Mash, Peter** — See Cable, Adrian, **42** (9), 2514-20 (2003).
**Massoumian, F.** — See Wilson, T., **42** (11), 3088-9 (2003).
**Mathewson, Alan** — See Jackson, J. Carl, **42** (1), 112-8 (2003).
**Mathine, David L.** — See Choo, Peng Y., **42** (10), 2812-6 (2003).
**Mathur, P. C.** — See Bhatnagar, P. K., **42** (11), 3274-8 (2003).
**Matías, Ignacio R.** — See Fernández-Valdivielso, Carlos, **42** (3), 656-61 (2003).
**Matsuda, Kiyofumi** — Near-real-time phase difference amplification using multiple-beam interferometry and a liquid-crystal-phase-only spatial light modulator. — Kiyofumi Matsuda, Geoffrey T. Bold, Thomas H. Barnes, Tomoaki Eiju, Chander P. Grover, and Colin J. R. Sheppard; **42** (12), 3537-44 (2003).
**Matsuzaki, Hirokazu** — See Yamaguchi, Ichirou, **42** (5), 1267-71 (2003).
**Matsuzoe, Yuji** — High-performance absolute rotary encoder using multitrack and M-code. — Yuji Matsuzoe, Nobuhiko Tsuji, Tomoharu Nakayama, Koetsu Fujita, and Toru Yoshizawa; **42** (1), 124-31 (2003).
**Mattsson, Lars** — See Granberg, Hjalmar, **42** (8), 2384-90 (2003).
**Mauk, Michael G.** — See Lohokare, Saurabh K., **42** (9), 2683-8 (2003).
**Maxfield, MacRae** — See Shacklette, Lawrence W., **42** (10), 2841-9 (2003).
**Maxum, Bernard J.** — See Xu, Tao, **42** (3), 882-5 (2003).
**May, Russell G.** — See Qi, Bing, **42** (11), 3165-71 (2003).
**May-Alarcón, Manuel** — Multipoint fiber Bragg grating laser sensor interrogated by the intermodal beating frequency. — Manuel May-Alarcón, E. A. Kuzin, R. A. Vázquez-Sánchez, M. G. Shlyagin, and I. Márquez-Borbón; **42** (8), 2246-9 (2003).
**Mazingue, Thomas** — See Escoubas, Ludovic, **42** (12), 3579-84 (2003).
**McNeill, Stephen R.** — See Helm, Jeffrey D., **42** (5), 1293-305 (2003).
— See Helm, Jeffrey D., **42** (5), 1306-20 (2003).
**Mears, C. Lynn** — See Goldberg, Arnold C., **42** (1), 30-46 (2003).
**Mears, R. J.** — See El-Nahal, F. I., **42** (3), 867-74 (2003).
**Meehan, Timothy J.** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Mei, T.** — See Sookdhis, C., **42** (12), 3421-2 (2003).
**Meinander, Outi** — Spike detection and correction in Brewer spectroradiometer ultraviolet spectra. — Outi Meinander, Weine Josefsson, Jussi Kaurola, Tapani Koskela, and Kaisa Lakkala; **42** (6), 1812-9 (2003).
**Meitzler, Thomas J.** — Use of a photosimulation laboratory for estimating vehicle detection probability. — Thomas J. Meitzler, David Bednarz, Darryl Bryk, Kimberly Lane, and Euijung Sohn; **42** (6), 1820-5 (2003).
**Mendes, Sergio B.** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Merlin, J.** — See Li, Junchang, **42** (12), 3545-50 (2003).
**Mertins, Alfred** — Image recovery from noisy transmission using soft bits and Markov random field models. — Alfred Mertins; **42** (10), 2893-9 (2003).
**Mescia, Luciano** — See D'Orazio, Antonella, **42** (3), 765-72 (2003).
**Mestha, Lalit K.** — See Viassolo, Daniel E., **42** (3), 625-31 (2003).
**Meuret, Youri** — Contrast-improving methods for Digital Micromirror Device projectors. — Youri Meuret and Patrick De Visschere; **42** (3), 840-5 (2003).
— Optical engines for high-performance liquid crystal on silicon projection systems. — Youri Meuret and Patrick De Visschere; **42** (12), 3551-6 (2003).
**Miao, Jianmin** — See Xu, Lei, **42** (8), 2218-24 (2003).
**Mias, Solon** — Spatial sampling in pixelated-metal-mirror ferroelectric-liquid-crystal optically addressed spatial-light-modulator devices. — Solon Mias, Neil Collings, Tim D. Wilkinson, Stuart Coomber, Maurice Stanley, and William A. Crossland; **42** (7), 2075-81 (2003).
**Mielikainen, Jarno** — Linear prediction in lossless compression of hyperspectral images. — Jarno Mielikainen, Pekka Toivanen, and Arto Kaarna; **42** (4), 1013-7 (2003).
**Mihailov, Stephen J.** — See Zeng, Fei, **42** (8), 2250-6 (2003).
**Mikhaylichenko, K.** — Fluorescent microscopy of wet-cleaned surfaces: imaging of water stains distribution. — K. Mikhaylichenko and V. V. Yakovlev; **42** (7), 2051-5 (2003).
**Mikheev, L. D.** — See Knecht, B. A., **42** (12), 3612-21 (2003).
**Miler, Miroslav** — Holographic Gaussian to flat-top beam shaping. — Miroslav Miler, Ivo Aubrecht, and Jan Pala; **42** (11), 3114-22 (2003).
**Miller, John Lester** — Resolution requirements for alphanumeric readability. — John Lester Miller and John M. Wiltse; **42** (3), 846-52 (2003).
**Milman, Mark H.** — Observational model for microarcsecond astrometry with the Space Interferometry Mission. — Mark H. Milman and Slava G. Turyshev; **42** (7), 1873-83 (2003).
**Minemoto, Takumi** — See Yao, Taketsugu, **42** (10), 2994-3003 (2003).
**Miridonov, S. V.** — See Márquez-Borbón, I., **42** (5), 1182-3 (2003).
**Mishra, Alpana** — See Thakur, Mrinal, **42** (2), 456-8 (2003).
**Mizukami, Masato** — Compact automated optical-fiber cross-connect module using micro-optical connectors and a fiber-handling robot. — Masato Mizukami, Nobuhide Tanaka, Kunihiko Sasakura, and Kazumasa Kaneko; **42** (6), 1604-10 (2003).
**Mizutani, Naoki** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Mohammed, Waleed S.** — Hybrid mode calculations for novel photonic crystal fibers. — Waleed S. Mohammed, Laurent Vaissié, and Eric G. Johnson; **42** (8), 2311-7 (2003).
**Molloi, Sabee** — See Chen, Zikuan, **42** (6), 1673-82 (2003).
**Mongia, Geeta** — Study of the crystallization behavior of Ag-In-Sb-Te phase change optical recording film. — Geeta Mongia and P. K. Bhatnagar; **42** (1), 148-50 (2003).
— See Bhatnagar, P. K., **42** (11), 3274-8 (2003).
**Monsoriu, Juan A.** — See Furlan, Walter D., **42** (3), 753-8 (2003).
**Montoya, Marcial** — Aberration measurements and birefringence effects in gradient index rod relays. — Marcial Montoya, Daniel Malacara-Hernández, and Saul Almazán; **42** (3), 696-700 (2003).
**Moon, Yong Ho** — See Ahn, Tae Gyoung, **42** (11), 3247-52 (2003).
**Moore, Andrew J.** — See Reeves, Mark, **42** (10), 2923-9 (2003).
**Mora-González, Miguel** — Sinusoidal liquid crystal display grating in the Ronchi test. — Miguel Mora-González and Noe Alcalá Ochoa; **42** (6), 1725-9 (2003).
**Morgan, A. F.** — See Chakrabarti, P., **42** (9), 2614-23 (2003).
**Morgan, Michel F.** — See Habib, Associate Professor, Ayman F., **42** (4), 948-55 (2003).
**Mori, Hideto** — See Fukuchi, Tetsuo, **42** (1), 98-104 (2003).
**Morice, Olivier** — Miró: Complete modeling and software for pulse amplification and propagation in high-power laser systems. — Olivier Morice; **42** (6), 1530-41 (2003).
**Morimoto, Yoshiharu** — See Yoneyama, Satoru, **42** (1), 137-42 (2003).
— See Ikeda, Yasuyuki, **42** (5), 1249-56 (2003).
**Morrison, Alan P.** — See Jackson, J. Carl, **42** (1), 112-8 (2003).
**Moyer, Steve** — Information differences between subbands of the mid-wave infrared spectrum. — Steve Moyer, Ronald G. Driggers, Richard H. Vollmerhausen, Michael A. Soel, Gisele Welch, and William T. Rhodes; **42** (8), 2296-303 (2003).
**Mozersky, Sharon** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Mozurkewich, David** — See Restaino, Sergio R., **42** (9), 2491-5 (2003).
**Muramatsu, Shogo** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Murtagh, Fionn** — Bayes factors for edge detection from wavelet product spaces. — Fionn Murtagh and Jean-Luc Starck; **42** (5), 1375-82 (2003).
**Myller, Kari** — Two-dimensional map of gloss of plastics measured by diffractive-element-based glossmeter. — Kari Myller, Kai-Erik Peiponen, and Raimo Silvennoinen; **42** (11), 3194-7 (2003).

## N

**Nagamori, Shigeru** — Research on solidification of resin in stereolithography. — Shigeru Nagamori and Toru Yoshizawa; **42** (7), 2096-103 (2003).
**Nakagawa, Wataru** — See Pang, Lin, **42** (10), 2912-7 (2003).
**Nakamura, Taizo** — See Ishii, Yukihiro, **42** (1), 60-7 (2003).
**Nakano, Yoshiaki** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Nakashizuka, Makoto** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Nakatani, Hiromasa** — See Saji, Hitoshi, **42** (9), 2727-33 (2003).
**Nakayama, Tomoharu** — See Matsuzoe, Yuji, **42** (1), 124-31 (2003).
**Nampoori, V. P. N.** — See George, Sajan D., **42** (5), 1476-80 (2003).
**Nannini, Matthieu** — Multiaxial beam combiner for optical coherence tomography. — Matthieu Nannini, Philippe Nerin, Pierre Benech, and Isabelle Schanen-Duport; **42** (1), 75-9 (2003).
**Narayanamurthy, C. S.** — See Anand, Arun, **42** (3), 608-12 (2003).
— See Anand, Arun, **42** (4), 1108-13 (2003).
**Nasrabadi, Nasser M.** — See Chan, Alex Lipchen, **42** (9), 2746-54 (2003).
— See Kwon, Heesung, **42** (11), 3342-51 (2003).
**Nathoo, Rahim** — See Dhliwayo, Jabulani, **42** (7), 1896-900 (2003).
**Nayuki, Takuya** — See Fukuchi, Tetsuo, **42** (1), 98-104 (2003).
**Nemoto, Koshichi** — See Fukuchi, Tetsuo, **42** (1), 98-104 (2003).
**Nerin, Philippe** — See Nannini, Matthieu, **42** (1), 75-9 (2003).
**Nevel, Alan Van** — See Mahalanobis, Abhijit, **42** (4), 1144-51 (2003).
**Ng, C. W.** — See Ng, T. W., **42** (12), 3572-4 (2003).
**Ng, T. W.** — Phase-shifting photoelasticity using a flatbed scanner. — T. W. Ng, P. K. Quek, and K. H. Lim; **42** (8), 2375-9 (2003).
— Optical sensor for semiconductor chip bonding. — T. W. Ng and C. W. Ng; **42** (12), 3572-4 (2003).
**Ng, Tuck Wah** — Hard disk wobble detection using optical triangulation and time-delay integrated imaging. — Tuck Wah Ng and H. K. Sin; **42** (4), 935-8 (2003).
**Ngo, N. Q.** — See Yuan, X.-C., **42** (2), 302-3 (2003).
— See He, M., **42** (8), 2180-1 (2003).
**Ngoi, B. K. A.** — See Sivakumar, N. R., **42** (2), 367-72 (2003).
**Nguyen, Dan T.** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Nicolás, Josep** — See Barbé, Joaquim, **42** (7), 2062-7 (2003).
**Nikolajsen, Thomas** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Nilsson, Carl Magnus** — See Kaestner, Anders P., **42** (5), 1467-75 (2003).
**Ninomiya, Minoru** — See Yoshimura, Tetsuzo, **42** (2), 439-46 (2003).
**Nishchal, Naveen Kumar** — Fully phase encryption using fractional Fourier transform. — Naveen Kumar Nishchal, Joby Joseph, and Kehar Singh; **42** (6), 1583-8 (2003).
— Optical encryption using a localized fractional Fourier transform. — Naveen Kumar Nishchal, G. Unnikrishnan, Joby Joseph, and Kehar Singh; **42** (12), 3566-71 (2003).
**No, Kwangsoo** — See Lee, Changho, **42** (6), 1589-96 (2003).
**Noonan, Elizabeth J.** — See Repasky, Kevin S., **42** (8), 2229-34 (2003).
**Nugent, Keith A.** — See Huntington, Shane T., **42** (7), 1893-5 (2003).
**Nunzi-Conti, Gualtiero** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Nurse, Andrew D.** — See Maranon, Alejandro, **42** (5), 1328-36 (2003).

## O

**Ochoa, Noe Alcalá** — See Mora-González, Miguel, **42** (6), 1725-9 (2003).
**O'Connor, John D.** — Fifty-percent probability of identification ($N_{50}$) comparison for targets in the visible and infrared spectral bands. — John D. O'Connor, Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, and Jeff Olson; **42** (10), 3047-52 (2003).
**Oh, Eun** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Oh, Sang-Keun** — See Won, Jong-Un, **42** (5), 1511-8 (2003).
**Oh, Yong-Ho** — Filtering characteristics and grating images of multiphase grating optical low-pass filters. — Yong-Ho Oh, Jai-Cheol Lee, Sungwoo Lim, Shiho Kim, and Chun-Soo Go; **42** (4), 994-9 (2003).
**Okamura, Toshihiro** — Multispectral illumination invariant classification with three visible bands and a near-infrared band. — Toshihiro Okamura, Jun-ichi Kudo, and Kunihiro Tanikawa; **42** (6), 1665-72 (2003).
**Okayama, Hideaki** — See Arakawa, Tomiyuki, **42** (12), 3419-20 (2003).
**Olson, Jeff** — See O'Connor, John D., **42** (10), 3047-52 (2003).
**Olson, Teresa** — See Chen, Hai-Wen, **42** (5), 1481-95 (2003).
**Olszak, Artur** — High-stability white-light interferometry with reference signal for real-time correction of scanning errors. — Artur Olszak and Joanna Schmit; **42** (1), 54-9 (2003).
**Ono, Hideki** — See Arakawa, Tomiyuki, **42** (12), 3419-20 (2003).
**Ono, Shinya** — Simultaneous image restoration and distance estimation of an object from a strongly defocused photon image. — Shinya Ono and Shinichi Komatsu; **42** (4), 1024-8 (2003).

**Onodera, Ribun** — See Ishii, Yukihiro, **42** (1), 60-7 (2003).
**Opilski, Zbigniew** — See Ignac-Nowicka, Jolanta, **42** (10), 2978-86 (2003).
**O'Shea, Donald C., Editor** — The Ark of Knowledge. — Donald C. O'Shea, Editor; **42** (11), 3070 (2003).
**O'Shea, Donald C., Editor** — May I have your attention, please! — Donald C. O'Shea, Editor; **42** (1), 6-7 (2003).
— 2002 in Review. — Donald C. O'Shea, Editor; **42** (2), 294-6 (2003).
— Setting Tolerances. — Donald C. O'Shea, Editor; **42** (3), 602 (2003).
— The Bloom Is Off the Google. — Donald C. O'Shea, Editor; **42** (4), 894 (2003).
— Rudolf Kingslake (1903–2003). — Donald C. O'Shea, Editor; **42** (5), 1178 (2003).
— Web of Science. — Donald C. O'Shea, Editor; **42** (6), 1526 (2003).
— How To Make Yourself Invisible. — Donald C. O'Shea, Editor; **42** (7), 1866 (2003).
— Beyond "Eyeglasses"! — Donald C. O'Shea, Editor; **42** (8), 2174-5 (2003).
— Speed Bumps. — Donald C. O'Shea, Editor; **42** (9), 2478 (2003).
— The Color of Knowledge. — Donald C. O'Shea, Editor; **42** (10), 2782-3 (2003).
— Surgeon Maturin. — Donald C. O'Shea, Editor; **42** (12), 3406 (2003).
**Osten, Wolfgang** — See Kalms, Michael, **42** (5), 1188-96 (2003).
**Ouyang, Yueh** — See Su, Wei-Chia, **42** (6), 1528-9 (2003).
**Özyazici, M. Sadettin** — See Dogru, Nuran, **42** (1), 18-22 (2003).

## P

**Padilla-Sosa, P.** — Robust genetic algorithm for high-accuracy particle position estimation in three-dimensional particle image velocimetry applications. — P. Padilla-Sosa, J. E. Valdez, L. R. Berriel-Valdos, L. R. Sahagún-Ortiz, and M. Funes-Gallanzi; **42** (2), 459-66 (2003).
**Paez, Gonzalo** — Experimental results of ratio-based erbium-doped-silica temperature sensor. — Gonzalo Paez and Marija Strojnik; **42** (6), 1805-11 (2003).
— See Sandoval, Jaime, **42** (12), 3517-23 (2003).
**Pala, Jan** — See Miler, Miroslav, **42** (11), 3114-22 (2003).
**Palmateer, John** — Noncontact inspection: challenging application in the aircraft industry. — John Palmateer; **42** (5), 1272-6 (2003).
**Pan, Ci-Ling** — See Shu, Su-Frang, **42** (10), 2856-60 (2003).
**Pan, Fengzhi** — New image super-resolution scheme based on residual error restoration by neural networks. — Fengzhi Pan and Liming Zhang; **42** (10), 3038-46 (2003).
**Pan, Quan** — Face recognition based on singular-value feature vectors. — Quan Pan, Min-Gui Zhang, De-Long Zhou, Yong-Mei Cheng, and Hong-Cai Zhang; **42** (8), 2368-74 (2003).
**Pan, Xiaochuan** — See Sidky, Emil Y., **42** (9), 2506-13 (2003).
— See La Rivière, Patrick J., **42** (12), 3461-70 (2003).
**Pan, Yong-Le** — See Crosta, Giovanni F., **42** (9), 2689-701 (2003).
**Pang, Grantham K. H.** — See Fung, George S. K., **42** (10), 2967-77 (2003).
**Pang, Lin** — Fabrication of optical structures using SU-8 photoresist and chemically assisted ion beam etching. — Lin Pang, Wataru Nakagawa, and Yeshaiahu Fainman; **42** (10), 2912-7 (2003).
**Papalexandris, Miltiadis V.** — Numerical phase front propagation for a large-baseline space interferometer. — Miltiadis V. Papalexandris and Eugene Waluschka; **42** (4), 1029-37 (2003).
**Pardoen, Gerard** — See Markov, Vladimir, **42** (5), 1277-87 (2003).
**Park, Euy-Don** — See Kwon, Kwang-Hee, **42** (9), 2630-41 (2003).
**Park, H. Y.** — See Kim, M. J., **42** (9), 2489-90 (2003).
**Park, Ho-Chong** — See Bae, Jin-Woo, **42** (1), 176-81 (2003).
**Park, Hyun Wook** — See Sun, Sun-Gu, **42** (2), 524-33 (2003).
— See Lee, Yung-Lyul, **42** (9), 2588-94 (2003).
**Park, Kil-Houm** — See Won, Jong-Un, **42** (5), 1511-8 (2003).
**Park, Kyihwan** — See La, Jongpil, **42** (3), 730-7 (2003).
**Park, Young Sik** — Hierarchical spatiotemporal moving object segmentation based on a binary split algorithm. — Young Sik Park, Eui Yoon Chung, Gi Seok Kim, and Yeong Ho Ha; **42** (1), 245-54 (2003).
**Parks, Robert E.** — See Schmitz, Tony L., **42** (8), 2281-90 (2003).
**Parthasarathy, Prasanna** — See Stark, Henry, **42** (1), 11-7 (2003).
**Patrignani, José D.** — See Furlan, Walter D., **42** (3), 753-8 (2003).
**Pech-Pacheco, José Luis** — Automatic object identification irrespective of geometric changes. — José Luis Pech-Pacheco, Josué Alvarez-Borrego, Gabriel Cristóbal, and Matthias S. Keil; **42** (2), 551-9 (2003).
**Peiponen, Kai-Erik** — See Myller, Kari, **42** (11), 3194-7 (2003).
**Pelli, S.** — See Conti, G. Nunzi, **42** (10), 2805-11 (2003).
**Peña-Gomar, Mary Carmen** — Design of an optical probe based on angle scanning reflectometry near the critical angle. — Mary Carmen Peña-Gomar, Augusto García-Valenzuela, and Martha Rosete-Aguilar; **42** (3), 853-61 (2003).
— See García-Valenzuela, Augusto, **42** (4), 1084-92 (2003).
**Peng, Qinjun** — Real-time photolithographic technique for fabrication of arbitrarily shaped microstructures. — Qinjun Peng, Shijie Liu, Yongkang Guo, Bo Chen, Jinglei Du, Yangsu Zeng, Chongxi Zhou, and Zheng Cui; **42** (2), 477-81 (2003).
**Peng, Wei** — See Qi, Bing, **42** (11), 3165-71 (2003).
**Peng, Xiang** — See Zhang, Zonghua, **42** (7), 1935-9 (2003).
**Peng, Xiaoming** — Improved approach for object location under affine transformation using the Hausdorff distance. — Xiaoming Peng, Mingyue Ding, Chengping Zhou, and Tianxu Zhang; **42** (10), 2794-5 (2003).
**Peng, Xiaoyuan** — See Xu, Lei, **42** (8), 2218-24 (2003).
**Penty, Richard V.** — See Rashed, Atef M., **42** (3), 792-7 (2003).
**Perri, Anna Gina** — See Giorgio, Agostino, **42** (4), 1100-7 (2003).
**Perros, Harry G.** — See Zaim, Abdul Halim, **42** (2), 568-85 (2003).
**Petridis, A.** — See Geranios, Athanasios K., **42** (3), 759-64 (2003).
**Petruzzelli, Vincenzo** — See D'Orazio, Antonella, **42** (3), 765-72 (2003).
**Peyghambarian, Nasser** — See Choo, Peng Y., **42** (10), 2812-6 (2003).
— See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Phelan, Don** — See Jackson, J. Carl, **42** (1), 112-8 (2003).
**Piazzola, Jacques** — Development of the Mediterranean extinction code (MEDEX). — Jacques Piazzola, Frédéric Bouchara, Gerrit de Leeuw, and Alexander M. J. Van Eijk; **42** (4), 912-24 (2003).
**Pickrell, G.** — See Zhang, Po, **42** (6), 1597-603 (2003).
**Pickrell, Gary R.** — See Qi, Bing, **42** (11), 3165-71 (2003).
**Pierattini, Giovanni** — See De Nicola, Sergio, **42** (6), 1625-30 (2003).
**Pinto, João L.** — See Rodrigues, Carlos M. P., **42** (6), 1699-703 (2003).
**Pitt, Brandon D.** — See Tayag, Tristan J., **42** (1), 105-11 (2003).
**Pleros, N.** — See Vyrsokinos, K., **42** (11), 3075-6 (2003).
**Plesniak, Wendy** — Incremental update of computer-generated holograms. — Wendy Plesniak; **42** (6), 1560-71 (2003).
**Po, Hong** — See Wang, Yong, **42** (9), 2521-6 (2003).
— See Wang, Yong, **42** (10), 2872-9 (2003).
**Podanchuk, Dmytro V.** — See Son, Jung-Young, **42** (11), 3389-98 (2003).
**Podbielska, Halina** — See Kobel, Joanna, **42** (4), 1137-43 (2003).
**Polishuk, Anna** — Communication performance analysis of microsatellites using an optical phased array antenna. — Anna Polishuk and Shlomi Arnon; **42** (7), 2015-24 (2003).
**Ponsa, Daniel** — Quality control of safety belts by machine vision inspection for real-time production. — Daniel Ponsa, Robert Benavente, Felipe Lumbreras, Judit Martínez, and Xavier Roca; **42** (4), 1114-20 (2003).
**Poulsen, Mogens Rysholt** — Advances in silica-based integrated optics. — Mogens Rysholt Poulsen, Peter Ingo Borel, Jacob Fage-Pedersen, Jörg Hübner, Martin Kristensen, Jørn Hedegaard Povlsen, Karsten Rottwitt, Mikael Svalgaard, and Winnie Svendsen; **42** (10), 2821-34 (2003).
**Povlsen, Jørn Hedegaard** — See Poulsen, Mogens Rysholt, **42** (10), 2821-34 (2003).
**Prajoux, Roland** — See Lescure, Marc, **42** (9), 2653-8 (2003).
**Prasanth, R.** — See George, Sajan D., **42** (5), 1476-80 (2003).
**Prather, Dennis W.** — See Shi, Shouyuan, **42** (2), 383-7 (2003).
— See Lohokare, Saurabh K., **42** (9), 2683-8 (2003).
**Predina, Joseph P.** — See Alam, Mohammad S., **42** (12), 3491-7 (2003).
**Prokopowicz, Czesław** — See Sypek, Maciej, **42** (11), 3158-64 (2003).
**Prudenzano, Francesco** — See D'Orazio, Antonella, **42** (3), 765-72 (2003).
**Prunet, Stéphanie** — Signal processing methods to improve the performance of a compact Fourier transform spectrometer. — Stéphanie Prunet, Cécile Durieu, and Bernard Journet; **42** (4), 985-93 (2003).
**Pryputniewicz, Ryszard J.** — See Furlong, Cosme, **42** (5), 1223-31 (2003).
**Puente León, Fernando** — See Heizmann, Michael, **42** (12), 3423-32 (2003).
**Pustelny, Tadeusz** — See Ignac-Nowicka, Jolanta, **42** (10), 2978-86 (2003).

## Q

**Qi, B.** — See Zhang, Po, **42** (6), 1597-603 (2003).
**Qi, Bing** — Novel data processing techniques for dispersive white light interferometer. — Bing Qi, Gary R. Pickrell, JunCheng Xu, Po Zhang, Yuhong Duan, Wei Peng, Zhenyu Huang, Wei Huo, Hai Xiao, Russell G. May, and Anbo Wang; **42** (11), 3165-71 (2003).
**Qi, Kangcheng** — See Wang, Qiong-Hua, **42** (3), 837-9 (2003).
**Qian, Kemao** — Algorithm for directly retrieving the phase difference: a generalization. — Kemao Qian, Hock Soon Seah, and Anand K. Asundi; **42** (6), 1721-4 (2003).
— Filtering the complex field in phase shifting interferometry. — Kemao Qian, Hock Soon Seah, and Anand Asundi; **42** (10), 2792-3 (2003).
**Qian, Shinan** — Equal optical path beamsplitter for a pencil beam interferometer and shearing interferometer. — Shinan Qian and Peter Z. Takacs; **42** (4), 929-34 (2003).
**Qian, Xiaoping** — Computational approach for optimal sensor setup. — Xiaoping Qian and Kevin G. Harding; **42** (5), 1238-48 (2003).
**Qiao, Jie** — See Zhao, Feng, **42** (1), 273-80 (2003).
**Qin, Tao** — See Liaw, Shien-Kuei, **42** (8), 2178-9 (2003).
**Qin, Yingxiong** — See Li, Junchang, **42** (12), 3545-50 (2003).
**Qiu, Bin** — See Hore, Edward S., **42** (6), 1656-64 (2003).
**Qiu, Zhiqiang** — See Yu, Qifeng, **42** (1), 68-74 (2003).
**Quan, C.** — Deformation measurement of a micro-rf capacitive switch membrane using laser interferometry. — C. Quan, S. H. Wang, C. J. Tay, A. Q. Liu, and H. M. Shang; **42** (1), 92-7 (2003).
— See Kang, Xin, **42** (10), 3053-8 (2003).
**Quan, Chenggen** — See Tay, Cho J., **42** (6), 1715-20 (2003).
**Quek, P. K.** — See Ng, T. W., **42** (8), 2375-9 (2003).
**Qureshi, G. J.** — Fabrication and characterization of four-layer polymeric optical waveguides based on styrene acrylonitrile. — G. J. Qureshi, V. K. Gupta, Amit Pratap Singh, Avinashi Kapoor, and K. N. Tripathi; **42** (6), 1754-7 (2003).

## R

**Rabinovich, William S.** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Radhakrishnan, P.** — See George, Sajan D., **42** (5), 1476-80 (2003).
**Raiter, Sergey** — Image restoration from camera vibration and object motion blur in infrared staggered time-delay and integration systems. — Sergey Raiter, Adrian Stern, Ofer Hadar, and Norman S. Kopeika; **42** (11), 3253-64 (2003).
**Raja, M. Yasin Akhtar** — See Cao, Yang, **42** (12), 3447-51 (2003).
**Rao, Changhui** — See Zhou, Weichao, **42** (9), 2755-60 (2003).
**Rao, Haibo** — See Wang, Qiong-Hua, **42** (3), 837-9 (2003).
**Rao, Min** — Study of homodyne crosstalk accumulation in wavelength-division-multiplexed networks based on adaptive importance sampling method. — Min Rao, Xiaohan Sun, and Mingde Zhang; **42** (7), 2150-4 (2003).
**Rashed, Atef M.** — Tapered waveguide with parabolic lens: theory and experiment. — Atef M. Rashed, Kevin A. Williams, Peter J. Heard, Richard V. Penty, and Ian H. White; **42** (3), 792-7 (2003).
**Rasigni, Georges** — See Guis, Vincente H., **42** (2), 357-66 (2003).
**Rasigni, Monique** — See Guis, Vincente H., **42** (2), 357-66 (2003).
**Rastogi, Pramod** — See LLoret, Sandra, **42** (3), 662-9 (2003).
— Systematic approach to image formation in digital holography. — Pramod Rastogi and Akshay Sharma; **42** (5), 1208-14 (2003).
— Mechanical evaluation of finger-jointed timber assemblies using holographic moiré interferometry. — Pramod Rastogi and Jean-Luc Sandoz; **42** (5), 1321-7 (2003).
**Rastogi, Vipul** — See Chiang, Kin Seng, **42** (7), 1906-9 (2003).
**Ratches, James A.** — See Driggers, Ronald G., **42** (7), 2104-12 (2003).
**Redfern, R. Michael** — See Jackson, J. Carl, **42** (1), 112-8 (2003).
**Reeves, Mark** — Dynamic shape measurement system for laser materials processing. — Mark Reeves, Andrew J. Moore, Duncan P. Hand, and Julian D. C. Jones; **42** (10), 2923-9 (2003).
**Reichard, Karl** — See Su, Wei-Hung, **42** (6), 1730-40 (2003).
**Ren, Mingwu** — Image segmentation by merge-split method based on relation stable state. — Mingwu Ren, Jingyu Yang, and Han Sun; **42** (8), 2362-7 (2003).
**Rendina, I.** — See Iodice, M., **42** (1), 169-75 (2003).
— See Sirleto, L., **42** (12), 3417-8 (2003).
**Repasky, Kevin S.** — Tunable external-cavity diode laser based on integrated waveguide structures. — Kevin S. Repasky, Jennifer D. Williams, John L. Carlsten, Elizabeth J. Noonan, and Gregg W. Switzer; **42** (8), 2229-34 (2003).

**Restaino, Sergio R.** — Analysis of the Naval Observatory Flagstaff Station 1-m telescope using annular Zernike polynomials. — Sergio R. Restaino, Scott W. Teare, Michael DiVittorio, G. Charmaine Gilbreath, and David Mozurkewich; **42** (9), 2491-5 (2003).
**Rhodes, William T.** — See Moyer, Steve, **42** (8), 2296-303 (2003).
**Richardson, Robert L.** — Axicon as a retroreflector in open-path Fourier transform infrared spectrometry. — Robert L. Richardson and Peter R. Griffiths; **42** (8), 2197-201 (2003).
**Righini, G. C.** — See Conti, G. Nunzi, **42** (10), 2805-11 (2003).
**Righini, Giancarlo Cesare** — See Sidorin, Yakov, **42** (10), 2798-9 (2003).
**Roberts, Ann** — See Huntington, Shane T., **42** (7), 1893-5 (2003).
**Robillard, J. J.** — All-optical switching with fast-response variable-index materials. — J. J. Robillard and D. Luna-Moreno; **42** (12), 3575-8 (2003).
**Roca, Xavier** — See Ponsa, Daniel, **42** (4), 1114-20 (2003).
**Roca-Dorda, Joaquin** — See Fernández-Valdivielso, Carlos, **42** (3), 656-61 (2003).
**Rodrigues, Carlos M. P.** — Contrast of polychromatic speckle patterns and its dependence to surface heights distribution. — Carlos M. P. Rodrigues and João L. Pinto; **42** (6), 1699-703 (2003).
**Rodrigues, F. Carvalho** — See Coelho, João M. P., **42** (11), 3365-73 (2003).
**Rodriguez-Dagnino, Ramón M.** — Raman crosstalk cancellation in wavelength-division multiplexing by using neural networks. — Ramón M. Rodríguez-Dagnino, José A. Faz-Gómez, and Ignacio Larraga-Orozco; **42** (6), 1843-9 (2003).
**Rodriguez-Herrera, Oscar G.** — See Rosete-Aguilar, Martha, **42** (6), 1772-7 (2003).
**Rodríguez-Sánchez, Rosa** — See Garcia, Jose A., **42** (4), 1000-12 (2003).
— See Garcia, Jose A., **42** (11), 3215-34 (2003).
**Rogalski, Antoni** — Third-generation infrared photon detectors. — Antoni Rogalski; **42** (12), 3498-516 (2003).
**Romero, Louis A.** — See Dickey, Fred M., **42** (7), 2113-28 (2003).
**Rong, Zhen-Yu** — See Guo, Cheng-Shan, **42** (9), 2768-71 (2003).
**Rosen, Joseph** — See Gokhler, Mark, **42** (3), 830-6 (2003).
**Rosete-Aguilar, Martha** — See Peña-Gomar, Mary Carmen, **42** (3), 853-61 (2003).
— Optical design of a scatterometer with an ellipsoidal mirror. — Martha Rosete-Aguilar, Oscar G. Rodríguez-Herrera, and Neil C. Bruce; **42** (6), 1772-7 (2003).
**Rotman, Stanley R.** — See Kopeika, Norman S., **42** (2), 534-40 (2003).
**Rottwitt, Karsten** — See Poulsen, Mogens Rysholt, **42** (10), 2821-34 (2003).
**Rouskas, George N.** — See Zaim, Abdul Halim, **42** (2), 568-85 (2003).
**Roy, Sébastien** — Invariant object recognition under three-dimensional rotations and changes of scale. — Sébastien Roy, Henri H. Arsenault, and Daniel Lefebvre; **42** (3), 813-21 (2003).
**Ruan, Hao** — See Liu, Bo, **42** (9), 2702-6 (2003).
**Rubadeux, Bruce A.** — See Shepard, Steven M., **42** (5), 1337-42 (2003).
**Ruiz-Llata, Marta** — See Lamela, Horacio, **42** (9), 2487-8 (2003).

## S

**Saavedra, Genaro** — See Furlan, Walter D., **42** (3), 753-8 (2003).
**Sahagún-Ortiz, L. R.** — See Padilla-Sosa, P., **42** (2), 459-66 (2003).
**Saint Michel, Thierry** — See Le Thuc, Vianney, **42** (7), 1976-92 (2003).
**Saji, Hitoshi** — Measuring 3-D shapes of a human face using photometric stereo method with color light sources and slit patterns. — Hitoshi Saji and Hiromasa Nakatani; **42** (9), 2727-33 (2003).
**Sakata, Kenichi** — See Sasaki, Osami, **42** (7), 2092-5 (2003).
**Salari, Ezzatollah** — See Mackey, Jeffrey R., **42** (5), 1460-6 (2003).
**Salas, Luis** — Profilometry by fringe projection. — Luis Salas, Esteban Luna, Javier Salinas, Victor Garcia, and Manuel Servin; **42** (11), 3307-14 (2003).
**Salathé, René-Paul** — See Hafez, Moustapha, **42** (4), 1048-57 (2003).
**Sales, Tasso R. M.** — Structured microlens arrays for beam shaping. — Tasso R. M. Sales; **42** (11), 3084-5 (2003).
**Salinas, Javier** — See Salas, Luis, **42** (11), 3307-14 (2003).
**Samuels, Alan C.** — See Ben-David, Avishai, **42** (2), 325-33 (2003).
**Sandoval, Jaime** — Heat transfer analysis of a dynamic infrared-to-visible converter. — Jaime Sandoval, Gonzalo Paez, and Marija Strojnik; **42** (12), 3517-23 (2003).
**Sandoz, Jean-Luc** — See Rastogi, Pramod, **42** (5), 1321-7 (2003).
**Sang, Hongshi** — Architecture of a configurable 2-D adaptive filter used for small object detection and digital image processing. — Hongshi Sang, Xubang Shen, and Chaoyang Chen; **42** (8), 2182-9 (2003).
**Sanyal, Sucharita** — Image assessment of a birefringent lens based on the factor of encircled energy. — Sucharita Sanyal and Ajay Ghosh; **42** (4), 1058-64 (2003).
**Sarkisov, Sergey S.** — See Liu, Zhifu, **42** (3), 803-12 (2003).
**Sarro, P. M.** — See Iodice, M., **42** (1), 169-75 (2003).
**Sasaki, Osami** — Two-dimensional rotation angle measurement using a sinusoidal phase-modulating laser diode interferometer. — Osami Sasaki, Chikao Togashi, and Takamasa Suzuki; **42** (4), 1132-6 (2003).
— Optical method for detecting displacement of a car in stereo images. — Osami Sasaki, Kenichi Sakata, and Takamasa Suzuki; **42** (7), 2092-5 (2003).
**Sasaki, Shigenobu** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Sasakura, Kunihiko** — See Mizukami, Masato, **42** (6), 1604-10 (2003).
**Sato, Hiroto** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Saveljev, Vladmir V.** — See Son, Jung-Young, **42** (11), 3326-33 (2003).
**Schaake, Herbert F.** — See Goldberg, Arnold C., **42** (1), 30-46 (2003).
**Schaarsberg, J. Groote** — See Bazalgette Courrèges-Lacoste, G., **42** (12), 3600-7 (2003).
**Schanen-Duport, Isabelle** — See Nannini, Matthieu, **42** (1), 75-9 (2003).
**Schenkman, Bo N.** — See Brunnström, Kjell, **42** (2), 388-99 (2003).
**Schmit, Joanna** — See Olszak, Artur, **42** (1), 54-9 (2003).
**Schmitz, Tony L.** — Silicon wafer thickness variation measurements using the National Institute of Standards and Technology infrared interferometer. — Tony L. Schmitz, Angela Davies, Chris J. Evans, and Robert E. Parks; **42** (8), 2281-90 (2003).
**Schroeder, Raoul** — See Ullrich, Bruno, **42** (4), 1152-6 (2003).
**Sciammarella, Cesar A.** — Measurement of mechanical properties of materials in the micrometer range using electronic holographic moiré. — Cesar A. Sciammarella and Federico M. Sciammarella; **42** (5), 1215-22 (2003).
— Determination of strains from fringe patterns using space-frequency representations. — Cesar A. Sciammarella and Taeeeui Kim; **42** (11), 3182-93 (2003).
**Sciammarella, Federico M.** — See Sciammarella, Cesar A., **42** (5), 1215-22 (2003).
**Seah, Hock Soon** — See Qian, Kemao, **42** (6), 1721-4 (2003).
— See Qian, Kemao, **42** (10), 2792-3 (2003).
**Seddon, A. B.** — See Conti, G. Nunzi, **42** (10), 2805-11 (2003).
**Sekine, Seishi** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Sellar, R. Glenn** — Limiting aspect ratios of Sagnac interferometers. — R. Glenn Sellar and Glenn D. Boreman; **42** (11), 3320-5 (2003).
**Senin, A. A.** — See Knecht, B. A., **42** (12), 3612-21 (2003).
**Seo, Youngmin** — Measurement of microthermal deformations in an optical pick-up base using holographic interferometry. — Youngmin Seo, Sunghoon Cho, and Shinill Kang; **42** (11), 3198-203 (2003).
**Séradour, Brigitte** — See Guis, Vincente H., **42** (2), 357-66 (2003).
**Sergan, Vassili** — See Duncan, Bradley D., **42** (4), 1038-47 (2003).
**Servin, Manuel** — See Barrientos García, Bernardino, **42** (10), 3004-12 (2003).
— See Salas, Luis, **42** (11), 3307-14 (2003).
**Shacklette, Lawrence W.** — High performance thermo-optic switches based on low-loss acrylate polymers. — Lawrence W. Shacklette, Paul M. Ferm, Robert Blomquist, MacRae Maxfield, Kevin Killian, and Lip Sun How Kee Chun; **42** (10), 2841-9 (2003).
**Shafer, Thomas A.** — See Goldberg, Arnold C., **42** (1), 30-46 (2003).
**Shakher, Chandra** — See Singh, Priti, **42** (1), 80-5 (2003).
— See Thakur, Madhuri, **42** (1), 86-91 (2003).
**Shamir, Joseph** — See Spektor, Boris, **42** (11), 3279-84 (2003).
**Shang, H. M.** — See Quan, C., **42** (1), 92-7 (2003).
— See Hung, Michael Y. Y., **42** (5), 1197-207 (2003).
— See Hung, Michael Y. Y., **42** (5), 1343-7 (2003).
**Shang, Huai M.** — See Tay, Cho J., **42** (6), 1715-20 (2003).
**Shapiro, Jeffrey H.** — See Yeang, Chen-Pang, **42** (7), 2129-49 (2003).
**Sharma, Akshay** — See Rastogi, Pramod, **42** (5), 1208-14 (2003).
**She, Shouxian** — See Ma, Yonghong, **42** (10), 2942-6 (2003).
**Shealy, David L.** — Laser Beam Shaping. — David L. Shealy and Fred M. Dickey; **42** (11), 3077-9 (2003).
— Geometric optics-based design of laser beam shapers. — David L. Shealy and Shao-Hua Chao; **42** (11), 3123-38 (2003).
**Shen, Ting-Ying** — Long-term thermally interfacial-shear-stress-induced delamination of polymeric coatings from glass fibers in double-coated optical fibers. — Ting-Ying Shen and Sham-Tsong Shiue; **42** (5), 1456-9 (2003).
**Shen, Xubang** — See Sang, Hongshi, **42** (8), 2182-9 (2003).
**Shen, Y. K.** — See Yeh, S. L., **42** (7), 2068-74 (2003).
**Shepard, Steven M.** — Reconstruction and enhancement of active thermographic image sequences. — Steven M. Shepard, James R. Lhota, Bruce A. Rubadeux, David Wang, and Tasdiq Ahmed; **42** (5), 1337-42 (2003).
**Sheppard, Colin J. R.** — See Matsuda, Kiyofumi, **42** (12), 3537-44 (2003).
**Shi, Bin** — See Liu, Qiang, **42** (11), 3265-9 (2003).
**Shi, C. Z.** — Cantilever optical vibrometer using fiber Bragg grating. — C. Z. Shi, N. Zeng, H. L. Ho, C. C. Chan, M. Zhang, W. Jin, and Y. B. Liao; **42** (11), 3179-81 (2003).
**Shi, Chunzheng** — See Zeng, Nan, **42** (9), 2558-62 (2003).
**Shi, Frank G.** — See Zhang, Rong, **42** (8), 2240-5 (2003).
**Shi, Shouyuan** — Influence of support structure on microdisk resonator performance. — Shouyuan Shi, Dennis W. Prather, Liuqing Yang, and James Kolodzey; **42** (2), 383-7 (2003).
**Shi, Zan** — See Zhao, Feng, **42** (1), 273-80 (2003).
**Shi, Zhong** — See Zhao, Feng, **42** (1), 273-80 (2003).
**Shibata, Norio** — See Takino, Hideo, **42** (9), 2676-82 (2003).
**Shikata, J.** — See Haidar, S., **42** (1), 143-7 (2003).
**Shin, Gun Shik** — Transform domain enhanced resizing for a discrete-cosine-transform-based codec. — Gun Shik Shin and Moon Gi Kang; **42** (11), 3204-14 (2003).
**Shin, Il-Hong** — See Lee, Yung-Lyul, **42** (9), 2588-94 (2003).
**Shiue, Sham-Tsong** — See Shen, Ting-Ying, **42** (5), 1456-9 (2003).
**Shlyagin, M. G.** — See Marquez-Borbón, I., **42** (5), 1182-3 (2003).
— See May-Alarcón, Manuel, **42** (8), 2240-9 (2003).
**Shu, Huiyun** — See Zhang, Ruiying, **42** (3), 798-802 (2003).
**Shu, Su-Frang** — Learning evolution design of multiband-transmission fiber Bragg grating filters. — Su-Frang Shu, Yinchieh Lai, and Ci-Ling Pan; **42** (10), 2856-60 (2003).
**Shum, Ping** — See Zhu, Yinian, **42** (5), 1445-50 (2003).
**Sidky, Emil Y.** — Image reconstruction with a half-detector in single-photon emission computed tomography with nonuniform attenuation. — Emil Y. Sidky and Xiaochuan Pan; **42** (9), 2506-13 (2003).
**Sidler, Thomas** — See Hafez, Moustapha, **42** (4), 1048-57 (2003).
**Sidorin, Yakov** — Advances in Optical Waveguide Engineering. — Yakov Sidorin and Giancarlo Cesare Righini; **42** (10), 2798-9 (2003).
**Silvennoinen, Raimo** — See Myller, Kari, **42** (11), 3194-7 (2003).
**Silvestre, Enrique** — See Furlan, Walter D., **42** (3), 753-8 (2003).
**Simon, Jean-Jacques** — See Escoubas, Ludovic, **42** (12), 3579-84 (2003).
**Simon-Miller, Amy A.** — See Klaasen, Kenneth P., **42** (2), 494-509 (2003).
**Sims, Paul E.** — See Lohokare, Saurabh K., **42** (9), 2683-8 (2003).
**Sims, S. Richard F.** — See Mahalanobis, Abhijit, **42** (4), 1144-51 (2003).
**Sin, H. K.** — See Ng, Tuck Wah, **42** (4), 935-8 (2003).
**Singh, Adarsh** — Model for illumination-dependent trap occupancy in optically biased GaN metal-semiconductor field effect transistor for improved electrical characteristics. — Adarsh Singh, Mridula Gupta, and R. S. Gupta; **42** (9), 2563-7 (2003).
**Singh, Amit Pratap** — See Qureshi, G. J., **42** (6), 1754-7 (2003).
**Singh, Kehar** — See Nishchal, Naveen Kumar, **42** (6), 1583-8 (2003).
— See Nishchal, Naveen Kumar, **42** (12), 3566-71 (2003).
**Singh, N. B.** — Noncollinear optical parametric oscillator design for walk-off reduction in GaSe crystals. — N. B. Singh, Dennis R. Suhre, Kenton A. Green, Nils C. Fernelius, and F. Kenneth Hopkins; **42** (11), 3270-3 (2003).
**Singh, Priti** — Measurement of the temperature of a gaseous flame using a shearing plate. — Priti Singh and Chandra Shakher; **42** (1), 80-5 (2003).
**Sirleto, L.** — Digital optical switch based on amorphous silicon waveguide. — L. Sirleto, M. Iodice, I. Rendina, and F. G. Della Corte; **42** (12), 3417-8 (2003).
**Sivakumar, N. R.** — Large surface profile measurement with instantaneous phase-shifting interferometry. — N. R. Sivakumar, W. K. Hui, K. Venkatakrishnan, and B. K. A. Ngoi; **42** (2), 367-72 (2003).
**Sjöqvist, Lars** — See Hällstig, Emil, **42** (3), 613-9 (2003).
**Skarlatos, Yani** — See Karaalioğlu, Canan, **42** (6), 1694-8 (2003).
**Skeivalas, Jonas** — Analysis of accuracy of measurement by Doppler laser meters. — Jonas Skeivalas and Vytautas Giniotis; **42** (7), 2025-8 (2003).
**Smith, William H.** — See Fuhrmann, Daniel R., **42** (8), 2268-76 (2003).
**Snyman, Lukas Willem** — Planar light-emitting electro-optical interfaces in standard silicon complementary metal oxide semiconductor integrated circuitry. — Lukas Willem Snyman, Herzl Aharoni, Monuko du Plessis, Jan F. K. Marais, Deon Van Niekerk, and Alice Biber; **42** (10), 3059 (E) (2003).
**Soares, O. D. D.** — Intermodulation in the spectrophotometric cell. — O. D. D. Soares and M. L. de Pedraza; **42** (2), 510-23 (2003).
**Soel, Michael A.** — See Moyer, Steve, **42** (8), 2296-303 (2003).
**Soh, Yeng Chai** — See Wang, Qijie, **42** (11), 3172-8 (2003).

— See Li, Hao, 42 (12), 3409-10 (2003).
**Sohn, Euijung** — See Meitzler, Thomas J., 42 (6), 1820-5 (2003).
**Son, Jung-Young** — Parameters for designing autostereoscopic imaging systems based on lenticular, parallax barrier, and integral photography plates. — Jung-Young Son, Vladmir V. Saveljev, Yong-Jin Choi, Ji-Eun Bahn, Sung-Kyu Kim, and Hyunhee Choi; 42 (11), 3326-33 (2003).
— Shack-Hartmann wavefront sensor with holographic memory. — Jung-Young Son, Dmytro V. Podanchuk, Volodymir P. Dan'ko, and Kae-Dal Kwak; 42 (11), 3389-98 (2003).
**Song, Jae-Won** — See Kwon, Kwang-Hee, 42 (9), 2630-41 (2003).
**Sookdhis, C.** — Passive wavelength monitor based on multimode interference waveguide. — C. Sookdhis, T. Mei, H. S. Djie, and J. Arokiaraj; 42 (12), 3421-2 (2003).
**Souw, Bernard Eng-Kie** — Coherent telescope array with self-homodyne interferometric detection for optical communications. — Bernard Eng-Kie Souw; 42 (11), 3139-57 (2003).
**Spammer, Stephanus J.** — See Zhu, Yinian, 42 (5), 1445-50 (2003).
**Speghini, A.** — See Conti, G. Nunzi, 42 (10), 2805-11 (2003).
**Spektor, Boris** — Recording on $As_2S_3$ glassy films by pulsed and continuous illumination—optical evaluation and comparison. — Boris Spektor, Joseph Shamir, Victor Lyubin, and Matvei Klebanov; 42 (11), 3279-84 (2003).
**Spirin, V. V.** — See Márquez-Borbón, I., 42 (5), 1182-3 (2003).
**Sprik, R.** — See Bazalgette Courrèges-Lacoste, G., 42 (12), 3600-7 (2003).
**Stanley, Maurice** — See Mias, Solon, 42 (7), 2075-81 (2003).
**Stann, Barry L.** — See Hutchinson, Brett A., 42 (9), 2734-45 (2003).
**Starck, Jean-Luc** — See Murtagh, Fionn, 42 (5), 1375-82 (2003).
**Stark, Henry** — Considerations in designing a marine-mammal–ship collision avoidance system based on aerial imagery by an unmanned airborne vehicle. — Henry Stark, Prasanna Parthasarathy, and Richard N. Johnson; 42 (1), 11-7 (2003).
**Stell, Mena** — See Gilbreath, G. Charmaine, 42 (6), 1611-7 (2003).
**Stern, Adrian** — See Raiter, Sergey, 42 (11), 3253-64 (2003).
— See Yitzhaky, Yitzhak, 42 (12), 3557-65 (2003).
**Stetson, Karl A.** — K100 electronic holography system and HG7000 interferometric computer: instruments for automotive component analysis. — Karl A. Stetson; 42 (5), 1348-53 (2003).
**Stevenson, Daniel** — See Zaim, Abdul Halim, 42 (2), 568-85 (2003).
**Strojnik, Marija** — See Paez, Gonzalo, 42 (6), 1805-11 (2003).
— See Sandoval, Jaime, 42 (12), 3517-23 (2003).
**Stroud, Jackson S.** — Striae quality grades for optical glass. — Jackson S. Stroud; 42 (6), 1618-24 (2003).
**Su, Dachun** — See Xiao, Yan, 42 (9), 2534-41 (2003).
**Su, Der-Chin** — See Chen, Kun-Huang, 42 (7), 1884-7 (2003).
**Su, Heng-Sheng** — See Lu, Hai-Han, 42 (5), 1180-1 (2003).
**Su, Wei-Chia** — Polarization-multiplexed volume holograms in $LiNbO_3$ with 90-deg geometry. — Wei-Chia Su, Ching-Cherng Sun, Nicholai Kukhtarev, and Arthur E. T. Chiou; 42 (1), 9-10 (2003).
— Multilayer storage in a shift-multiplexed holographic disk. — Wei-Chia Su, Yu-Weng Chen, Ching-Cherng Sun, and Yueh Ouyang; 42 (6), 1528-9 (2003).
— Multiplexed edge-lit holograms. — Wei-Chia Su, Ching-Cherng Sun, and Nicholai Kukhtarev; 42 (7), 1871-2 (2003).
— See Sun, Ching-Cherng, 42 (10), 2788-9 (2003).
**Su, Wei-Hung** — Fabrication of digital sinusoidal gratings and precisely controlled diffusive flats and their application to highly accurate projected fringe profilometry. — Wei-Hung Su, Hongyu Liu, Karl Reichard, Shizhuo Yin, and Francis T. S. Yu; 42 (6), 1730-40 (2003).
**Suchwalko, Artur** — See Kobel, Joanna, 42 (4), 1137-43 (2003).
**Suhre, Dennis R.** — See Singh, N. B., 42 (11), 3270-3 (2003).
**Sulima, Oleg V.** — See Lohokare, Saurabh K., 42 (9), 2683-8 (2003).
**Sumriddetchkajorn, Sarun** — Optical touch switch based on total internal reflection. — Sarun Sumriddetchkajorn; 42 (3), 787-91 (2003).
**Sun, Changsen** — Design of the fiber optic distributed acoustic sensor based on Michelson interferometer and its location application. — Changsen Sun and Farhad Ansari; 42 (10), 2987-93 (2003).
**Sun, Ching-Cherng** — See Su, Wei-Chia, 42 (1), 9-10 (2003).
— Simplified model for diffraction analysis of volume holograms. — Ching-Cherng Sun; 42 (5), 1184-5 (2003).
— See Su, Wei-Chia, 42 (6), 1528-9 (2003).
— See Su, Wei-Chia, 42 (7), 1871-2 (2003).
— Spatial filtering of three-dimensional objects based on volume holography. — Ching-Cherng Sun, Chih-Yuan Hsu, Chia-How Wu, and Wei-Chia Su; 42 (10), 2788-9 (2003).
**Sun, Han** — See Ren, Mingwu, 42 (8), 2362-7 (2003).
**Sun, Lin** — See Kim, Jin-Ha, 42 (3), 620-4 (2003).
**Sun, Sun-Gu** — Automatic target recognition using boundary partitioning and invariant features in forward-looking infrared images. — Sun-Gu Sun and Hyun Wook Park; 42 (2), 524-33 (2003).
**Sun, Xiangyi** — See Yu, Qifeng, 42 (1), 68-74 (2003).
**Sun, Xiaohan** — See Rao, Min, 42 (7), 2150-4 (2003).
**Sundaram, R.** — Partitioned computing architectures for image noise reduction. — R. Sundaram; 42 (1), 47-53 (2003).
— Analysis and implementation of an efficient edge detection algorithm. — R. Sundaram; 42 (3), 642-50 (2003).
**Suo, Rui** — See Ding, Yingchun, 42 (8), 2225-8 (2003).
**Sutton, Michael A.** — See Helm, Jeffrey D., 42 (5), 1293-305 (2003).
— See Helm, Jeffrey D., 42 (5), 1306-20 (2003).
**Suzuki, Takamasa** — See Sasaki, Osami, 42 (4), 1132-6 (2003).
— See Sasaki, Osami, 42 (7), 2092-5 (2003).
**Svalgaard, Mikael** — See Poulsen, Mogens Rysholt, 42 (10), 2821-34 (2003).
**Svendsen, Winnie** — See Poulsen, Mogens Rysholt, 42 (10), 2821-34 (2003).
**Svirid, Vladimir** — Linear and steplike characteristics in an optical fiber refractometric transducer with hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; 42 (5), 1383-9 (2003).
**Swart, Pieter L.** — See Svirid, Vladimir, 42 (5), 1383-9 (2003).
— See Zhu, Yinian, 42 (5), 1445-50 (2003).
**Switzer, Gregg W.** — See Repasky, Kevin S., 42 (8), 2229-34 (2003).
**Sypek, Maciej** — Image multiplying and high-frequency oscillations effects in the Fresnel region light propagation simulation. — Maciej Sypek, Czesław Prokopowicz, and Michał Gorecki; 42 (11), 3158-64 (2003).

## T

**Taghizadeh, M. R.** — See Liu, J. S., 42 (2), 334-9 (2003).
**Tai, Shen-Chuan** — New high-fidelity medical image compression based on modified set partitioning in hierarchical trees. — Shen-Chuan Tai, Yen-Yu Chen, and Wen-Chien Yan; 42 (7), 1956-63 (2003).
**Taig, Israel** — See Kopeika, Norman S., 42 (2), 534-40 (2003).
**Takacs, Peter Z.** — See Qian, Shinan, 42 (4), 929-34 (2003).
**Takahashi, Hiromi** — See Arakawa, Tomiyuki, 42 (12), 3419-20 (2003).
**Takeda, Mitsuo** — See Gokhler, Mark, 42 (3), 830-6 (2003).
**Takeuchi, Nobuo** — See Fukuchi, Tetsuo, 42 (1), 98-104 (2003).
**Takino, Hideo** — Fabrication of a complex-shaped mirror for an extreme ultraviolet lithography illumination system. — Hideo Takino, Teruki Kobayashi, Norio Shibata, Masaaki Kuki, Akinori Itoh, and Hideki Komatsuda; 42 (9), 2676-82 (2003).
**Taleb-Ahmed, Abdelmalik** — See Le Thuc, Vianney, 42 (7), 1976-92 (2003).
**Tan, Jiubin** — Differential confocal optical system using gradient-index lenses. — Jiubin Tan and Jie Zhang; 42 (10), 2868-71 (2003).
**Tan, Qiaofeng** — Refractive-diffractive hybrid optical element for true beam smoothing. — Qiaofeng Tan, Yingbai Yan, and Guofan Jin; 42 (11), 3100-5 (2003).
**Tanaka, Nobuhide** — See Mizukami, Masato, 42 (6), 1604-10 (2003).
**Tang, Feng** — See Jing, Wencai, 42 (11), 3285-9 (2003).
**Tang, Jun** — See Yu, Haiwu, 42 (3), 725-9 (2003).
**Tang, Tsung-Yi** — Long-period fiber grating effects induced by double-sided loading. — Tsung-Yi Tang, Pao-Yi Tseng, Chung-Yi Chiu, Chih-Nan Lin, C. C. Yang, Yean-Woei Kiang, and Kung-Jen Ma; 42 (7), 1910-4 (2003).
**Tanikawa, Kunihiro** — See Okamura, Toshihiro, 42 (6), 1665-72 (2003).
**Tay, C. J.** — See Quan, C., 42 (1), 92-7 (2003).
— See Kang, Xin, 42 (10), 3053-8 (2003).
**Tay, Cho J.** — New method for measuring dynamic response of small components by fringe projection. — Cho J. Tay, Chenggen Quan, Huai M. Shang, T. Wu, and Shihua Wang; 42 (6), 1715-20 (2003).
**Tayag, Tristan J.** — Optical fiber interferometer for measuring the *in situ* deflection characteristics of microelectromechanical structures. — Tristan J. Tayag, Edward S. Kolesar, Brandon D. Pitt, Kam See Hoon, James Marchetti, and Ijaz H. Jafri; 42 (1), 105-11 (2003).
**Taylor, Michael** — See Goldberg, Arnold C., 42 (1), 30-46 (2003).
**Teare, Scott W.** — See Restaino, Sergio R., 42 (9), 2491-5 (2003).
**Teixeira, A. L. J.** — See Lima, M. J. N., 42 (9), 2502-5 (2003).
**Thakur, Madhuri** — Measurements of the temperature profile of a two-dimensional slot burner using a Lau phase interferometer with linear gratings. — Madhuri Thakur, S. K. Angra, and Chandra Shakher; 42 (1), 86-91 (2003).
**Thakur, Mrinal** — Single-crystal thin films of organic molecular salt may lead to a new generation of electro-optic devices. — Mrinal Thakur, Jitto Titus, and Alpana Mishra; 42 (2), 456-8 (2003).
**Theophilopoulos, G.** — See Kalyvas, M., 42 (12), 3413-4 (2003).
**Thévenaz, Luc** — See LLoret, Sandra, 42 (3), 662-9 (2003).
**Thomson, M. J.** — See Liu, J. S., 42 (2), 334-9 (2003).
**Tian, Huiliang** — See Zhang, Ruiying, 42 (3), 798-802 (2003).
**Tian, Wenyan** — See Jiang, Shibin, 42 (10), 2817-20 (2003).
**Tian, Xue-Fei** — See Li, Chuan, 42 (12), 3452-5 (2003).
**Tian, Zhi** — Multistation data fusion for code-division multiple access wireless communications. — Zhi Tian and Kuo-Chu Chang; 42 (6), 1572-82 (2003).
**Tien, Shen-Chi** — Using invariants to recognize airplanes in inverse synthetic aperture radar images. — Shen-Chi Tien, Tsorng-Lin Chia, and Yibin Lu; 42 (1), 200-10 (2003).
**Tikhomirov, V. K.** — See Conti, G. Nunzi, 42 (10), 2805-11 (2003).
**Tin, Padateha** — See Mackey, Jeffrey R., 42 (5), 1460-6 (2003).
**Tischler, J. Z.** — See Liu, Chian, 42 (12), 3622-8 (2003).
**Titus, Albert H.** — Optical output silicon retina chip. — Albert H. Titus and Timothy J. Drabik; 42 (8), 2416-26 (2003).
**Titus, Jitto** — See Thakur, Mrinal, 42 (2), 456-8 (2003).
**Tiwari, Badri Nath** — See Chakrabarti, P., 42 (2), 447-55 (2003).
**Tjin, Swee Chuan** — See Yang, Jianliang, 42 (1), 239-44 (2003).
**Tkaczyk, Tomasz** — Full-field heterodyne interferometer for shape measurement: experimental characteristics of the system. — Tomasz Tkaczyk and Romuald Jóźwicki; 42 (8), 2391-9 (2003).
**Tofukuji, Ikuo** — See Kikuchi, Hisakazu, 42 (7), 1940-8 (2003).
**Togashi, Chikao** — See Sasaki, Osami, 42 (4), 1132-6 (2003).
**Toivanen, Pekka** — See Mielikainen, Jarno, 42 (4), 1013-7 (2003).
**Tripathi, K. N.** — See Qureshi, G. J., 42 (6), 1754-7 (2003).
**Trolinger, James** — See Markov, Vladimir, 42 (5), 1277-87 (2003).
**Trono, Cosimo** — See Falciai, Riccardo, 42 (8), 2263-7 (2003).
**Tsai, Wen-Hsiang** — See Yang, Zhi-Fang, 42 (4), 1157-65 (2003).
— See Lin, Chang-Chou, 42 (8), 2340-5 (2003).
**Tsai, Wen-Shing** — See Lu, Hai-Han, 42 (1), 281-4 (2003).
— See Lu, Hai-Han, 42 (7), 1901-5 (2003).
**Tseng, Pao-Yi** — See Tang, Tsung-Yi, 42 (7), 1910-4 (2003).
**Tsuji, Nobuhiko** — See Matsuzoe, Yuji, 42 (1), 124-31 (2003).
**Tsukada, Satoshi** — See Yoshimura, Tetsuzo, 42 (2), 439-46 (2003).
**Turyshev, Slava G.** — See Milman, Mark H., 42 (7), 1873-83 (2003).

## U

**Uddin, M. Forkan** — Reduction of four-wave mixing effect in an optical wavelength-division multiplexed system by utilizing different channel spacing and chromatic dispersion schemes. — M. Forkan Uddin, A. B. M. Nasirud Doulah, A. B. M. Ishteak Hossain, Muhammad Zulfiker Alam, and Mohammed Nazrul Islam; 42 (9), 2761-7 (2003).
**Ueda, K.** — See Xu, Jianqiu, 42 (9), 2527-33 (2003).
**Ulatowska-Jarża, Agnieszka** — See Kobel, Joanna, 42 (4), 1137-43 (2003).
**Ullrich, Bruno** — *In situ* analysis of a vertical-cavity surface-emitting laser active layer by two-photon spectroscopy. — Bruno Ullrich, Raoul Schroeder, A. Knigge, M. Zorn, and M. Weyers; 42 (4), 1152-6 (2003).
**Unnikrishnan, G.** — See Nishchal, Naveen Kumar, 42 (12), 3566-71 (2003).
**Uno, Yutaka** — See Arakawa, Tomiyuki, 42 (12), 3419-20 (2003).
**Uppal, Parvez N.** — See Goldberg, Arnold C., 42 (1), 30-46 (2003).
**Urbanczyk, Marian** — See Ignac-Nowicka, Jolanta, 42 (10), 2978-86 (2003).
**Usami, T.** — See Haidar, S., 42 (1), 143-7 (2003).

## V

**Vaissié, Laurent** — See Mohammed, Waleed S., **42** (8), 2311-7 (2003).
**Valdez, J. E.** — See Padilla-Sosa, P., **42** (2), 459-66 (2003).
**Vallabhan, C. P. G.** — See George, Sajan D., **42** (5), 1476-80 (2003).
**Van Calster, André** — See Bruyneel, Filip, **42** (8), 2466 (2003).
**Vander, Ariel** — See Kopeika, Norman S., **42** (2), 534-40 (2003).
**van der Boom, M. E.** — See Zhao, Y.-G., **42** (2), 298-9 (2003).
**Vandiver, J. J.** — See Leung, A. F., **42** (4), 1128-31 (2003).
**Van Eijk, Alexander M. J.** — See Piazzola, Jacques, **42** (4), 912-24 (2003).
**Vanfleteren, Jan** — See Bruyneel, Filip, **42** (8), 2466 (2003).
**Van Nevel, Alan** — Comparative study of maximum average correlation height filter variants using ladar imagery. — Alan Van Nevel and Abhijit Mahalanobis; **42** (2), 541-50 (2003).
**Van Niekerk, Deon** — See Snyman, Lukas Willem, **42** (10), 3059 (2003).
**Varshney, R. K.** — See Goyal, I. C., **42** (4), 977-80 (2003).
**Vasquez, John A.** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Vassiliou, M.** — See Geranios, Athanasios K., **42** (3), 759-64 (2003).
**Vázquez-Sánchez, R. A.** — See May-Alarcón, Manuel, **42** (8), 2246-9 (2003).
**Venkatakrishnan, K.** — See Sivakumar, N. R., **42** (2), 367-72 (2003).
**Vera, Jose A.** — See Fernández-Valdivielso, Carlos, **42** (3), 656-61 (2003).
**Viassolo, Daniel E.** — Practical algorithm for the inversion of an experimental input-output color map for color correction. — Daniel E. Viassolo, Soheil A. Dianat, Lalit K. Mestha, and Yao R. Wang; **42** (3), 625-31 (2003).
**Vilcheck, Michael J.** — See Gilbreath, G. Charmaine, **42** (6), 1611-7 (2003).
**Villarreal, Mirta** — Parallel classification of multiple objects using a phase-only multichannel optical correlator. — Mirta Villarreal, Claudio Iemmi, and Juan Campos; **42** (8), 2354-61 (2003).
**Villatoro, Joel** — See García-Valenzuela, Augusto, **42** (4), 1084-92 (2003).
**Vlachos, K.** — 23-channel with 100-GHZ spacing multi-wavelength laser source. — K. Vlachos and H. Avramopoulos; **42** (2), 300-1 (2003).
**Vollmerhausen, Richard H.** — See Driggers, Ronald G., **42** (3), 738-46 (2003).
— See Moyer, Steve, **42** (8), 2296-303 (2003).
— See O'Connor, John D., **42** (10), 3047-52 (2003).
**Vyrsokinos, K.** — Repetition frequency quadruplication through Fabry-Perot filtering. — K. Vyrsokinos, K. Yiannopoulos, E. Kehayas, N. Pleros, T. Houbavlis, and H. Avramopoulos; **42** (11), 3075-6 (2003).

## W

**Walker, David D.** — See Lu, Yueguang, **42** (7), 2006-9 (2003).
**Walker, James** — See Ferrante, Ronald A., **42** (7), 2155-9 (2003).
**Waluschka, Eugene** — See Papalexandris, Miltiadis V., **42** (4), 1029-37 (2003).
**Walz, Thomas** — See Krupka, René, **42** (5), 1354-8 (2003).
**Wan, Xiong** — Limited-angle optical computed tomography algorithms. — Xiong Wan, Yiqing Gao, Qing Wang, Shuping Le, and Shenglin Yu; **42** (9), 2659-69 (2003).
**Wang, Anbo** — See Xiao, Hai, **42** (4), 906-11 (2003).
— See Zhang, Po, **42** (6), 1597-603 (2003).
— See Qi, Bing, **42** (11), 3165-71 (2003).
**Wang, Chengcheng** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Wang, Chunhong** — See Zhou, Weichao, **42** (9), 2755-60 (2003).
**Wang, David** — See Shepard, Steven M., **42** (5), 1337-42 (2003).
**Wang, Dawei** — Fabrication of Ag-doped polarizing glass by a sol-gel method. — Dawei Wang, Shiju Guo, and Sheng Yin; **42** (12), 3585-8 (2003).
**Wang, Demin** — Comparison of motion-compensated algorithms for frame interpolation. — Demin Wang; **42** (2), 586-90 (2003).
**Wang, Dongning** — See Zeng, Nan, **42** (9), 2558-62 (2003).
**Wang, Genyuan** — Adaptive filtering approach to chirp estimation and inverse synthetic aperture radar imaging of maneuvering targets. — Genyuan Wang, Xiang-Gen Xia, and Victor C. Chen; **42** (1), 190-9 (2003).
**Wang, Guoqiu** — Optimal model for biorthogonal wavelet filters. — Guoqiu Wang and Weiwei Yuan; **42** (2), 350-6 (2003).
**Wang, Hui-Tian** — See Guo, Cheng-Shan, **42** (9), 2768-71 (2003).
**Wang, Jia** — Modeling and algorithm of attitude measurement of moving target by laser tracking systems. — Jia Wang, Yongdong Liu, Zhaohui Hu, and Jinwen Liang; **42** (2), 373-82 (2003).
**Wang, Jiafu** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Wang, Jianping** — Pedestal-free 10-GHz pulse compression using comb-like dispersion profiled fibers and its application in 40-Gb/s OTDM systems. — Jianping Wang, Yue Wu, Caiyun Lou, and Yizhi Gao; **42** (8), 2380-3 (2003).
**Wang, Michael R.** — See Yang, Jame J., **42** (11), 3106-13 (2003).
**Wang, Ming-Chuan** — See Lu, Hai-Han, **42** (5), 1180-1 (2003).
**Wang, Qi** — See Liu, Qiang, **42** (11), 3265-9 (2003).
**Wang, Qijie** — All-fiber Fourier filter flat-top interleaver design with specified performance parameters. — Qijie Wang, Tong Liu, Yeng Chai Soh, and Ying Zhang; **42** (11), 3172-8 (2003).
**Wang, Qiming** — See Yang, Lin, **42** (3), 606-7 (2003).
**Wang, Qing** — See Wan, Xiong, **42** (9), 2659-69 (2003).
**Wang, Qiong-Hua** — Cathode ray tube addressed liquid crystal light valve projection display. — Qiong-Hua Wang, Jianbo Cheng, Shin-Tson Wu, Changjun Ge, Guangju Fang, Kangcheng Qi, and Haibo Rao; **42** (3), 837-9 (2003).
**Wang, S. H.** — See Quan, C., **42** (1), 92-7 (2003).
**Wang, Semyung** — See La, Jongpil, **42** (3), 730-7 (2003).
**Wang, Shihua** — See Tay, Cho J., **42** (6), 1715-20 (2003).
**Wang, Wei** — See Yang, Lin, **42** (3), 606-7 (2003).
— See Zhang, Ruiying, **42** (3), 798-802 (2003).
**Wang, Wen-Jen** — See Lu, Hai-Han, **42** (7), 1901-5 (2003).
**Wang, Yan** — See Guo, Hanwei, **42** (10), 2796-7 (2003).
**Wang, Yao R.** — See Viassolo, Daniel E., **42** (3), 625-31 (2003).
**Wang, Yong** — See Liu, Cheng, **42** (3), 651-5 (2003).
— Pulse evolution of a Q-switched ytterbium-doped double-clad fiber laser. — Yong Wang, Alejandro Martinez-Rios, and Hong Po; **42** (9), 2521-6 (2003).
— Impacts of cavity losses on cw Raman fiber lasers. — Yong Wang and Hong Po; **42** (10), 2872-9 (2003).
**Wang, Yuanqing** — Three-dimensional profilometer for supersmooth surface. — Yuanqing Wang; **42** (10), 3013-6 (2003).
**Wang, Yuezhu** — See Liu, Qiang, **42** (11), 3265-9 (2003).
**Warde, Cardinal** — See Lamela, Horacio, **42** (9), 2487-8 (2003).
**Webster, John** — See Markov, Vladimir, **42** (5), 1277-87 (2003).
**Wei, Jingsong** — Time response of optical switching properties of Sb thin films under focused laser pulses. — Jingsong Wei and Fuxi Gan; **42** (6), 1749-53 (2003).
**Wei, Wei** — See Yu, Zhong, **42** (10), 2790-1 (2003).
**Wei, Xiaofeng** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Wei, Zhenzhong** — Calibration approach for structured-light-stripe vision sensor based on the invariance of double cross-ratio. — Zhenzhong Wei, Guangjun Zhang, and Yuan Xu; **42** (10), 2956-66 (2003).
**Welch, Gisele** — See Moyer, Steve, **42** (8), 2296-303 (2003).
**Wen, Changyun** — See Li, Hao, **42** (12), 3409-10 (2003).
**Westover, Benjamin** — See Lee, D. J., **42** (10), 2947-55 (2003).
**Weyers, M.** — See Ullrich, Bruno, **42** (4), 1152-6 (2003).
**Whang, Wha Tzong** — See Hsu, Ken Y., **42** (5), 1390-6 (2003).
**Wheeler, D. J.** — See Knecht, B. A., **42** (12), 3612-21 (2003).
**White, Ian H.** — See Rashed, Atef M., **42** (3), 792-7 (2003).
**Widjaja, Joewono** — Spectral-hologram-based correlator for photonic IP router: architectural considerations. — Joewono Widjaja; **42** (3), 747-52 (2003).
**Wilkinson, Tim D.** — See Mias, Solon, **42** (7), 2075-81 (2003).
**Wilkinson, Timothy** — See Cable, Adrian, **42** (9), 2514-20 (2003).
**Williams, Jennifer D.** — See Repasky, Kevin S., **42** (8), 2229-34 (2003).
**Williams, Kevin A.** — See Rashed, Atef M., **42** (3), 792-7 (2003).
**Wilner, Kalman** — See Hadas, Zadok, **42** (6), 1683-9 (2003).
**Wilson, T.** — Generation and focusing of radially polarized electric fields. — T. Wilson, F. Massoumian, and R. Juškaitis; **42** (11), 3088-9 (2003).
**Wiltse, John M.** — See Miller, John Lester, **42** (3), 846-52 (2003).
**Winkel, Hans** — See de Jong, Arie N., **42** (3), 712-24 (2003).
**Winn, Michael** — See Goldberg, Arnold C., **42** (1), 30-46 (2003).
**Wolf, Emil** — See Li, Yajun, **42** (9), 2707-20 (2003).
**Won, Jong-Un** — Adaptive video-dissolve detection method based on correlation between successive scenes. — Jong-Un Won, Jae-Gark Choi, Sang-Keun Oh, Dong-Min Kwak, and Kil-Houm Park; **42** (5), 1511-8 (2003).
**Wong, Hau-san** — Three-dimensional shape recovery across two views using approximate geometric constraints. — Hau-san Wong and Ronald Chung; **42** (3), 632-41 (2003).
**Wong, W. W.** — See Ho, Ho Pui, **42** (8), 2349-53 (2003).
**Woo, Deokha H.** — See Kim, Doo-Gun, **42** (4), 1093-9 (2003).
**Wook Lee, Yong** — Waveband-switchable semiconductor-optical- amplifier-fiber ring laser using a polarization beam splitter and sampled fiber Bragg gratings. — Yong Wook Lee, Bong-Ahn Yu, Byoungho Lee, and Jaehoon Jung; **42** (10), 2786-7 (2003).
**Wright, Ewan** — See Jiang, Shibin, **42** (10), 2817-20 (2003).
**Wu, A.** — See Zhao, Y.-G., **42** (2), 298-9 (2003).
**Wu, Chia-How** — See Sun, Ching-Cherng, **42** (10), 2788-9 (2003).
**Wu, Chih-Sung** — Performance comparison between multichannel polychromatic and conventional joint transform correlators. — Chih-Sung Wu and Chulung Chen; **42** (6), 1758-65 (2003).
**Wu, Fu-Chao** — See Zhang, Beiwei, **42** (6), 1542-9 (2003).
**Wu, Hong Ren** — See Hore, Edward S., **42** (6), 1656-64 (2003).
**Wu, S. Y.** — See Ho, Ho Pui, **42** (8), 2349-53 (2003).
**Wu, Shin-Tson** — See Wang, Qiong-Hua, **42** (3), 837-9 (2003).
**Wu, T.** — See Tay, Cho J., **42** (6), 1715-20 (2003).
**Wu, Yue** — See Wang, Jianping, **42** (8), 2380-3 (2003).
**Wu, Yung-Gi** — Differential pulse code modulation predictor design procedure using a genetic algorithm. — Yung-Gi Wu; **42** (6), 1649-55 (2003).

## X

**Xia, Xiang-Gen** — See Wang, Genyuan, **42** (1), 190-9 (2003).
**Xiao, Hai** — Multispectral three-dimensional digital infrared thermal imaging. — Hai Xiao, Yibing Zhang, and Anbo Wang; **42** (4), 906-11 (2003).
— See Qi, Bing, **42** (11), 3165-71 (2003).
**Xiao, Yan** — Short Hermite-Gaussian optical pulse propagation in dense dispersion-compensated systems. — Yan Xiao, Wenrui Xue, Zhonghao Li, Dachun Su, and Guosheng Zhou; **42** (9), 2534-41 (2003).
**Xie, Hongbo** — See Jiang, Jie, **42** (7), 2029-39 (2003).
**Xie, Shizhong** — See Ma, Yonghong, **42** (10), 2942-6 (2003).
— See Yan, Juanjuan, **42** (12), 3456-60 (2003).
**Xie, Tao** — See Yan, Ping, **42** (1), 159-62 (2003).
**Xie, Wenjie** — Dynamical thermal lensing of high-power solid-state lasers. — Wenjie Xie, Wentao Hu, Jiandong Xu, and Feng Zhou; **42** (5), 1439-44 (2003).
— Thermal modeling of solid state lasers with super-Gaussian pumping profiles. — Wenjie Xie, Young Kwon, Wentao Hu, and Feng Zhou; **42** (6), 1787-94 (2003).
**Xing, Suxia** — Etching electrode method in loophole technology. — Suxia Xing, Yi Cai, and Benkang Chang; **42** (3), 682-5 (2003).
**Xiong, Bing-Heng** — See Li, Chuan, **42** (12), 3452-5 (2003).
**Xu, Bing** — See Zhang, Hongtao, **42** (8), 2190-6 (2003).
**Xu, Jiandong** — See Xie, Wenjie, **42** (5), 1439-44 (2003).
**Xu, Jianqiu** — Influence of cross-sectional shape on absorption characteristics of double-clad fiber lasers. — Jianqiu Xu, Junhua Lu, Jianren Lu, and K. Ueda; **42** (9), 2527-33 (2003).
**Xu, JunCheng** — See Qi, Bing, **42** (11), 3165-71 (2003).
**Xu, Lei** — Digital microholointerferometer: development and validation. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **42** (8), 2218-24 (2003).
**Xu, Tao** — Improved transmission performance by hybrid optical amplification in DWDM systems. — Tao Xu and Bernard J. Maxum; **42** (3), 882-5 (2003).
**Xu, Yuan** — See Wei, Zhenzhong, **42** (10), 2956-66 (2003).
**Xu, Zhengchun** — See Liaw, Shien-Kuei, **42** (8), 2178-9 (2003).
**Xu, Zhizhan** — See Leng, Yuxin, **42** (3), 862-6 (2003).
— See Yuan, Jinghe, **42** (8), 2277-80 (2003).
**Xue, Wenrui** — See Xiao, Yan, **42** (9), 2534-41 (2003).

## Y

**Yakovlev, V. V.** — See Mikhaylichenko, K., **42** (7), 2051-5 (2003).
**Yamaguchi, Ichirou** — Measurement of surface shape and deformation by phase-shifting image digital holography. — Ichirou Yamaguchi, Jun-ichi Kato, and Hirokazu Matsuzaki; **42** (5), 1267-71 (2003).
**Yan, Hong** — See Zou, Ju Jia, **42** (10), 2900-11 (2003).

**Yan, Juanjuan** — Performance comparison of standard FEC and enhanced FEC in coded systems with high polarization mode dispersion. — Juanjuan Yan, Minghua Chen, Shizhong Xie, and Bingkun Zhou; **42** (12), 3456-60 (2003).
**Yan, Ping** — Stabilization of pulse-to-pulse energy and width by gain-controlled prelase in laser-diode-pumped *Q*-switched laser. — Ping Yan, Ma-li Gong, Tao Xie, and Xing-zhan Liu; **42** (1), 159-62 (2003).
— See Zhang, Kai, **42** (9), 2721-6 (2003).
— See Liu, Qiang, **42** (11), 3265-9 (2003).
**Yan, Qingfeng** — Size tolerance analysis of a 4×4 tapered multimode interference coupler in a silicon-on-insulator structure. — Qingfeng Yan, Jinzhong Yu, and Zhongli Liu; **42** (8), 2235-9 (2003).
**Yan, Wen-Chien** — See Tai, Shen-Chuan, **42** (7), 1956-63 (2003).
**Yan, Yingbai** — See Tan, Qiaofeng, **42** (11), 3100-5 (2003).
**Yang, C. C.** — See Tang, Tsung-Yi, **42** (7), 1910-4 (2003).
**Yang, Chengwei** — See Chen, Qiansong, **42** (12), 3608-11 (2003).
**Yang, Christopher C.** — Efficient gamut clipping for color image processing using LHS and YIQ. — Christopher C. Yang and S. H. Kwok; **42** (3), 701-11 (2003).
**Yang, Gwo-Huei** — See Hwang, Hone-Ene, **42** (3), 686-95 (2003).
**Yang, Jame J.** — Analysis and optimization on single-zone binary flat-top beam shaper. — Jame J. Yang and Michael R. Wang; **42** (11), 3106-13 (2003).
**Yang, Jianliang** — Continuous true-time-delay beamforming employing a tunable multiwavelength fiber ring laser source with equally increased or decreased wavelength spacing. — Jianliang Yang, Jianping Yao, Yunqi Liu, and Swee Chuan Tjin; **42** (1), 239-44 (2003).
**Yang, Jingyu** — See Ren, Mingwu, **42** (8), 2362-7 (2003).
**Yang, Jyh-Neng** — See Cheng, Yi-Chang, **42** (1), 119-23 (2003).
**Yang, Lianxiang** — See Hung, Michael Y. Y., **42** (5), 1197-207 (2003).
— Strain measurement by three-dimensional electronic speckle pattern interferometry: potentials, limitations, and applications. — Lianxiang Yang and Andreas Ettemeyer; **42** (5), 1257-66 (2003).
— Digital laser microinterferometer and its applications. — Lianxiang Yang and Paul Colbourne; **42** (5), 1417-26 (2003).
**Yang, Lin** — Multimode-interference-type thermo-optic variable optical attenuator with a response frequency of 10 kHz. — Lin Yang, Yuliang Liu, Yi Cheng, Wei Wang, and Qiming Wang; **42** (3), 606-7 (2003).
**Yang, Liuqing** — See Shi, Shouyuan, **42** (2), 383-7 (2003).
**Yang, San-Te (Ching-Ming)** — See Cheng, Yi-Chang, **42** (1), 119-23 (2003).
**Yang, Tingwu** — Single-model position-fusion algorithm based on weight reciprocal propagation. — Tingwu Yang, Shangqian Liu, and Yingle Li; **42** (11), 3290-4 (2003).
**Yang, Xiaodong** — See Leng, Yuxin, **42** (3), 862-6 (2003).
**Yang, Xin** — See Zhang, Kai, **42** (9), 2721-6 (2003).
**Yang, Zhi-Fang** — Watermarking approach to embedded signature-based authentication by channel statistics. — Zhi-Fang Yang and Wen-Hsiang Tsai; **42** (4), 1157-65 (2003).
**Yao, Jianping** — See Yang, Jianliang, **42** (1), 239-44 (2003).
— Holographic diffuser for diffuse infrared wireless home networking. — Jianping Yao, George C. K. Chen, and Tuan-Kay Lim; **42** (2), 317-24 (2003).
— See Zeng, Fei, **42** (8), 2250-6 (2003).
**Yao, Taketsugu** — Pattern recognition by quantization of modulated function to complexes of a quadrupole in matched filtering. — Taketsugu Yao and Takumi Minemoto; **42** (10), 2994-3003 (2003).
**Yeang, Chen-Pang** — Toward target recognition from synthetic aperture radar imagery using electromagnetics-based signatures. — Chen-Pang Yeang, Choongyeun Cho, and Jeffrey H. Shapiro; **42** (7), 2129-49 (2003).
**Yee, Hoshin H.** — Improved surface characteristics of *n*-GaN epitaxial structures after reactive ion etching. — Hoshin H. Yee, H. F. Hong, and J. Y. Chang; **42** (10), 2918-22 (2003).
**Yeh, S. L** — Optical matrix structure for optical interconnection between two groups of points. — S. L Yeh and Y. K. Shen; **42** (7), 2068-74 (2003).
**Yiannopoulos, K.** — See Vyrsokinos, K., **42** (11), 3075-6 (2003).
— See Kalyvas, M., **42** (12), 3413-4 (2003).
**Yin, Fuchang** — See Zhang, Hongtao, **42** (8), 2190-6 (2003).
**Yin, Sheng** — See Wang, Dawei, **42** (12), 3585-8 (2003).
**Yin, Shizhuo** — See Su, Wei-Hung, **42** (6), 1730-40 (2003).
**Yip, Patrick C.** — See Feng, Stephen T., **42** (6), 1550-9 (2003).
**Yitzhaky, Yitzhak** — Restoration of interlaced images degraded by variable velocity motion. — Yitzhak Yitzhaky and Adrian Stern; **42** (12), 3557-65 (2003).
**Yoneyama, Satoru** — Three-dimensional surface profile measurement of a moving object by a spatial-offset phase stepping method. — Satoru Yoneyama, Yoshiharu Morimoto, Motoharu Fujigaki, and Yasuyuki Ikeda; **42** (1), 137-42 (2003).
— See Ikeda, Yasuyuki, **42** (5), 1249-56 (2003).
**Yoo, Ji-Sang** — See Bae, Jin-Woo, **42** (1), 176-81 (2003).
**Yoo, Kook-yeol** — See Lee, Sang-hee, **42** (4), 1065-75 (2003).
**Yoon, Tae-Hoon** — See Jhun, Chul Gyu, **42** (7), 2047-50 (2003).
**Yoshida, Masahiro** — Development of an automatic detection machine for cracks originating at side faces of ceramic chips. — Masahiro Yoshida and Nobuyuki Akiyama; **42** (4), 1121-7 (2003).
— See Liangpanich, Ekrit, **42** (9), 2568-75 (2003).
**Yoshimura, Tetsuzo** — Three-dimensional micro-optical switching system architecture using slab-waveguide-based micro-optical switches. — Tetsuzo Yoshimura, Satoshi Tsukada, Shinji Kawakami, Minoru Ninomiya, Yukihiko Arai, Hiroaki Kurokawa, and Kunihiko Asama; **42** (2), 439-46 (2003).
**Yoshizawa, Toru** — See Matsuzoe, Yuji, **42** (1), 124-31 (2003).
— See Nagamori, Shigeru, **42** (7), 2096-103 (2003).
**Younis, Nashwan T.** — Designing an optical force transducer. — Nashwan T. Younis; **42** (1), 151-8 (2003).
**Yu, Bong-Ahn** — See Wook Lee, Yong, **42** (10), 2786-7 (2003).
**Yu, Daoyin** — See Jiang, Jie, **42** (7), 2029-39 (2003).
**Yu, Feihong** — See Zhou, Ying, **42** (8), 2318-23 (2003).
**Yu, Francis T. S.** — See Su, Wei-Hung, **42** (6), 1730-40 (2003).
**Yu, Haiwu** — Design and performances of prototype laser amplifiers for technical-integration-line facility. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Jun Tang, Shaobo He, Yong Liu, Hai Zhou, Donghui Lin, Xuejun Jiang, Liangfu Guo, Yizheng Li, Dehuai Chen, Xiaofeng Wei, and Xiaomin Zhang; **42** (3), 725-9 (2003).
**Yu, Jinzhong** — See Yan, Qingfeng, **42** (8), 2235-9 (2003).
**Yu, Qifeng** — Removing speckle noise and extracting the skeletons from a single speckle fringe pattern by spin filtering with curved-surface windows. — Qifeng Yu, Xiangyi Sun, Xiaolin Liu, Xiaohua Ding, and Zhiqiang Qiu; **42** (1), 68-74 (2003).
**Yu, Shenglin** — See Wan, Xiong, **42** (9), 2659-69 (2003).
**Yu, W. X.** — See Yuan, X.-C., **42** (2), 302-3 (2003).
**Yu, Weixing** — Fabrication of multilevel structures in self-development photosensitive hybrid sol-gel glass by a gray scale mask. — Weixing Yu and X.-C. Yuan; **42** (12), 3411-2 (2003).
**Yu, Zhong** — Numerical analysis of amplification characteristic of ytterbium-sensitized erbium-doped waveguide amplifiers by the finite difference beam propagation method. — Zhong Yu, Wei Wei, and Xun Hou; **42** (10), 2790-1 (2003).
**Yuan, Jinghe** — Novel approach for region merging and image segmentation for human-computer interaction. — Jinghe Yuan, Zhizhan Xu, Sumei Li, and Yanxin Zhang; **42** (8), 2277-80 (2003).
**Yuan, Shang-Yuan** — See Chen, Wen-Shiung, **42** (8), 2452-64 (2003).
**Yuan, Weiwei** — See Wang, Guoqiu, **42** (2), 350-6 (2003).
**Yuan, X.-C.** — Improved sol-gel thin film for fabrication of multilevel structures using a high-energy beam-sensitive gray-scale mask. — X.-C. Yuan, W. X. Yu, N. Q. Ngo, and W. C. Cheong; **42** (2), 302-3 (2003).
— See He, M., **42** (8), 2180-1 (2003).
— See Yu, Weixing, **42** (12), 3411-2 (2003).
**Yung, Nelson H. C.** — See Fung, George S. K., **42** (10), 2967-77 (2003).

## Z

**Zaim, Abdul Halim** — Jumpstart just-in-time signaling protocol: a formal description using extended finite state machines. — Abdul Halim Zaim, Ilia Baldine, Mark Cassada, George N. Rouskas, Harry G. Perros, and Daniel Stevenson; **42** (2), 568-85 (2003).
**Zeger, Kenneth** — See Frajka, Tamas, **42** (1), 182-9 (2003).
— See Frajka, Tamas, **42** (11), 3334-41 (2003).
**Zeng, Fei** — Fiber Bragg-grating-based all-optical microwave filter synthesis using genetic algorithm. — Fei Zeng, Jianping Yao, and Stephen J. Mihailov; **42** (8), 2250-6 (2003).
**Zeng, Guangjie** — See Zhou, Ying, **42** (8), 2318-23 (2003).
**Zeng, N.** — See Shi, C. Z., **42** (11), 3179-81 (2003).
**Zeng, Nan** — Diaphragm-type fiber-optic interferometric acoustic sensor. — Nan Zeng, Chunzheng Shi, Dongning Wang, Min Zhang, and Yanbiao Liao; **42** (9), 2558-62 (2003).
**Zeng, Yangsu** — See Peng, Qinjun, **42** (2), 477-81 (2003).
**Zhan, Pengcheng** — See Lee, D. J., **42** (10), 2947-55 (2003).
**Zhang, Aiyu** — See Dhliwayo, Jabulani, **42** (7), 1896-900 (2003).
**Zhang, Beiwei** — Planar pattern for automatic camera calibration. — Beiwei Zhang, Y. F. Li, and Fu-Chao Wu; **42** (6), 1542-9 (2003).
**Zhang, Chengping** — See Huang, Peisen S., **42** (1), 163-8 (2003).
**Zhang, David** — See Zhang, Zonghua, **42** (7), 1935-9 (2003).
**Zhang, Guangjun** — See Jiang, Jie, **42** (7), 2029-39 (2003).
— See Wei, Zhenzhong, **42** (10), 2956-66 (2003).
**Zhang, Haitao** — See Zhang, Kai, **42** (9), 2721-6 (2003).
**Zhang, Hanyi** — See Liaw, Shien-Kuei, **42** (8), 2178-9 (2003).
**Zhang, Hong-Cai** — See Pan, Quan, **42** (8), 2368-74 (2003).
**Zhang, Hongtao** — Low-order mode correction anisoplanatism limitations for adaptive optics system. — Hongtao Zhang, Fuchang Yin, Bing Xu, and Wenhan Jiang; **42** (8), 2190-6 (2003).
**Zhang, Jie** — See Tan, Jiubin, **42** (10), 2868-71 (2003).
**Zhang, Kai** — Dual-amplitude pulse interval modulation for optical wireless communications. — Kai Zhang, Haitao Zhang, Mali Gong, Ping Yan, and Xin Yang; **42** (9), 2721-6 (2003).
**Zhang, Li** — See Guo, Cheng-Shan, **42** (9), 2768-71 (2003).
**Zhang, Liming** — See Pan, Fengzhi, **42** (10), 3038-46 (2003).
**Zhang, M.** — See Shi, C. Z., **42** (11), 3179-81 (2003).
**Zhang, Min** — See Zeng, Nan, **42** (9), 2558-62 (2003).
**Zhang, Min-Gui** — See Pan, Quan, **42** (8), 2368-74 (2003).
**Zhang, Mingde** — See Rao, Min, **42** (7), 2150-4 (2003).
**Zhang, Po** — Optical time-domain reflectometry interrogation of multiplexing low-reflectance Bragg-grating-based sensor system. — Po Zhang, H. H. Cerecedo-Nuñez, B. Qi, G. Pickrell, and Anbo Wang; **42** (6), 1597-603 (2003).
— See Qi, Bing, **42** (11), 3165-71 (2003).
**Zhang, Rong** — Novel fiber optic alignment strategy using Hamiltonian algorithm and Matlab/Simulink. — Rong Zhang and Frank G. Shi; **42** (8), 2240-5 (2003).
**Zhang, Ruiying** — Semiconductor optical amplifier optical gate with graded strained bulk-like active structure. — Ruiying Zhang, Jie Dong, Zhiwei Feng, Fan Zhou, Huiliang Tian, Huiyun Shu, Lingjuan Zhao, Jing Bian, and Wei Wang; **42** (3), 798-802 (2003).
**Zhang, Shiyu** — Transforming a collimated straight line beam into a collimated spherical arc beam. — Shiyu Zhang; **42** (11), 3082-3 (2003).
**Zhang, Shulian** — See Ding, Yingchun, **42** (8), 2225-8 (2003).
**Zhang, Tianxu** — See Peng, Xiaoming, **42** (10), 2794-5 (2003).
— See Hong, Hanyu, **42** (12), 3471-86 (2003).
**Zhang, Xiaomin** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Zhang, Yanxin** — See Yuan, Jinghe, **42** (8), 2277-80 (2003).
**Zhang, Yi-Mo** — See Jing, Wencai, **42** (8), 2324-30 (2003).
— See Jing, Wencai, **42** (11), 3285-9 (2003).
— See Li, Chuan, **42** (12), 3452-5 (2003).
**Zhang, Yibing** — See Xiao, Hai, **42** (4), 906-11 (2003).
**Zhang, Ying** — See Wang, Qijie, **42** (11), 3172-8 (2003).
— See Li, Hao, **42** (12), 3409-10 (2003).
**Zhang, Yun** — See Zhao, Feng, **42** (1), 273-80 (2003).
**Zhang, ZengHui** — See Liang, DianLong, **42** (7), 1949-55 (2003).
**Zhang, Zhengquan** — See Leng, Yuxin, **42** (3), 862-6 (2003).
**Zhang, Zonghua** — Color texture extraction from fringe image based on full-field projection. — Zonghua Zhang, David Zhang, Xiang Peng, and Xiaotang Hu; **42** (7), 1935-9 (2003).
**Zhao, Dalong** — See Chen, Qiansong, **42** (12), 3608-11 (2003).
**Zhao, Feng** — Wavelength division multiplexers/demultiplexers for optical interconnects in massively parallel processing. — Feng Zhao, Yun Zhang, Jizuo Zou, Zhong Shi, Bipin Bihari, Edward Frietman, Xuegong Deng, Jie Qiao, Zan Shi, and Ray T. Chen; **42** (1), 273-80 (2003).
**Zhao, Lingjuan** — See Zhang, Ruiying, **42** (3), 798-802 (2003).
**Zhao, Xia** — See Lu, Yueguang, **42** (7), 2006-9 (2003).
**Zhao, Y.-G.** — Second-generation approach to all-organic modulators based on intrinsically polar self-assembled molecular superlattices. — Y.-G. Zhao, S. Chang, A. Wu, H.-L. Lu, S. T. Ho, M. E. van der Boom, and T. J. Marks; **42** (2), 298-9 (2003).
**Zhao, Yiqiong** — Vector iterative algorithms for beam shaping. — Yiqiong Zhao and Yong-Ping Li; **42** (11), 3080-1 (2003).
**Zhao, Yong** — Research on measurement technology of internal MJ threads used for aerospace with a reflex fiber-optic sensor. — Yong Zhao and Yanbiao Liao; **42** (2), 416-20 (2003).

— Fiber optic off-focus sensor for surface topography measurement. — Yong Zhao, Yanbiao Liao, and Shurong Lai; **42** (3), 670-4 (2003).
**Zheng, Congzhong** — See Zhou, Dingfu, **42** (11), 3315-9 (2003).
**Zheng, Qiguang** — See Li, Junchang, **42** (12), 3545-50 (2003).
**Zheng, Wanguo** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Zheng, Xiaoping** — See Liaw, Shien-Kuei, **42** (8), 2178-9 (2003).
**Zheng, Yibin** — See Lin, Tusheng, **42** (11), 3302-6 (2003).
**Zhong, Hua** — New least-significant-bit-based steganographic model. — Hua Zhong, Li-Cheng Jiao, and Fang Liu; **42** (7), 2082-91 (2003).
**Zhou, Bingkun** — See Yan, Juanjuan, **42** (12), 3456-60 (2003).
**Zhou, Chengping** — See Peng, Xiaoming, **42** (10), 2794-5 (2003).
**Zhou, Chongxi** — See Peng, Qinjun, **42** (2), 477-81 (2003).
**Zhou, De-Long** — See Pan, Quan, **42** (8), 2368-74 (2003).
**Zhou, Dingfu** — Study on electro-optic Q switch for $CO_2$ waveguide lasers. — Dingfu Zhou, Dong Jiang, Congzhong Zheng, Yihua Huo, and Jianguo Chen; **42** (11), 3315-9 (2003).
**Zhou, Fan** — See Zhang, Ruiying, **42** (3), 798-802 (2003).
**Zhou, Feng** — See Xie, Wenjie, **42** (5), 1439-44 (2003).
— See Xie, Wenjie, **42** (6), 1787-94 (2003).
**Zhou, Fuqiang** — See Jiang, Jie, **42** (7), 2029-39 (2003).
**Zhou, Ge** — See Jing, Wencai, **42** (8), 2324-30 (2003).
— See Jing, Wencai, **42** (11), 3285-9 (2003).
**Zhou, Guosheng** — See Xiao, Yan, **42** (9), 2534-41 (2003).
**Zhou, Hai** — See Yu, Haiwu, **42** (3), 725-9 (2003).
**Zhou, Jie** — See Kikuchi, Hisakazu, **42** (7), 1940-8 (2003).
**Zhou, Weichao** — Real-time area correlation tracker implementation based on absolute difference algorithm. — Weichao Zhou, Wenhan Jiang, Mei Li, Chunhong Wang, and Changhui Rao; **42** (9), 2755-60 (2003).
**Zhou, Ying** — Study on optical finite impulse response filter. — Ying Zhou, Guangjie Zeng, Feihong Yu, and H. S. Kwok; **42** (8), 2318-23 (2003).
**Zhu, Jianqiang** — See Liu, Cheng, **42** (3), 651-5 (2003).
**Zhu, Jun** — See Ding, Yingchun, **42** (8), 2225-8 (2003).
**Zhu, Xiaoming** — Queueing models of optical delay lines in synchronous and asynchronous optical packet-switching networks. — Xiaoming Zhu and Joseph M. Kahn; **42** (6), 1741-8 (2003).
**Zhu, Yinian** — Device for concatenation of phase-shifted long-period grating and its application as gain-flattening fiber filter. — Yinian Zhu, Beatrys M. Lacquet, Pieter L. Swart, Stephanus J. Spammer, Ping Shum, and Chao Lu; **42** (5), 1445-50 (2003).
**Zietkiewicz, C. J.** — See Knecht, B. A., **42** (12), 3612-21 (2003).
**Zimmermann, Horst** — See Heide, Thomas, **42** (3), 773-86 (2003).
**Ziółkowski, Sławomir** — Contactless embossing of microlenses—a parameter study. — Sławomir Ziółkowski, Ines Frese, Henryk Kasprzak, and Stefan Kufner; **42** (5), 1451-5 (2003).
**Zoiros, K. E.** — See Houbavlis, T., **42** (9), 2481-2 (2003).
— See Houbavlis, T., **42** (9), 2483-4 (2003).
— See Houbavlis, T., **42** (12), 3415-6 (2003).
**Zomer, Simeone** — See Crosta, Giovanni F., **42** (9), 2689-701 (2003).
**Zorn, M.** — See Ullrich, Bruno, **42** (4), 1152-6 (2003).
**Zou, Jizuo** — See Zhao, Feng, **42** (1), 273-80 (2003).
**Zou, Ju Jia** — Reducing artifacts in block-coded images using adaptive constraints. — Ju Jia Zou, Hong Yan, and David C. Levy; **42** (10), 2900-11 (2003).
**Zuev, V. S.** — See Knecht, B. A., **42** (12), 3612-21 (2003).

# Optical Engineering

## 2003 Subject Index (Volume 42)

### KEY TO INDEX USE

Paper titles are indexed under appropriate subject terms, which are printed in boldface type. Each entry gives the paper title, the author(s), and location of the paper in Volume 42.


**Aberrations**

Dialyte-refractor design for self-correcting lateral color. — Rick Blakley; **42** (2), 400-4 (2003).

Ultra-high-speed wide-angle catadioptric corrector system for medium-scale spherical mirror telescopes. — David Beach; **42** (2), 405-15 (2003).

Digital holographic aberration compensation in electron holography. — Cheng Liu, Zhigang Liu, Feng Bo, Yong Wang, and Jianqiang Zhu; **42** (3), 651-5 (2003).

Assessment of a Wigner-distribution-function-based method to compute the polychromatic axial response given by an aberrated optical system. — Walter D. Furlan, Genaro Saavedra, Enrique Silvestre, Juan A. Monsoriu, and José D. Patrignani; **42** (3), 753-8 (2003).

Analysis of the Naval Observatory Flagstaff Station 1-m telescope using annular Zernike polynomials. — Sergio R. Restaino, Scott W. Teare, Michael DiVittorio, G. Charmaine Gilbreath, and David Mozurkewich; **42** (9), 2491-5 (2003).

Analysis of measurement accuracy of quadrilateral hole using optical inner-diameter-measuring machine. — Ekrit Liangpanich, Nobuyuki Akiyama, Masahiro Yoshida, and Kazutoshi Kuwabara; **42** (9), 2568-75 (2003).

**Absorption**

Differential absorption lidar system for simultaneous measurement of $O_3$ and $NO_2$: system development and measurement error estimation. — Tetsuo Fukuchi, Takuya Nayuki, Nianwen Cao, Takashi Fujii, Koshichi Nemoto, Hideto Mori, and Nobuo Takeuchi; **42** (1), 98-104 (2003).

Automatic laser frequency locking to gas absorption lines. — Grady J. Koch; **42** (6), 1690-3 (2003).

Theoretical analysis of $Si_{1-x-y}Ge_xC_y$ near-infrared photodetectors. — Baojun Li, Soo-Jin Chua, and Eugene A. Fitzgerald; **42** (7), 1993-9 (2003).

Influence of cross-sectional shape on absorption characteristics of double-clad fiber lasers. — Jianqiu Xu, Junhua Lu, Jianren Lu, and K. Ueda; **42** (9), 2527-33 (2003).

**Acoustics**

Diaphragm-type fiber-optic interferometric acoustic sensor. — Nan Zeng, Chunzheng Shi, Dongning Wang, Min Zhang, and Yanbiao Liao; **42** (9), 2558-62 (2003).

Design of the fiber optic distributed acoustic sensor based on Michelson interferometer and its location application. — Changsen Sun and Farhad Ansari; **42** (10), 2987-93 (2003).

**Acousto-optics**

Stabilization of pulse-to-pulse energy and width by gain-controlled prelase in laser-diode-pumped *Q*-switched laser. — Ping Yan, Ma-li Gong, Tao Xie, and Xing-zhan Liu; **42** (1), 159-62 (2003).

All-fiber acousto-optical tunable filter with loop structure. — Hao Li, Tong Liu, Changyun Wen, Yeng Chai Soh, and Ying Zhang; **42** (12), 3409-10 (2003).

**Active optics**

Semiconductor optical amplifier optical gate with graded strained bulk-like active structure. — Ruiying Zhang, Jie Dong, Zhiwei Feng, Fan Zhou, Huiliang Tian, Huiyun Shu, Lingjuan Zhao, Jing Bian, and Wei Wang; **42** (3), 798-802 (2003).

**Actuators**

Active deformable sheets: prototype implementation, modeling, and control. — Robert J. Lind and Charalabos C. Doumanidis; **42** (2), 304-16 (2003).

**Adaptive optics**

Adaptive filtering approach to chirp estimation and inverse synthetic aperture radar imaging of maneuvering targets. — Genyuan Wang, Xiang-Gen Xia, and Victor C. Chen; **42** (1), 190-9 (2003).

Architecture of a configurable 2-D adaptive filter used for small object detection and digital image processing. — Hongshi Sang, Xubang Shen, and Chaoyang Chen; **42** (8), 2182-9 (2003).

Low-order mode correction anisoplanatism limitations for adaptive optics system. — Hongtao Zhang, Fuchang Yin, Bing Xu, and Wenhan Jiang; **42** (8), 2190-6 (2003).

Analysis of the Naval Observatory Flagstaff Station 1-m telescope using annular Zernike polynomials. — Sergio R. Restaino, Scott W. Teare, Michael DiVittorio, G. Charmaine Gilbreath, and David Mozurkewich; **42** (9), 2491-5 (2003).

**Aerosols**

Development of the Mediterranean extinction code (MEDEX). — Jacques Piazzola, Frédéric Bouchara, Gerrit de Leeuw, and Alexander M. J. Van Eijk; **42** (4), 912-24 (2003).

Criteria for satellite image restoration success. — Dan Arbel, Shlomo Greenberg, Ofer Hadar, and Norman S. Kopeika; **42** (9), 2607-13 (2003).

**Alignment**

Novel fiber optic alignment strategy using Hamiltonian algorithm and Matlab/Simulink. — Rong Zhang and Frank G. Shi; **42** (8), 2240-5 (2003).

Coherent data alignment and baseline calibration for improved two-pass interferometric synthetic aperture radar. — Ana Martinez, Armin W. Doerry, Mo Jamshidi, and Douglas Bickel; **42** (8), 2427-38 (2003).

**Amplifiers**

23-channel with 100-GHZ spacing multi-wavelength laser source. — K. Vlachos and H. Avramopoulos; **42** (2), 300-1 (2003).

Design and performances of prototype laser amplifiers for technical-integration-line facility. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Jun Tang, Shaobo He, Yong Liu, Hai Zhou, Donghui Lin, Xuejun Jiang, Liangfu Guo, Yizheng Li, Dehuai Chen, Xiaofeng Wei, and Xiaomin Zhang; **42** (3), 725-9 (2003).

Design of praseodymium-doped optical waveguides. — Antonella D'Orazio, Marco De Sario, Luciano Mescia, Vincenzo Petruzzelli, Francesco Prudenzano, Anna P. Caricato, Gilberto Leggieri, and Maurizio Martino; **42** (3), 765-72 (2003).

Semiconductor optical amplifier optical gate with graded strained bulk-like active structure. — Ruiying Zhang, Jie Dong, Zhiwei Feng, Fan Zhou, Huiliang Tian, Huiyun Shu, Lingjuan Zhao, Jing Bian, and Wei Wang; **42** (3), 798-802 (2003).

Regenerative amplifier with continuously variable pulse duration used in an optical parametric chirped-pulse amplification laser system for synchronous pumping. — Yuxin Leng, Lihuang Lin, Xiaodong Yang, Haihe Lu, Zhengquan Zhang, and Zhizhan Xu; **42** (3), 862-6 (2003).

Improved transmission performance by hybrid optical amplification in DWDM systems. — Tao Xu and Bernard J. Maxum; **42** (3), 882-5 (2003).

Miró: Complete modeling and software for pulse amplification and propagation in high-power laser systems. — Olivier Morice; **42** (6), 1530-41 (2003).

Performance variation of preamplifier integrated cross-phase modulation wavelength converter by internal reflectivity of semiconductor optical amplifiers. — Jeung-Mo Kang, Yong-Soo Jeon, Sang-Kook Han, and Seok Lee; **42** (6), 1836-42 (2003).

Ultrafast all-optical exclusive OR operation with semiconductor optical amplifier-assisted fiber Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (9), 2481-2 (2003).

Numerical analysis of amplification characteristic of ytterbium-sensitized erbium-doped waveguide amplifiers by the finite difference beam propagation method. — Zhong Yu, Wei Wei, and Xun Hou; **42** (10), 2790-1 (2003).

Characterization of ion-exchanged waveguides in tungsten tellurite and zinc tellurite $Er^{3+}$-doped glasses. — G. Nunzi Conti, V. K. Tikhomirov, M. Bettinelli, S. Berneschi, M. Brenci, B. Chen, S. Pelli, A. Speghini, A. B. Seddon, and G. C. Righini; **42** (10), 2805-11 (2003).

Compact multimode pumped erbium-doped phosphate fiber amplifiers. — Shibin Jiang, Sergio B. Mendes, Yongdan Hu, Gualtiero Nunzi-Conti, Arturo Chavez-Pirson, Yushi Kaneda, Tao Luo, Qingyun Chen, Sandrine Hocde, Dan T. Nguyen, Ewan Wright, Jiafu Wang, Wenyan Tian, Thomas Nikolajsen, and Nasser Peyghambarian; **42** (10), 2817-20 (2003).

Optimal design for bidirectionally pumped Raman transmission systems. — Yonghong Ma, Shizhong Xie, Shouxian She, and Minghua Chen; **42** (10), 2942-6 (2003).

40 Gb/s all-optical write/store memory using a single semiconductor optical amplifier-based logic gate. — Marios Kalyvas; **42** (11), 3073-4 (2003).

All-optical packet clock generation from decision pulses. — M. Kalyvas, K. Yiannopoulos, G. Theophilopoulos, T. Houbavlis, H. Avramopoulos, and G. Guekos; **42** (12), 3413-4 (2003).

Ultrafast pattern-operated all-optical Boolean XOR with semiconductor optical amplifer-assisted Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (12), 3415-6 (2003).

Gain-flattened ultra-wideband fiber amplifiers. — Yang Cao and M. Yasin Akhtar Raja; **42** (12), 3447-51 (2003).

**Anisotropy**

Determination of the optical constants of an arbitrarily oriented anisotropic thin film by exciting surface plasmons analyzed by the nonsymmetric theory. — Yi-Jun Jen and Cheng-Chung Lee; **42** (4), 925-8 (2003).

Introducing anisotropy in the autocorrelation function of natural terrain infrared images. — Zadok Hadas, Kalman Wilner, and Nissim Ben-Yosef; **42** (6), 1683-9 (2003).

**Annealing**

Study of the crystallization behavior of Ag-In-Sb-Te phase change optical recording film. — Geeta Mongia and P. K. Bhatnagar; **42** (1), 148-50 (2003).

**Antennas**

K-band phased-array antenna system demonstration using substrate guided wave true-time delay. — Yihong Chen and Ray T. Chen; **42** (7), 2000-5 (2003).

Communication performance analysis of microsatellites using an optical phased array antenna. — Anna Polishuk and Shlomi Arnon; **42** (7), 2015-24 (2003).

**Apertures**

Contactless embossing of microlenses—a parameter study. — Sławomir Ziołkowski, Ines Frese, Henryk Kasprzak, and Stefan Kufner; **42** (5), 1451-5 (2003).

**Apodization**

Empirical modeling and calibration of Fourier transform spectrometers. — Daniel R. Fuhrmann and William H. Smith; **42** (8), 2268-76 (2003).

**Applications**

Fabrication of optical structures using SU-8 photoresist and chemically assisted ion beam etching. — Lin Pang, Wataru Nakagawa, and Yeshaiahu Fainman; **42** (10), 2912-7 (2003).

**Architectures**

Partitioned computing architectures for image noise reduction. — R. Sundaram; **42** (1), 47-53 (2003).

Parallel multiplication-free algorithm and architecture for affine-based motion compensation. — Wael Badawy and Magdy A. Bayoumi; **42** (1), 255-64 (2003).

Architecture of a configurable 2-D adaptive filter used for small object detection and digital image processing. — Hongshi Sang, Xubang Shen, and Chaoyang Chen; **42** (8), 2182-9 (2003).

**Arrays**

Distortion correction for a wide-angle lens based on real-time digital image processing. — Jie Jiang, Guangjun Zhang, Fuqiang Zhou, Daoyin Yu, Hongbo Xie, and Hang Liu; **42** (7), 2029-39 (2003).

Wavelength tuning and multiple-wavelength array-waveguide-grating lasers. — Shien-Kuei Liaw, Fu-Chung Hung, Zhengchun Xu, Yueguang Jiao, Tao Qin, Hanyi Zhang, Yili Guo, and Xiaoping Zheng; **42** (8), 2178-9 (2003).

High-power laser diode beam combiner. — Daniel M. Brown; **42** (11), 3086-7 (2003).

Coherent telescope array with self-homodyne interferometric detection for optical communications. — Bernard Eng-Kie Souw; **42** (11), 3139-57 (2003).

Parameters for designing autostereoscopic imaging systems based on lenticular, parallax barrier, and integral photography plates. — Jung-Young Son, Vladmir V. Saveljev, Yong-Jin Choi, Ji-Eun Bahn, Sung-Kyu Kim, and Hyunhee Choi; **42** (11), 3326-33 (2003).

High speed three-dimensional profilometry utilizing laser diode arrays. — Ming Chang, Wei-Che Chang, and Kao-Hui Lin; **42** (12), 3595-9 (2003).

**Arrays abberations**

Shack-Hartmann wavefront sensor with holographic memory. — Jung-Young Son, Dmytro V. Podanchuk, Volodymir P. Dan'ko, and Kae-Dal Kwak; **42** (11), 3389-98 (2003).

**Artificial intelligence**
Learning evolution design of multiband-transmission fiber Bragg grating filters. — Su-Frang Shu, Yinchieh Lai, and Ci-Ling Pan; **42** (10), 2856-60 (2003).

**Aspherics**
Beam shaping with a plano-aspheric lens pair. — John A. Hoffnagle and C. Michael Jefferson; **42** (11), 3090-9 (2003).

**Associative memory**
Coherent lightwave associative memory system that possesses a carrier-frequency-controlled behavior. — Sotaro Kawata and Akira Hirose; **42** (9), 2670-5 (2003).

**Astronomy**
Operations and calibration of the solid-state imaging system during the Galileo extended mission at Jupiter. — Kenneth P. Klaasen, H. Herbert Breneman, Amy A. Simon-Miller, Donald Banfield, and Greg C. Levanas; **42** (2), 494-509 (2003).
Observational model for microarcsecond astrometry with the Space Interferometry Mission. — Mark H. Milman and Slava G. Turyshev; **42** (7), 1873-83 (2003).

**Atmospheres**
Visual range of low-light-level night vision goggles for driving. — Lei Liu and Benkang Chang; **42** (7), 2056-61 (2003).

**Atmospheric optics**
Effects of image restoration on target acquisition. — Norman S. Kopeika, Stanley R. Rotman, Israel Taig, and Ariel Vander; **42** (2), 534-40 (2003).

**Attentuators**
Multimode-interference-type thermo-optic variable optical attenuator with a response frequency of 10 kHz. — Lin Yang, Yuliang Liu, Yi Cheng, Wei Wang, and Qiming Wang; **42** (3), 606-7 (2003).

**Attenuation**
Determination of the optical constants of an arbitrarily oriented anisotropic thin film by exciting surface plasmons analyzed by the nonsymmetric theory. — Yi-Jun Jen and Cheng-Chung Lee; **42** (4), 925-8 (2003).
Image reconstruction with a half-detector in single-photon emission computed tomography with nonuniform attenuation. — Emil Y. Sidky and Xiaochuan Pan; **42** (9), 2506-13 (2003).

**Axicons**
Axicon as a retroreflector in open-path Fourier transform infrared spectrometry. — Robert L. Richardson and Peter R. Griffiths; **42** (8), 2197-201 (2003).

**Axions**
Transforming a collimated straight line beam into a collimated spherical arc beam. — Shiyu Zhang; **42** (11), 3082-3 (2003).

**Backgrounds**
Image segmentation by merge-split method based on relation stable state. — Mingwu Ren, Jingyu Yang, and Han Sun; **42** (8), 2362-7 (2003).

**Backscattering**
Differential absorption lidar system for simultaneous measurement of $O_3$ and $NO_2$: system development and measurement error estimation. — Tetsuo Fukuchi, Takuya Nayuki, Nianwen Cao, Takashi Fujii, Koshichi Nemoto, Hideto Mori, and Nobuo Takeuchi; **42** (1), 98-104 (2003).

**Bandwidth**
Seed-source tuning of a broadband noncollinear optical parametric generator based on periodically poled $LiNbO_3$. — S. Haidar, T. Usami, J. Shikata, and H. Ito; **42** (1), 143-7 (2003).
Near-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam from a circular aperture. — Hone-Ene Hwang, Gwo-Huei Yang, and Pin Han; **42** (3), 686-95 (2003).
OC-192 and CATV hybrid dense-wavelength-division-multiplexing transport system. — Hai-Han Lu, Po-Chou Lai, Hsiang-Chih Chen, and Ya-Lin Chen; **42** (5), 1370-4 (2003).
Design of a multichannel ring network with tunable laser diodes and fixed optical detectors. — Wencai Jing, Yi-Mo Zhang, and Ge Zhou; **42** (8), 2324-30 (2003).
Gain-flattened ultra-wideband fiber amplifiers. — Yang Cao and M. Yasin Akhtar Raja; **42** (12), 3447-51 (2003).

**Beams**
Use of Mueller matrices in the photoelastic determination of the stress distribution in a model for a solid propellant rocket grain. — Guillermo C. Gaunaurd; **42** (2), 467-76 (2003).
Intensity variations using a quantized spatial light modulator for nonmechanical beam steering. — Emil Hällstig, Lars Sjöqvist, and Mikael Lindgren; **42** (3), 613-9 (2003).
Polymer-based thermo-optic waveguide beam deflector with novel dual folded-thin-strip heating electrodes. — Jin-Ha Kim, Lin Sun, Chiou-Hung Jang, Chul-Chae Choi, and Ray T. Chen; **42** (3), 620-4 (2003).
Fiber design—from optical mode to index profile. — Pao-Lo Liu and Swades De; **42** (4), 981-4 (2003).
Wide-angle achromatic prism beam steering for infrared countermeasure applications. — Bradley D. Duncan, Philip J. Bos, and Vassili Sergan; **42** (4), 1038-47 (2003).
Study of the beam path distortion profiles generated by a two-axis tilt single-mirror laser scanner. — Moustapha Hafez, Thomas Sidler, and René-Paul Salathé; **42** (4), 1048-57 (2003).
Sensitivity analysis of angle-sensitive detectors based on a film resonator. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Joel Villatoro; **42** (4), 1084-92 (2003).
Thermal modeling of solid state lasers with super-Gaussian pumping profiles. — Wenjie Xie, Young Kwon, Wentao Hu, and Feng Zhou; **42** (6), 1787-94 (2003).
Laser Doppler vibrometer with body vibration compensation. — Hoseong Kim, Youngjin Lee, Changhyun Kim, Tae-gyu Chang, and Min-Sig Kang; **42** (8), 2291-5 (2003).
Numerical analysis of amplification characteristic of ytterbium-sensitized erbium-doped waveguide amplifiers by the finite difference beam propagation method. — Zhong Yu, Wei Wei, and Xun Hou; **42** (10), 2790-1 (2003).
Profilometry of optically smooth surfaces by a Gaussian probe beam. — Bernardino Barrientos García, Moisés Cywiak, and Manuel Servín; **42** (10), 3004-12 (2003).
Evaluation of Young's modulus of a vibrating beam by optical method. — Xin Kang, C. J. Tay, C. Quan, and Xiaoyuan He; **42** (10), 3053-8 (2003).
Vector iterative algorithms for beam shaping. — Yiqiong Zhao and Yong-Ping Li; **42** (11), 3080-1 (2003).
Transforming a collimated straight line beam into a collimated spherical arc beam. — Shiyu Zhang; **42** (11), 3082-3 (2003).
Structured microlens arrays for beam shaping. — Tasso R. M. Sales; **42** (11), 3084-5 (2003).
High-power laser diode beam combiner. — Daniel M. Brown; **42** (11), 3086-7 (2003).
Beam shaping with a plano-aspheric lens pair. — John A. Hoffnagle and C. Michael Jefferson; **42** (11), 3090-9 (2003).
Refractive-diffractive hybrid optical element for true beam smoothing. — Qiaofeng Tan, Yingbai Yan, and Guofan Jin; **42** (11), 3100-5 (2003).
Analysis and optimization on single-zone binary flat-top beam shaper. — Jame J. Yang and Michael R. Wang; **42** (11), 3106-13 (2003).
Holographic Gaussian to flat-top beam shaping. — Miroslav Miler, Ivo Aubrecht, and Jan Pala; **42** (11), 3114-22 (2003).
Geometric optics-based design of laser beam shapers. — David L. Shealy and Shao-Hua Chao; **42** (11), 3123-38 (2003).
Cantilever optical vibrometer using fiber Bragg grating. — C. Z. Shi, N. Zeng, H. L. Ho, C. C. Chan, M. Zhang, W. Jin, and Y. B. Liao; **42** (11), 3179-81 (2003).
Simple technique for measurement of residual wedge angle of high optical quality transparent parallel plate. — Sanjib Chatterjee; **42** (11), 3235-8 (2003).
Optical wireless multibeam transmitter with line strip, diamond, and uniform geometries. — A. G. Al-Ghamdi and J. M. H. Elmirghani; **42** (11), 3295-301 (2003).
Near-real-time phase difference amplification using multiple-beam interferometry and a liquid-crystal-phase-only spatial light modulator. — Kiyofumi Matsuda, Geoffrey T. Bold, Thomas H. Barnes, Tomoaki Eiju, Chander P. Grover, and Colin J. R. Sheppard; **42** (12), 3537-44 (2003).

**Beamsplitters**
Beamsplitter testing using the photorefractive effect. — Arun Anand and C. S. Narayanamurthy; **42** (3), 608-12 (2003).
Equal optical path beamsplitter for a pencil beam interferometer and shearing interferometer. — Shinan Qian and Peter Z. Takacs; **42** (4), 929-34 (2003).
Power, efficiency, and polarization analysis of a beamsplitter for the equipartition of infrared input power in the presence of angular, film-thickness, and spectral deviations. — A. M. El-Saba and Rasheed M. A. Azzam; **42** (12), 3487-90 (2003).

**Binary data**
Analysis and optimization on single-zone binary flat-top beam shaper. — Jame J. Yang and Michael R. Wang; **42** (11), 3106-13 (2003).

**Biology**
Node-matching-based pattern recognition method for retinal blood vessel images. — Tusheng Lin and Yibin Zheng; **42** (11), 3302-6 (2003).

**Biomedical optics**
Response of a fiber Bragg grating ultrasonic sensor. — Pavel Fomitchov and Sridhar Krishnaswamy; **42** (4), 956-63 (2003).

**Birefringence**
Aberration measurements and birefringence effects in gradient index rod relays. — Marcial Montoya, Daniel Malacara-Hernández, and Saul Almazán; **42** (3), 696-700 (2003).
Signal processing methods to improve the performance of a compact Fourier transform spectrometer. — Stéphanie Prunet, Cécile Durieu, and Bernard Journet; **42** (4), 985-93 (2003).
Image assessment of a birefringent lens based on the factor of encircled energy. — Sucharita Sanyal and Ajay Ghosh; **42** (4), 1058-64 (2003).
Fabrication and characterization of four-layer polymeric optical waveguides based on styrene acrylonitrile. — G. J. Qureshi, V. K. Gupta, Amit Pratap Singh, Avinashi Kapoor, and K. N. Tripathi; **42** (6), 1754-7 (2003).
Measurement of low differential group delay and fiber birefringence. — Jabulani Dhliwayo, Aiyu Zhang, and Rahim Nathoo; **42** (7), 1896-900 (2003).
Ring resonator for multiwavelength fiber laser using a Sagnac loop filter. — Gautam Das and John W. Y. Lit; **42** (8), 2257-62 (2003).
Study on optical finite impulse response filter. — Ying Zhou, Guangjie Zeng, Feihong Yu, and H. S. Kwok; **42** (8), 2318-23 (2003).
Phase-shifting photoelasticity using a flatbed scanner. — T. W. Ng, P. K. Quek, and K. H. Lim; **42** (8), 2375-9 (2003).
Sagnac loop reflector and its multiwavelength laser application. — Gautam Das and John W. Y. Lit; **42** (10), 2880-5 (2003).
Three-dimensional profilometer for supersmooth surface. — Yuanqing Wang; **42** (10), 3013-6 (2003).

**Bragg cells**
Remote sensing with ultra-low-reflective Bragg gratings written in standard telecommunication fiber. — I. Márquez-Borbón, M. G. Shlyagin, O. Esteban, S. V. Miridonov, and V. V. Spirin; **42** (5), 1182-3 (2003).
Simple tunable chirp of fiber Bragg gratings without center wavelength shift. — Riccardo Falciai and Cosimo Trono; **42** (8), 2263-7 (2003).
Waveband-switchable semiconductor-optical- amplifier-fiber ring laser using a polarization beam splitter and sampled fiber Bragg gratings. — Yong Wook Lee, Bong-Ahn Yu, Byoungho Lee, and Jaehoon Jung; **42** (10), 2786-7 (2003).

**Cameras**
Operations and calibration of the solid-state imaging system during the Galileo extended mission at Jupiter. — Kenneth P. Klaasen, H. Herbert Breneman, Amy A. Simon-Miller, Donald Banfield, and Greg C. Levanas; **42** (2), 494-509 (2003).
Automatic calibration of low-cost digital cameras. — Ayman F. Habib, Associate Professor and Michel F. Morgan; **42** (4), 948-55 (2003).
Continuous unconstrained range sensing of free-form surfaces without sensor-head pose measurement. — Jonathan Kofman and George K. Knopf; **42** (5), 1496-510 (2003).
Planar pattern for automatic camera calibration. — Beiwei Zhang, Y. F. Li, and Fu-Chao Wu; **42** (6), 1542-9 (2003).
New method for measuring dynamic response of small components by fringe projection. — Cho J. Tay, Chenggen Quan, Huai M. Shang, T. Wu, and Shihua Wang; **42** (6), 1715-20 (2003).
Operational parametrization of the $1/f$ noise of a sequence of frames by means of the principal component analysis in focal plane arrays. — José Manuel López-Alonso and Javier Alda; **42** (7), 1915-22 (2003).
Geometric calibration models of infrared cameras and scanners for photogrammetric and remote sensing applications. — Gürcan Büyüksalih; **42** (7), 1923-34 (2003).
Camera calibration from road lane markings. — George S. K. Fung, Nelson H. C. Yung, and Grantham K. H. Pang; **42** (10), 2967-77 (2003).

**Carbon dioxide lasers**
Study on electro-optic Q switch for $CO_2$ waveguide lasers. — Dingfu Zhou, Dong Jiang, Congzhong Zheng, Yihua Huo, and Jianguo Chen; **42** (11), 3315-9 (2003).

**Cathode ray tubes**
Cathode ray tube addressed liquid crystal light valve projection display. — Qiong-Hua Wang, Jianbo Cheng, Shin-Tson Wu, Changjun Ge, Guangjiu Fang, Kangcheng Qi, and Haibo Rao; **42** (3), 837-9 (2003).

**Caustics**
Designing an optical force transducer. — Nashwan T. Younis; **42** (1), 151-8 (2003).

**Cells**
Intermodulation in the spectrophotometric cell. — O. D. D. Soares and M. L. de Pedraza; **42** (2), 510-23 (2003).

Parameters for designing autostereoscopic imaging systems based on lenticular, parallax barrier, and integral photography plates. — Jung-Young Son, Vladmir V. Saveljev, Yong-Jin Choi, Ji-Eun Bahn, Sung-Kyu Kim, and Hyunhee Choi; **42** (11), 3326-33 (2003).

**Chaos**

Novel method of chaotic-signal estimation. — Stephen T. Feng and Patrick C. Yip; **42** (6), 1550-9 (2003).

Hyperbolic wavelet power spectra of nonstationary signals. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (10), 3017-37 (2003).

**Charge-coupled devices**

Operations and calibration of the solid-state imaging system during the Galileo extended mission at Jupiter. — Kenneth P. Klaasen, H. Herbert Breneman, Amy A. Simon-Miller, Donald Banfield, and Greg C. Levanas; **42** (2), 494-509 (2003).

Automatic calibration of low-cost digital cameras. — Ayman F. Habib, Associate Professor and Michel F. Morgan; **42** (4), 948-55 (2003).

Systematic approach to image formation in digital holography. — Pramod Rastogi and Akshay Sharma; **42** (5), 1208-14 (2003).

Effect of the fill factor of CCD pixels on digital holograms: comment on the papers "Frequency analysis of digital holography" and "Frequency analysis of digital holography with reconstruction by convolution". — Cheng-Shan Guo, Li Zhang, Zhen-Yu Rong, and Hui-Tian Wang; **42** (9), 2768-71 (2003).

Response to "Effect of the fill factor of CCD pixels on digital holograms: comment on the papers 'Frequency analysis of digital holography' and 'Frequency analysis of digital holography with reconstruction by convolution' ". — Thomas M. Kreis; **42** (9), 2772 (2003).

Evaluation of Young's modulus of a vibrating beam by optical method. — Xin Kang, C. J. Tay, C. Quan, and Xiaoyuan He; **42** (10), 3053-8 (2003).

**Clouds**

Meteorological structures and pattern recognition: Modal analysis of shapes extracted from satellite images. — Fabio Dell'Acqua and Paolo Gamba; **42** (3), 822-9 (2003).

**Coatings**

Transient microbending loss induced by thermal loading in double-coated optical fibers. — Haw-Long Lee; **42** (4), 969-76 (2003).

Power, efficiency, and polarization analysis of a beamsplitter for the equipartition of infrared input power in the presence of angular, film-thickness, and spectral deviations. — A. M. El-Saba and Rasheed M. A. Azzam; **42** (12), 3487-90 (2003).

**Coding**

Residual image coding for stereo image compression. — Tamás Frajka and Kenneth Zeger; **42** (1), 182-9 (2003).

Texture feature coding method for texture classification. — Ming-Huwi Horng; **42** (1), 228-38 (2003).

Parallel multiplication-free algorithm and architecture for affine-based motion compensation. — Wael Badawy and Magdy A. Bayoumi; **42** (1), 255-64 (2003).

Rotation-, scale-, and translation-invariant image watermark using higher order spectra. — Hyung-Shin Kim, Yunju Baek, and Heung-Kyu Lee; **42** (2), 340-9 (2003).

Comparison of motion-compensated algorithms for frame interpolation. — Demin Wang; **42** (2), 586-90 (2003).

CORAL: collective rationality for the allocation of bits. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Xose R. Fdez-Vidal; **42** (4), 1000-12 (2003).

Scalable and robust image transmission using block-based layered set partitioning in hierarchical trees. — Wen-Jyi Hwang, Ching-Fung Chine, and Wen-Liang Hwang; **42** (5), 1397-404 (2003).

Wavelet packet image coding algorithm combined with the actual coding costs. — Xingsong Hou and Guizhong Liu; **42** (6), 1640-8 (2003).

General construction of wavelet filters via a lifting scheme and its application in image coding. — DianLong Liang, Lizhi Cheng, and ZengHui Zhang; **42** (7), 1949-55 (2003).

New high-fidelity medical image compression based on modified set partitioning in hierarchical trees. — Shen-Chuan Tai, Yen-Yu Chen, and Wen-Chien Yan; **42** (7), 1956-63 (2003).

Low-complexity and low-bit-rate image compression scheme based on absolute moment block truncation coding. — Yu-Chen Hu; **42** (7), 1964-75 (2003).

Real-time remote identification and verification of objects using optical ID tags. — Bahram Javidi; **42** (8), 2346-8 (2003).

Fast loop filtering using separable characteristics of the integer 2-D discrete cosine transform. — Yung-Lyul Lee, Il-Hong Shin, and Hyun Wook Park; **42** (9), 2588-94 (2003).

Image recovery from noisy transmission using soft bits and Markov random field models. — Alfred Mertins; **42** (10), 2893-9 (2003).

Reducing artifacts in block-coded images using adaptive constraints. — Ju Jia Zou, Hong Yan, and David C. Levy; **42** (10), 2900-11 (2003).

Self-control of quantizer risk attitude in rational embedded wavelet image coding. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Javier Martinez-Baena; **42** (11), 3215-34 (2003).

Improved multilevel successive elimination algorithm using efficient decision conditions. — Tae Gyoung Ahn, Yong Ho Moon, and Jae Ho Kim; **42** (11), 3247-52 (2003).

**Coherence**

Multiaxial beam combiner for optical coherence tomography. — Matthieu Nannini, Philippe Nerin, Pierre Benech, and Isabelle Schanen-Duport; **42** (1), 75-9 (2003).

Intermodulation in the spectrophotometric cell. — O. D. D. Soares and M. L. de Pedraza; **42** (2), 510-23 (2003).

Spatial coherence radar applied for tilted surface profilometry. — Mark Gokhler, Zhihui Duan, Joseph Rosen, and Mitsuo Takeda; **42** (3), 830-6 (2003).

Coherent data alignment and baseline calibration for improved two-pass interferometric synthetic aperture radar. — Ana Martinez, Armin W. Doerry, Mo Jamshidi, and Douglas Bickel; **42** (8), 2427-38 (2003).

**Coherent optical systems**

Effect of the fill factor of CCD pixels on digital holograms: comment on the papers "Frequency analysis of digital holography" and "Frequency analysis of digital holography with reconstruction by convolution". — Cheng-Shan Guo, Li Zhang, Zhen-Yu Rong, and Hui-Tian Wang; **42** (9), 2768-71 (2003).

Response to "Effect of the fill factor of CCD pixels on digital holograms: comment on the papers 'Frequency analysis of digital holography' and 'Frequency analysis of digital holography with reconstruction by convolution' ". — Thomas M. Kreis; **42** (9), 2772 (2003).

**Coherent optics**

Coherent telescope array with self-homodyne interferometric detection for optical communications. — Bernard Eng-Kie Souw; **42** (11), 3139-57 (2003).

**Collimation**

Collimation testing using photorefractive crystal and temporal coherence. — Arun Anand and C. S. Narayanamurthy; **42** (4), 1108-13 (2003).

Transforming a collimated straight line beam into a collimated spherical arc beam. — Shiyu Zhang; **42** (11), 3082-3 (2003).

**Collimators**

Alternative measurement techniques for infrared sensor performance. — Arie N. de Jong, Eric M. Franken, and Hans Winkel; **42** (3), 712-24 (2003).

Simple technique for polishing laser rods. — Sanjib Chatterjee; **42** (4), 1076-83 (2003).

**Color**

Dialyte-refractor design for self-correcting lateral color. — Rick Blakley; **42** (2), 400-4 (2003).

Practical algorithm for the inversion of an experimental input-output color map for color correction. — Daniel E. Viassolo, Soheil A. Dianat, Lalit K. Mestha, and Yao R. Wang; **42** (3), 625-31 (2003).

Efficient gamut clipping for color image processing using LHS and YIQ. — Christopher C. Yang and S. H. Kwok; **42** (3), 701-11 (2003).

Color texture extraction from fringe image based on full-field projection. — Zonghua Zhang, David Zhang, Xiang Peng, and Xiaotang Hu; **42** (7), 1935-9 (2003).

Extra encoding of fine grayscale data into 8-bit sRGB color space. — Hisakazu Kikuchi, Hiroto Sato, Satoshi Hasebe, Naoki Mizutani, Shogo Muramatsu, Shigenobu Sasaki, Jie Zhou, Seishi Sekine, Yoshito Abe, Ikuo Tofukuji, and Makoto Nakashizuka; **42** (7), 1940-8 (2003).

Color correction of metal halide arc lamp sources. — Ronald A. Ferrante, Michael L. Fulton, Robert Cabrera, James Walker, and Holger Claus; **42** (7), 2155-9 (2003).

Morphological operators for color image processing based on Mahalanobis distance measure. — Hazem Munawer Al-Otum; **42** (9), 2595-606 (2003).

Optical engines for high-performance liquid crystal on silicon projection systems. — Youri Meuret and Patrick De Visschere; **42** (12), 3551-6 (2003).

**Computer graphics**

Texture feature coding method for texture classification. — Ming-Huwi Horng; **42** (1), 228-38 (2003).

**Computer vision**

Automatic target recognition using boundary partitioning and invariant features in forward-looking infrared images. — Sun-Gu Sun and Hyun Wook Park; **42** (2), 524-33 (2003).

Three-dimensional shape recovery across two views using approximate geometric constraints. — Hau-san Wong and Ronald Chung; **42** (3), 632-41 (2003).

Deformations in wide, center-notched, thin panels, part I: three-dimensional shape and deformation measurements by computer vision. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1293-305 (2003).

Deformations in wide, center-notched, thin panels, part II: finite element analysis and comparison to experimental measurements. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1306-20 (2003).

Nondestructive testing of specularly reflective objects using reflection three-dimensional computer vision technique. — Michael Y. Y. Hung and H. M. Shang; **42** (5), 1343-7 (2003).

Face recognition based on singular-value feature vectors. — Quan Pan, Min-Gui Zhang, De-Long Zhou, Yong-Mei Cheng, and Hong-Cai Zhang; **42** (8), 2368-74 (2003).

Camera calibration from road lane markings. — George S. K. Fung, Nelson H. C. Yung, and Grantham K. H. Pang; **42** (10), 2967-77 (2003).

Measurement of *J* integral by shadow spot generated from out-of-plane displacement. — Perng-Fei Luo, C. K. Chuang, and Yuh J. Chao; **42** (12), 3433-42 (2003).

**Computer-generated holograms**

Holographic diffuser for diffuse infrared wireless home networking. — Jianping Yao, George C. K. Chen, and Tuan-Kay Lim; **42** (2), 317-24 (2003).

Incremental update of computer-generated holograms. — Wendy Plesniak; **42** (6), 1560-71 (2003).

**Computers**

Incremental update of computer-generated holograms. — Wendy Plesniak; **42** (6), 1560-71 (2003).

Novel approach for region merging and image segmentation for human-computer interaction. — Jinghe Yuan, Zhizhan Xu, Sumei Li, and Yanxin Zhang; **42** (8), 2277-80 (2003).

Design of a multichannel ring network with tunable laser diodes and fixed optical detectors. — Wencai Jing, Yi-Mo Zhang, and Ge Zhou; **42** (8), 2324-30 (2003).

**Confocal optics**

Differential confocal optical system using gradient-index lenses. — Jiubin Tan and Jie Zhang; **42** (10), 2868-71 (2003).

**Contours**

Hierarchical spatiotemporal moving object segmentation based on a binary split algorithm. — Young Sik Park, Eui Yoon Chung, Gi Seok Kim, and Yeong Ho Ha; **42** (1), 245-54 (2003).

Contour-based image registration with local deformations. — Wen-Nung Lie and Cheng-Hung Chuang; **42** (5), 1405-16 (2003).

**Conversion**

Multilayer optical storage disk based on the frequency up-conversion effect from rare-earth ions. — Ho Pui Ho, W. W. Wong, and S. Y. Wu; **42** (8), 2349-53 (2003).

**Correlation**

Efficient disparity estimation algorithm based on spatial correlation. — Jin-Woo Bae, Ho-Chong Park, Eun-Soo Kim, and Ji-Sang Yoo; **42** (1), 176-81 (2003).

Residual image coding for stereo image compression. — Tamás Frajka and Kenneth Zeger; **42** (1), 182-9 (2003).

Correlation spectroscopy with diffractive grating synthetic spectra and orthogonal subspace projection filters. — Avishai Ben-David, Agustin Ifarraguerri, and Alan C. Samuels; **42** (2), 325-33 (2003).

Comparative study of maximum average correlation height filter variants using ladar imagery. — Alan Van Nevel and Abhijit Mahalanobis; **42** (2), 541-50 (2003).

Automatic object identification irrespective of geometric changes. — José Luis Pech-Pacheco, Josué Alvarez-Borrego, Gabriel Cristóbal, and Matthias S. Keil; **42** (2), 551-9 (2003).

Face recognition through pose estimation and fringe-adjusted joint transform correlation. — A. Alsamman and Mohammad S. Alam; **42** (2), 560-7 (2003).

Linear prediction in lossless compression of hyperspectral images. — Jarno Mielikainen, Pekka Toivanen, and Arto Kaarna; **42** (4), 1013-7 (2003).

Investigation on convergence behaviors of the differential method for 2-D motion parameter estimation. — Sang-hee Lee, Kook-yeol Yoo, and Jae-kyoon Kim; **42** (4), 1065-75 (2003).

Deformations in wide, center-notched, thin panels, part I: three-dimensional shape and deformation measurements by computer vision. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1293-305 (2003).

Deformations in wide, center-notched, thin panels, part II: finite element analysis and comparison to experimental measurements. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1306-20 (2003).

Information differences between subbands of the mid-wave infrared spectrum. — Steve Moyer, Ronald G. Driggers, Richard H. Vollmerhausen, Michael A. Soel, Gisele Welch, and William T. Rhodes; **42** (8), 2296-303 (2003).
Real-time area correlation tracker implementation based on absolute difference algorithm. — Weichao Zhou, Wenhan Jiang, Mei Li, Chunhong Wang, and Changhui Rao; **42** (9), 2755-60 (2003).
New hybrid opto-electronic method for fast and unsupervised object detection. — Jean-Baptiste Fasquel and Michel Bruynooghe; **42** (11), 3352-64 (2003).
Fast restoration approach for rotational motion blurred image based on deconvolution along the blurring paths. — Hanyu Hong and Tianxu Zhang; **42** (12), 3471-86 (2003).

**Correlators**

Spectral-hologram-based correlator for photonic IP router: architectural considerations. — Joewono Widjaja; **42** (3), 747-52 (2003).
Performance comparison between multichannel polychromatic and conventional joint transform correlators. — Chih-Sung Wu and Chulung Chen; **42** (6), 1758-65 (2003).
Multichannel optical correlator for texture classification. — Joaquim Barbé, Juan Campos, Josep Nicolás, and Claudio Iemmi; **42** (7), 2062-7 (2003).
Pattern recognition by quantization of modulated function to complexes of a quadrupole in matched filtering. — Taketsugu Yao and Takumi Minemoto; **42** (10), 2994-3003 (2003).

**Couplers**

Multimode-interference-type thermo-optic variable optical attenuator with a response frequency of 10 kHz. — Lin Yang, Yuliang Liu, Yi Cheng, Wei Wang, and Qiming Wang; **42** (3), 606-7 (2003).
Investigation on the optical properties of side-polished fiber contacted with planar waveguide including a thin metal film. — Kwang Taek Kim, Jung Ho Hwang, Jun Ock Lee, Jae Pyung Mah, Cheol Ho Kim, and Seung Hwangbo; **42** (3), 675-81 (2003).
Size tolerance analysis of a 4×4 tapered multimode interference coupler in a silicon-on-insulator structure. — Qingfeng Yan, Jinzhong Yu, and Zhongli Liu; **42** (8), 2235-9 (2003).
Light coupling and propagation in a fiber–dielectric-slab composite with a conductor cladding. — Kwang-Hee Kwon, Jae-Won Song, Euy-Don Park, and Don-Muk Choi; **42** (9), 2630-41 (2003).
Three-core nonlinear directional coupler with variable coupling coefficient. — Gang Jun Liu, Bin Ming Liang, Qu Li, and Guo Liang Jin; **42** (10), 2930-5 (2003).

**Crystals**

Seed-source tuning of a broadband noncollinear optical parametric generator based on periodically poled $LiNbO_3$. — S. Haidar, T. Usami, J. Shikata, and H. Ito; **42** (1), 143-7 (2003).
Thin film electro-optic modulator based on single crystal of N-(4-nitrophenyl)-(L)-prolinol (NPP) grown from melt by the modified Bridgman method. — Zhifu Liu, Sergey S. Sarkisov, Michael J. Curley, Alexander Leyderman, and Charles Lee; **42** (3), 803-12 (2003).
Image assessment of a birefringent lens based on the factor of encircled energy. — Sucharita Sanyal and Ajay Ghosh; **42** (4), 1058-64 (2003).
Miró: Complete modeling and software for pulse amplification and propagation in high-power laser systems. — Olivier Morice; **42** (6), 1530-41 (2003).
Fully phase encryption using fractional Fourier transform. — Naveen Kumar Nishchal, Joby Joseph, and Kehar Singh; **42** (6), 1583-8 (2003).
Hybrid mode calculations for novel photonic crystal fibers. — Waleed S. Mohammed, Laurent Vaissié, and Eric G. Johnson; **42** (8), 2311-7 (2003).
Study on optical finite impulse response filter. — Ying Zhou, Guangjie Zeng, Feihong Yu, and H. S. Kwok; **42** (8), 2318-23 (2003).
Laser-induced changes on the complex refractive indices of phase-change thin film. — Bo Liu, Hao Ruan, and Fuxi Gan; **42** (9), 2702-6 (2003).
Noncollinear optical parametric oscillator design for walk-off reduction in GaSe crystals. — N. B. Singh, Dennis R. Suhre, Kenton A. Green, Nils C. Fernelius, and F. Kenneth Hopkins; **42** (11), 3270-3 (2003).
Ultrafast laser-induced crystallization of amorphous silicon films. — Tae Y. Choi, David J. Hwang, and Costas P. Grigoropoulos; **42** (11), 3383-8 (2003).

**Data compression**

Public-key image steganography using discrete cosine transform and quadtree partition vector quantization coding. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (10), 2886-92 (2003).

**Data processing**

New least-significant-bit-based steganographic model. — Hua Zhong, Li-Cheng Jiao, and Fang Liu; **42** (7), 2082-91 (2003).
Coherent data alignment and baseline calibration for improved two-pass interferometric synthetic aperture radar. — Ana Martinez, Armin W. Doerry, Mo Jamshidi, and Douglas Bickel; **42** (8), 2427-38 (2003).
Practical system for tracking multiple maneuvering targets. — Jian-xun Li and Zhong-liang Jing; **42** (8), 2439-51 (2003).
Imaging and analysis of forensic striation marks. — Michael Heizmann and Fernando Puente León; **42** (12), 3423-32 (2003).

**Data recording**

Production of computer-generated holograms on recordable compact disk media using a compact disk writer. — Adrian Cable, Peter Mash, and Timothy Wilkinson; **42** (9), 2514-20 (2003).

**Data storage**

Experimental characterization of phenanthrenequinone-doped poly(methyl methacrylate) photopolymer for volume holographic storage. — Ken Y. Hsu, Shiuan Huei Lin, Yi-Nan Hsiao, and Wha Tzong Whang; **42** (5), 1390-6 (2003).
Production of computer-generated holograms on recordable compact disk media using a compact disk writer. — Adrian Cable, Peter Mash, and Timothy Wilkinson; **42** (9), 2514-20 (2003).
Effect of edge rounding and sloping of sidewalls on the readout signal of the information pits on optical disks. — Yajun Li, Hungte Lee, and Emil Wolf; **42** (9), 2707-20 (2003).

**Deconvolution**

Simultaneous image restoration and distance estimation of an object from a strongly defocused photon image. — Shinya Ono and Shinichi Komatsu; **42** (4), 1024-8 (2003).

**Deflectometry**

Alternative to strain measurement. — Alexandar Djordjevich; **42** (7), 1888-92 (2003).

**Deflectors**

Three-dimensional micro-optical switching system architecture using slab-waveguide-based micro-optical switches. — Tetsuzo Yoshimura, Satoshi Tsukada, Shinji Kawakami, Minoru Ninomiya, Yukihiko Arai, Hiroaki Kurokawa, and Kunihiko Asama; **42** (2), 439-46 (2003).
Polymer-based thermo-optic waveguide beam deflector with novel dual folded-thin-strip heating electrodes. — Jin-Ha Kim, Lin Sun, Chiou-Hung Jang, Chul-Chae Choi, and Ray T. Chen; **42** (3), 620-4 (2003).
Sensitivity analysis of angle-sensitive detectors based on a film resonator. — Augusto Garcia-Valenzuela, Mary Carmen Peña-Gomar, and Joel Villatoro; **42** (4), 1084-92 (2003).

**Delay effects**

Continuous true-time-delay beamforming employing a tunable multiwavelength fiber ring laser source with equally increased or decreased wavelength spacing. — Jianliang Yang, Jianping Yao, Yunqi Liu, and Swee Chuan Tjin; **42** (1), 239-44 (2003).
Queueing models of optical delay lines in synchronous and asynchronous optical packet-switching networks. — Xiaoming Zhu and Joseph M. Kahn; **42** (6), 1741-8 (2003).
Image restoration from camera vibration and object motion blur in infrared staggered time-delay and integration systems. — Sergey Raiter, Adrian Stern, Ofer Hadar, and Norman S. Kopeika; **42** (11), 3253-64 (2003).

**Deposition**

Optical and electro-optical properties of pulse laser deposited PLZT thin films. — Ludovic Escoubas, Pascal Huguet-Chantôme, Miroslav Jelinek, Francois Flory, Emmanuel Drouard, Ján Lančok, Jean-Jacques Simon, and Thomas Mazingue; **42** (12), 3579-84 (2003).
Profile coating and its application for Kirkpatrick-Baez mirrors. — Chian Liu, Lahsen Assoufid, Ray Conley, Albert T. Macrander, Gene E. Ice, and J. Z. Tischler; **42** (12), 3622-8 (2003).

**Detection**

Considerations in designing a marine-mammal–ship collision avoidance system based on aerial imagery by an unmanned airborne vehicle. — Henry Stark, Prasanna Parthasarathy, and Richard N. Johnson; **42** (1), 11-7 (2003).
Object detection in cluttered infrared images. — Kjell Brunnström, Bo N. Schenkman, and Bengt Jacobson; **42** (2), 388-99 (2003).
Detection sensitivity optimization of optical signals generated by fiber optic Bragg gratings under dynamic excitation. — Grigory Adamovsky, John Lekki, and James A. Lock; **42** (2), 425-30 (2003).
Video shot boundary detection using relative difference between frames. — In-Shik Jeong and Oh-Jin Kwon; **42** (3), 604-5 (2003).
Hard disk wobble detection using optical triangulation and time-delay integrated imaging. — Tuck Wah Ng and H. K. Sin; **42** (4), 935-8 (2003).
Development of an automatic detection machine for cracks originating at side faces of ceramic chips. — Masahiro Yoshida and Nobuyuki Akiyama; **42** (4), 1121-7 (2003).
Mobile shearography system for the inspection of aircraft and automotive components. — Michael Kalms and Wolfgang Osten; **42** (5), 1188-96 (2003).
Optoacoustical sensor to examine the structural integrity of transportation systems. — Vladimir Markov, James Trolinger, John Webster, and Gerard Pardoen; **42** (5), 1277-87 (2003).
Characterization of a single delamination using geometric moments and genetic algorithms. — Alejandro Maranon, Andrew D. Nurse, and Jonathan M. Huntley; **42** (5), 1328-36 (2003).
Bayes factors for edge detection from wavelet product spaces. — Fionn Murtagh and Jean-Luc Starck; **42** (5), 1375-82 (2003).
Linear and steplike characteristics in an optical fiber refractometric transducer with hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **42** (5), 1383-9 (2003).
Adaptive video-dissolve detection method based on correlation between successive scenes. — Jong-Un Won, Jae-Gark Choi, Sang-Keun Oh, Dong-Min Kwak, and Kil-Houm Park; **42** (5), 1511-8 (2003).
Multiresolution vessel tracking in angiographic images using valley courses. — Zikuan Chen and Sabee Molloi; **42** (6), 1673-82 (2003).
Spike detection and correction in Brewer spectroradiometer ultraviolet spectra. — Outi Meinander, Weine Josefsson, Jussi Kaurola, Tapani Koskela, and Kaisa Lakkala; **42** (6), 1812-9 (2003).
Use of a photosimulation laboratory for estimating vehicle detection probability. — Thomas J. Meitzler, David Bednarz, Darryl Bryk, Kimberly Lane, and Euijung Sohn; **42** (6), 1820-5 (2003).
Constrained energy minimization and the target-constrained interference-minimized filter. — Steven Johnson; **42** (6), 1850-4 (2003).
Nondestructive testing with thermal waves using phase-shifted temporal speckle pattern interferometry. — Guillermo H. Kaufmann; **42** (7), 2010-4 (2003).
Toward target recognition from synthetic aperture radar imagery using electromagnetics-based signatures. — Chen-Pang Yeang, Choongyeun Cho, and Jeffrey H. Shapiro; **42** (7), 2129-49 (2003).
Architecture of a configurable 2-D adaptive filter used for small object detection and digital image processing. — Hongshi Sang, Xubang Shen, and Chaoyang Chen; **42** (8), 2182-9 (2003).
Optical output silicon retina chip. — Albert H. Titus and Timothy J. Drabik; **42** (8), 2416-26 (2003).
Analysis of measurement accuracy of quadrilateral hole using optical inner-diameter-measuring machine. — Ekrit Liangpanich, Nobuyuki Akiyama, Masahiro Yoshida, and Kazutoshi Kuwabara; **42** (9), 2568-75 (2003).
Multistage infrared target detection. — Alex Lipchen Chan, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (9), 2746-54 (2003).
Detection of invisible moving targets in foliage penetration ultra-wide-band synthetic aperture radar images. — Hanwei Guo, Diannong Liang, Yan Wang, and Xiaotao Huang; **42** (10), 2796-7 (2003).
Examination of thin films of phthalocyanines in plasmon system for application in $NO_2$ sensors. — Jolanta Ignac-Nowicka, Tadeusz Pustelny, Zbigniew Opilski, Erwin Maciak, Wiesław P. Jakubik, and Marian Urbanczyk; **42** (10), 2978-86 (2003).
Adaptive anomaly detection using subspace separation for hyperspectral imagery. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (11), 3342-51 (2003).
New hybrid opto-electronic method for fast and unsupervised object detection. — Jean-Baptiste Fasquel and Michel Bruynooghe; **42** (11), 3352-64 (2003).

**Detectors**

Toward integrated single-photon-counting microarrays. — J. Carl Jackson, Don Phelan, Alan P. Morrison, R. Michael Redfern, and Alan Mathewson; **42** (1), 112-8 (2003).
Lithium niobate electro-optic sensor for examining conductive patterns on display panels. — Changho Lee, Yongbae Jeon, and Kwangsoo No; **42** (6), 1589-96 (2003).
Performance of a novel planar-processed avalanche photodiode for light and x-ray detection. — Ernesto Gramsch and Ricardo E. Avila; **42** (9), 2496-501 (2003).
Image reconstruction with a half-detector in single-photon emission computed tomography with nonuniform attenuation. — Emil Y. Sidky and Xiaochuan Pan; **42** (9), 2506-13 (2003).
Double-heterojunction photodetector for midinfrared applications: theoretical model and experimental results. — P. Chakrabarti, A. Krier, and A. F. Morgan; **42** (9), 2614-23 (2003).
Design of single-channel optical rotary joint using bulk optical detector. — Wencai Jing, Yi-Mo Zhang, Ge Zhou, Dagong Jia, Bao Liu, and Feng Tang; **42** (11), 3285-9 (2003).

Computer study of nonlinearity in constant current biased mercury-cadmium-telluride detectors. — Mohammad S. Alam and Joseph P. Predina; 42 (12), 3491-7 (2003).
Third-generation infrared photon detectors. — Antoni Rogalski; 42 (12), 3498-516 (2003).

**Diamond**
Investigation of diffractive optical element fabricated on diamond film by use of focused ion beam direct milling. — Yongqi Fu and Ngoi Kok Ann Bryan; 42 (8), 2214-7 (2003).

**Diffraction**
Robust genetic algorithm for high-accuracy particle position estimation in three-dimensional particle image velocimetry applications. — P. Padilla-Sosa, J. E. Valdez, L. R. Berriel-Valdos, L. R. Sahagún-Ortiz, and M. Funes-Gallanzi; 42 (2), 459-66 (2003).
Beamsplitter testing using the photorefractive effect. — Arun Anand and C. S. Narayanamurthy; 42 (3), 608-12 (2003).
Near-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam from a circular aperture. — Hone-Ene Hwang, Gwo-Huei Yang, and Pin Han; 42 (3), 686-95 (2003).
Filtering characteristics and grating images of multiphase grating optical low-pass filters. — Yong-Ho Oh, Jai-Cheol Lee, Sungwoo Lim, Shiho Kim, and Chun-Soo Go; 42 (4), 994-9 (2003).
Numerical phase front propagation for a large-baseline space interferometer. — Miltiadis V. Papalexandris and Eugene Waluschka; 42 (4), 1029-37 (2003).
Collimation testing using photorefractive crystal and temporal coherence. — Arun Anand and C. S. Narayanamurthy; 42 (4), 1108-13 (2003).
Dynamical thermal lensing of high-power solid-state lasers. — Wenjie Xie, Wentao Hu, Jiandong Xu, and Feng Zhou; 42 (5), 1439-44 (2003).
Effect of edge rounding and sloping of sidewalls on the readout signal of the information pits on optical disks. — Yajun Li, Hungte Lee, and Emil Wolf; 42 (9), 2707-20 (2003).
Profilometry of optically smooth surfaces by a Gaussian probe beam. — Bernardino Barrientos García, Moisés Cywiak, and Manuel Servín; 42 (10), 3004-12 (2003).
Measurement of microthermal deformations in an optical pick-up base using holographic interferometry. — Youngmin Seo, Sunghoon Cho, and Shinill Kang; 42 (11), 3198-203 (2003).
Far-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam incident on the reflection grating. — Hone-Ene Hwang; 42 (11), 3374-82 (2003).
Phase-shifting diffraction-grating interferometer for testing concave mirrors. — Tae-Joon Hwang and Seung-Woo Kim; 42 (12), 3532-6 (2003).

**Diffractive optical elements**
Improved sol-gel thin film for fabrication of multilevel structures using a high-energy beam-sensitive gray-scale mask. — X.-C. Yuan, W. X. Yu, N. Q. Ngo, and W. C. Cheong; 42 (2), 302-3 (2003).
Optical matrix structure for optical interconnection between two groups of points. — S. L. Yeh and Y. K. Shen; 42 (7), 2068-74 (2003).
Investigation of diffractive optical element fabricated on diamond film by use of focused ion beam direct milling. — Yongqi Fu and Ngoi Kok Ann Bryan; 42 (8), 2214-7 (2003).
Vector iterative algorithms for beam shaping. — Yiqiong Zhao and Yong-Ping Li; 42 (11), 3080-1 (2003).
Refractive-diffractive hybrid optical element for true beam smoothing. — Qiaofeng Tan, Yingbai Yan, and Guofan Jin; 42 (11), 3100-5 (2003).
Two-dimensional map of gloss of plastics measured by diffractive-element-based glossmeter. — Kari Myller, Kai-Erik Peiponen, and Raimo Silvennoinen; 42 (11), 3194-7 (2003).
Fabrication of multilevel structures in self-development photosensitive hybrid sol-gel glass by a gray scale mask. — Weixing Yu and X.-C. Yuan; 42 (12), 3411-2 (2003).

**Diffractive optics**
Correlation spectroscopy with diffractive grating synthetic spectra and orthogonal subspace projection filters. — Avishai Ben-David, Agustin Ifarraguerri, and Alan C. Samuels; 42 (2), 325-33 (2003).
Simulation of the fabrication infidelity of diffractive-optical elements by using halftone gray-scale masks. — J. S. Liu, M. J. Thomson, and M. R. Taghizadeh; 42 (2), 334-9 (2003).
Design of a multiple-field-of-view optical system for 3- to 5-$\mu$m infrared focal-plane arrays. — Muhammad Nadeem Akram; 42 (6), 1704-14 (2003).
Integrated optoelectronic transmitter and receiver multi-chip modules for three-dimensional chip-level micro-optical interconnects. — Saurabh K. Lohokare, Dennis W. Prather, Jeffery A. Cox, Paul E. Sims, Michael G. Mauk, and Oleg V. Sulima; 42 (9), 2683-8 (2003).
Analysis and optimization on single-zone binary flat-top beam shaper. — Jame J. Yang and Michael R. Wang; 42 (11), 3106-13 (2003).
Image multiplying and high-frequency oscillations effects in the Fresnel region light propagation simulation. — Maciej Sypek, Czesław Prokopowicz, and Michał Górecki; 42 (11), 3158-64 (2003).

**Diffration**
Simplified model for diffraction analysis of volume holograms. — Ching-Cherng Sun; 42 (5), 1184-5 (2003).

**Diffusers**
Holographic diffuser for diffuse infrared wireless home networking. — Jianping Yao, George C. K. Chen, and Tuan-Kay Lim; 42 (2), 317-24 (2003).
Structured microlens arrays for beam shaping. — Tasso R. M. Sales; 42 (11), 3084-5 (2003).
Optical wireless multibeam transmitter with line strip, diamond, and uniform geometries. — A. G. Al-Ghamdi and J. M. H. Elmirghani; 42 (11), 3295-301 (2003).
Modeling of Spectralon diffusers for radiometric calibration in remote sensing. — G. Bazalgette Courrèges-Lacoste, J. Groote Schaarsberg, R. Sprik, and S. Delwart; 42 (12), 3600-7 (2003).

**Diffusion**
Performance of a novel planar-processed avalanche photodiode for light and x-ray detection. — Ernesto Gramsch and Ricardo E. Avila; 42 (9), 2496-501 (2003).
Measurement and modeling of ion-exchange parameters for IOG-10 glass. — Peng Y. Choo, Jesse A. Frantz, James T. A. Carriere, David L. Mathine, Raymond K. Kostuk, and Nasser Peyghambarian; 42 (10), 2812-6 (2003).

**Digital imaging**
Operations and calibration of the solid-state imaging system during the Galileo extended mission at Jupiter. — Kenneth P. Klaasen, H. Herbert Breneman, Amy A. Simon-Miller, Donald Banfield, and Greg C. Levanas; 42 (2), 494-509 (2003).
Practical algorithm for the inversion of an experimental input-output color map for color correction. — Daniel E. Viassolo, Soheil A. Dianat, Lalit K. Mestha, and Yao R. Wang; 42 (3), 625-31 (2003).
Analysis and implementation of an efficient edge detection algorithm. — R. Sundaram; 42 (3), 642-50 (2003).
Deformations in wide, center-notched, thin panels, part I: three-dimensional shape and deformation measurements by computer vision. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; 42 (5), 1293-305 (2003).
Deformations in wide, center-notched, thin panels, part II: finite element analysis and comparison to experimental measurements. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; 42 (5), 1306-20 (2003).
Experimental demonstration of the longitudinal image shift in digital holography. — Sergio De Nicola, Pietro Ferraro, Andrea Finizio, Simonetta Grilli, and Giovanni Pierattini; 42 (6), 1625-30 (2003).
Constrained energy minimization and the target-constrained interference-minimized filter. — Steven Johnson; 42 (6), 1850-4 (2003).
Distortion correction for a wide-angle lens based on real-time digital image processing. — Jie Jiang, Guangjun Zhang, Fuqiang Zhou, Daoyin Yu, Hongbo Xie, and Hang Liu; 42 (7), 2029-39 (2003).
Two algorithms to estimate fractal dimension of gray-level images. — Wen-Shiung Chen, Shang-Yuan Yuan, and Chih-Ming Hsieh; 42 (8), 2452-64 (2003).

**Digital processing**
Calibration of a three-dimensional shape measurement system. — Qingying Hu, Peisen S. Huang, Qionglin Fu, and Fu-Pen Chiang; 42 (2), 487-93 (2003).
Distortion correction for a wide-angle lens based on real-time digital image processing. — Jie Jiang, Guangjun Zhang, Fuqiang Zhou, Daoyin Yu, Hongbo Xie, and Hang Liu; 42 (7), 2029-39 (2003).
Laser Doppler vibrometer with body vibration compensation. — Hoseong Kim, Youngjin Lee, Changhyun Kim, Tae-gyu Chang, and Min-Sig Kang; 42 (8), 2291-5 (2003).
Pattern recognition by quantization of modulated function to complexes of a quadrupole in matched filtering. — Taketsugu Yao and Takumi Minemoto; 42 (10), 2994-3003 (2003).
Image multiplying and high-frequency oscillations effects in the Fresnel region light propagation simulation. — Maciej Sypek, Czesław Prokopowicz, and Michał Górecki; 42 (11), 3158-64 (2003).

**Digital recording**
Simultaneous measurement of displacement and its spatial derivatives with a digital holographic method. — Liu Cheng; 42 (12), 3443-6 (2003).

**Diode lasers**
Tapered waveguide with parabolic lens: theory and experiment. — Atef M. Rashed, Kevin A. Williams, Peter J. Heard, Richard V. Penty, and Ian H. White; 42 (3), 792-7 (2003).
Two-dimensional rotation angle measurement using a sinusoidal phase-modulating laser diode interferometer. — Osami Sasaki, Chikao Togashi, and Takamasa Suzuki; 42 (4), 1132-6 (2003).
Tunable external-cavity diode laser based on integrated waveguide structures. — Kevin S. Repasky, Jennifer D. Williams, John L. Carlsten, Elizabeth J. Noonan, and Gregg W. Switzer; 42 (8), 2229-34 (2003).
Compact multimode pumped erbium-doped phosphate fiber amplifiers. — Shibin Jiang, Sergio B. Mendes, Yongdan Hu, Gualtiero Nunzi-Conti, Arturo Chavez-Pirson, Yushi Kaneda, Tao Luo, Qingyun Chen, Sandrine Hocde, Dan T. Nguyen, Ewan Wright, Jiafu Wang, Wenyan Tian, Thomas Nikolajsen, and Nasser Peyghambarian; 42 (10), 2817-20 (2003).
High-power laser diode beam combiner. — Daniel M. Brown; 42 (11), 3086-7 (2003).
High speed three-dimensional profilometry utilizing laser diode arrays. — Ming Chang, Wei-Che Chang, and Kao-Hui Lin; 42 (12), 3595-9 (2003).

**Diodes**
Phase-shifting Fizeau interference microscope with a wavelength-shifted laser diode. — Yukihiro Ishii, Jun Chen, Ribun Onodera, and Taizo Nakamura; 42 (1), 60-7 (2003).
Toward integrated single-photon-counting microarrays. — J. Carl Jackson, Don Phelan, Alan P. Morrison, R. Michael Redfern, and Alan Mathewson; 42 (1), 112-8 (2003).
Stabilization of pulse-to-pulse energy and width by gain-controlled prelase in laser-diode-pumped $Q$-switched laser. — Ping Yan, Ma-li Gong, Tao Xie, and Xing-zhan Liu; 42 (1), 159-62 (2003).
Quality control of safety belts by machine vision inspection for real-time production. — Daniel Ponsa, Robert Benavente, Felipe Lumbreras, Judit Martinez, and Xavier Roca; 42 (4), 1114-20 (2003).
Improved performance of an externally modulated system with external light injection technique. — Hai-Han Lu, Heng-Sheng Su, Ming-Chuan Wang, and Hsu-Hung Huang; 42 (5), 1180-1 (2003).
Thermal modeling of solid state lasers with super-Gaussian pumping profiles. — Wenjie Xie, Young Kwon, Wentao Hu, and Feng Zhou; 42 (6), 1787-94 (2003).
Design of a multichannel ring network with tunable laser diodes and fixed optical detectors. — Wencai Jing, Yi-Mo Zhang, and Ge Zhou; 42 (8), 2324-30 (2003).

**Dispersing**
Improved transmission performance by hybrid optical amplification in DWDM systems. — Tao Xu and Bernard J. Maxum; 42 (3), 882-5 (2003).

**Dispersion**
Dispersion compensation and crosstalk reduction in a bidirectional dense wavelength division multiplexing cable television system. — Hai-Han Lu and Wen-Shing Tsai; 42 (1), 281-4 (2003).
Design of a small residual dispersion fiber and a corresponding dispersion compensating fiber for dense wavelength division multiplexing systems. — I. C. Goyal, R. K. Varshney, and Ajoy K. Ghatak; 42 (4), 977-80 (2003).
Wide-angle achromatic prism beam steering for infrared countermeasure applications. — Bradley D. Duncan, Philip J. Bos, and Vassili Sergan; 42 (4), 1038-47 (2003).
Miró: Complete modeling and software for pulse amplification and propagation in high-power laser systems. — Olivier Morice; 42 (6), 1530-41 (2003).
Measurement of low differential group delay and fiber birefringence. — Jabulani Dhliwayo, Aiyu Zhang, and Rahim Nathoo; 42 (7), 1896-900 (2003).
Improvement of composite second-order and composite triple-beat performances by using chirped fiber gratings in a wavelength-division-multiplexing transport system. — Hai-Han Lu, Wen-Shing Tsai, Wen-Jen Wang, and Hsu-Hung Huang; 42 (7), 1901-5 (2003).
Simple tunable chirp of fiber Bragg gratings without center wavelength shift. — Riccardo Falciai and Cosimo Trono; 42 (8), 2263-7 (2003).
Pedestal-free 10-GHz pulse compression using comb-like dispersion profiled fibers and its application in 40-Gb/s OTDM systems. — Jianping Wang, Yue Wu, Caiyun Lou, and Yizhi Gao; 42 (8), 2380-3 (2003).
Short Hermite-Gaussian optical pulse propagation in dense dispersion-compensated systems. — Yan Xiao, Wenrui Xue, Zhonghao Li, Dachun Su, and Guosheng Zhou; 42 (9), 2534-41 (2003).
Dual-amplitude pulse interval modulation for optical wireless communications. — Kai Zhang, Haitao Zhang, Mali Gong, Ping Yan, and Xin Yang; 42 (9), 2721-6 (2003).

Reduction of four-wave mixing effect in an optical wavelength-division multiplexed system by utilizing different channel spacing and chromatic dispersion schemes. — M. Forkan Uddin, A. B. M. Nasirud Doulah, A. B. M. Ishteak Hossain, Muhammad Zulfiker Alam, and Mohammed Nazrul Islam; **42** (9), 2761-7 (2003).
Performance comparison of standard FEC and enhanced FEC in coded systems with high polarization mode dispersion. — Juanjuan Yan, Minghua Chen, Shizhong Xie, and Bingkun Zhou; **42** (12), 3456-60 (2003).

**Displays**
Cathode ray tube addressed liquid crystal light valve projection display. — Qiong-Hua Wang, Jianbo Cheng, Shin-Tson Wu, Changjun Ge, Guangjiu Fang, Kangcheng Qi, and Haibo Rao; **42** (3), 837-9 (2003).
Contrast-improving methods for Digital Micromirror Device projectors. — Youri Meuret and Patrick De Visschere; **42** (3), 840-5 (2003).
Sinusoidal liquid crystal display grating in the Ronchi test. — Miguel Mora-González and Noe Alcalá Ochoa; **42** (6), 1725-9 (2003).
New disparity estimation scheme based on adaptive matching windows for intermediate view reconstruction. — Kyung-Hoon Bae, Jung-Jin Kim, and Eun-Soo Kim; **42** (6), 1778-86 (2003).
Formation of orthoscopic three-dimensional real images in direct pickup one-step integral imaging. — Ju-Seog Jang and Bahram Javidi; **42** (7), 1869-70 (2003).
Dual-antiferroelectric liquid crystal display with high transmittance efficiency and no dispersion. — Chul Gyu Jhun, Jin-Woo Kang, Tae-Hoon Yoon, and Jae Chang Kim; **42** (7), 2047-50 (2003).
Optical method for detecting displacement of a car in stereo images. — Osami Sasaki, Kenichi Sakata, and Takamasa Suzuki; **42** (7), 2092-5 (2003).
Parallel classification of multiple objects using a phase-only multichannel optical correlator. — Mirta Villarreal, Claudio Iemmi, and Juan Campos; **42** (8), 2354-61 (2003).

**Distortion**
Automatic calibration of low-cost digital cameras. — Ayman F. Habib, Associate Professor and Michel F. Morgan; **42** (4), 948-55 (2003).
Study of the beam path distortion profiles generated by a two-axis tilt single-mirror laser scanner. — Moustapha Hafez, Thomas Sidler, and René-Paul Salathé; **42** (4), 1048-57 (2003).
Signal-to-clutter measure for measuring automatic target recognition performance using complimentary eigenvalue distribution analysis. — Abhijit Mahalanobis, S. Richard F. Sims, and Alan Van Nevel; **42** (4), 1144-51 (2003).
Planar pattern for automatic camera calibration. — Beiwei Zhang, Y. F. Li, and Fu-Chao Wu; **42** (6), 1542-9 (2003).
Distortion correction for a wide-angle lens based on real-time digital image processing. — Jie Jiang, Guangjun Zhang, Fuqiang Zhou, Daoyin Yu, Hongbo Xie, and Hang Liu; **42** (7), 2029-39 (2003).
Shack-Hartmann wavefront sensor with holographic memory. — Jung-Young Son, Dmytro V. Podanchuk, Volodymir P. Dan'ko, and Kae-Dal Kwak; **42** (11), 3389-98 (2003).

**Doppler effect**
Continuous scanning laser Doppler vibrometer for mode shape analysis. — Jongpil La, Jieun Choi, Semyung Wang, Kyoungsuk Kim, and Kyihwan Park; **42** (3), 730-7 (2003).
Analysis of accuracy of measurement by Doppler laser meters. — Jonas Skeivalas and Vytautas Giniotis; **42** (7), 2025-8 (2003).
Laser Doppler vibrometer with body vibration compensation. — Hoseong Kim, Youngjin Lee, Changhyun Kim, Tae-gyu Chang, and Min-Sig Kang; **42** (8), 2291-5 (2003).

**Dye lasers**
Differential absorption lidar system for simultaneous measurement of $O_3$ and $NO_2$: system development and measurement error estimation. — Tetsuo Fukuchi, Takuya Nayuki, Nianwen Cao, Takashi Fujii, Koshichi Nemoto, Hideto Mori, and Nobuo Takeuchi; **42** (1), 98-104 (2003).

**Earth**
Multilayer optical storage disk based on the frequency up-conversion effect from rare-earth ions. — Ho Pui Ho, W. W. Wong, and S. Y. Wu; **42** (8), 2349-53 (2003).

**Edges**
Analysis and implementation of an efficient edge detection algorithm. — R. Sundaram; **42** (3), 642-50 (2003).
Bayes factors for edge detection from wavelet product spaces. — Fionn Murtagh and Jean-Luc Starck; **42** (5), 1375-82 (2003).
Multiresolution vessel tracking in angiographic images using valley courses. — Zikuan Chen and Sabee Molloi; **42** (6), 1673-82 (2003).
Optical output silicon retina chip. — Albert H. Titus and Timothy J. Drabik; **42** (8), 2416-26 (2003).

**Electro-optics**
Impact of speckle on laser range-gated shortwave infrared imaging system target identification performance. — Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, Carl Halford, and Kenneth J. Barnard; **42** (3), 738-46 (2003).
Thin film electro-optic modulator based on single crystal of N-(4-nitrophenyl)-(L)-prolinol (NPP) grown from melt by the modified Bridgman method. — Zhifu Liu, Sergey S. Sarkisov, Michael J. Curley, Alexander Leyderman, and Charles Lee; **42** (3), 803-12 (2003).
Polarization-isolated electrical modulation of an etched long-period fiber grating with an outer liquid-crystal cladding. — Yoonchan Jeong, Hak-Rin Kim, Seungin Baek, Yonghyun Kim, Yong Wook Lee, Sin-Doo Lee, and Byoungho Lee; **42** (4), 964-8 (2003).
Lithium niobate electro-optic sensor for examining conductive patterns on display panels. — Changho Lee, Yongbae Jeon, and Kwangsoo No; **42** (6), 1589-96 (2003).
Direct electro-optic intermodulation in fibers. — Sedig S. Agili and Thomas Koryu Ishii; **42** (9), 2542-50 (2003).

**Electronics**
Optical broadcast interconnection neural network. — Horacio Lamela, Marta Ruiz-Llata, and Cardinal Warde; **42** (9), 2487-8 (2003).

**Electrons**
Digital holographic aberration compensation in electron holography. — Cheng Liu, Zhigang Liu, Feng Bo, Yong Wang, and Jianqiang Zhu; **42** (3), 651-5 (2003).

**Ellipsometry**
Profile coating and its application for Kirkpatrick-Baez mirrors. — Chian Liu, Lahsen Assoufid, Ray Conley, Albert T. Macrander, Gene E. Ice, and J. Z. Tischler; **42** (12), 3622-8 (2003).

**Emission**
Optical characteristics of PnpN optical thyristor operating at 1.55 $\mu$m. — Doo-Gun Kim, Hee-Hyun Lee, Woon-Kyung Choi, Jung-Jun Lee, Young-Wan Choi, S. Lee, Deokha H. Woo, Young-Tae Byun, J. H. Kim, Soo Hyun Kim, N. Futakuchi, and Yoshiaki Nakano; **42** (4), 1093-9 (2003).
Experimental results of ratio-based erbium-doped-silica temperature sensor. — Gonzalo Paez and Marija Strojnik; **42** (6), 1805-11 (2003).

**Encoders**
High-performance absolute rotary encoder using multitrack and M-code. — Yuji Matsuzoe, Nobuhiko Tsuji, Tomoharu Nakayama, Koetsu Fujita, and Toru Yoshizawa; **42** (1), 124-31 (2003).

**Encoding**
Fully phase encryption using fractional Fourier transform. — Naveen Kumar Nishchal, Joby Joseph, and Kehar Singh; **42** (6), 1583-8 (2003).
Multiplexed edge-lit holograms. — Wei-Chia Su, Ching-Cherng Sun, and Nicholai Kukhtarev; **42** (7), 1871-2 (2003).
Extra encoding of fine grayscale data into 8-bit sRGB color space. — Hisakazu Kikuchi, Hiroto Sato, Satoshi Hasebe, Naoki Mizutani, Shogo Muramatsu, Shigenobu Sasaki, Jie Zhou, Seishi Sekine, Yoshito Abe, Ikuo Tofukuji, and Makoto Nakashizuka; **42** (7), 1940-8 (2003).
Public-key-based optical image cryptosystem based on data embedding techniques. — Guo-Shiang Lin, Hsuan T. Chang, Wen-Nung Lie, and Cheng-Hung Chuang; **42** (8), 2331-9 (2003).
Secret image sharing with capability of share data reduction. — Chang-Chou Lin and Wen-Hsiang Tsai; **42** (8), 2340-5 (2003).
Optical encryption using a localized fractional Fourier transform. — Naveen Kumar Nishchal, G. Unnikrishnan, Joby Joseph, and Kehar Singh; **42** (12), 3566-71 (2003).

**Etching**
Etching electrode method in loophole technology. — Suxia Xing, Yi Cai, and Benkang Chang; **42** (3), 682-5 (2003).
Tapered waveguide with parabolic lens: theory and experiment. — Atef M. Rashed, Kevin A. Williams, Peter J. Heard, Richard V. Penty, and Ian H. White; **42** (3), 792-7 (2003).
Fabrication of optical structures using SU-8 photoresist and chemically assisted ion beam etching. — Lin Pang, Wataru Nakagawa, and Yeshaiahu Fainman; **42** (10), 2912-7 (2003).
Improved surface characteristics of *n*-GaN epitaxial structures after reactive ion etching. — Hoshin H. Yee, H. F. Hong, and J. Y. Chang; **42** (10), 2918-22 (2003).
Fabrication method of Bragg gratings in silica channel optical waveguides. — Tomiyuki Arakawa, Yutaka Uno, Hideki Ono, Hiromi Takahashi, Kentaro Harase, and Hideaki Okayama; **42** (12), 3419-20 (2003).

**Extinction**
Differential absorption lidar system for simultaneous measurement of $O_3$ and $NO_2$: system development and measurement error estimation. — Tetsuo Fukuchi, Takuya Nayuki, Nianwen Cao, Takashi Fujii, Koshichi Nemoto, Hideto Mori, and Nobuo Takeuchi; **42** (1), 98-104 (2003).
Development of the Mediterranean extinction code (MEDEX). — Jacques Piazzola, Frédéric Bouchara, Gerrit de Leeuw, and Alexander M. J. Van Eijk; **42** (4), 912-24 (2003).

**Extintion**
Design of an optical probe based on angle scanning reflectometry near the critical angle. — Mary Carmen Peña-Gomar, Augusto García-Valenzuela, and Martha Rosete-Aguilar; **42** (3), 853-61 (2003).

**Extreme ultraviolet**
Fabrication of a complex-shaped mirror for an extreme ultraviolet lithography illumination system. — Hideo Takino, Teruki Kobayashi, Norio Shibata, Masaaki Kuki, Akinori Itoh, and Hideki Komatsuda; **42** (9), 2676-82 (2003).

**Fabry-Perot**
Wavelength multiplexing of microelectromechanical system pressure and temperature sensors using fiber Bragg gratings and arrayed waveguide gratings. — Weizhuo Li, Don C. Abeysinghe, and Joseph T. Boyd; **42** (2), 431-8 (2003).
Repetition frequency quadruplication through Fabry-Perot filtering. — K. Vyrsokinos, K. Yiannopoulos, E. Kehayas, N. Pleros, T. Houbavlis, and H. Avramopoulos; **42** (11), 3075-6 (2003).
All-optical packet clock generation from decision pulses. — M. Kalyvas, K. Yiannopoulos, G. Theophilopoulos, T. Houbavlis, H. Avramopoulos, and G. Guekos; **42** (12), 3413-4 (2003).

**Fabry-Perot: Thermo-optics**
Transient analysis of a high-speed thermo-optic modulator integrated in an all-silicon waveguide. — M. Iodice, F. G. Della Corte, I. Rendina, P. M. Sarro, and M. Bellucci; **42** (1), 169-75 (2003).

**Feedback**
Displacement sensors based on feedback effect of orthogonally polarized lights of frequency-split HeNe lasers. — Yingchun Ding, Shulian Zhang, Yan Li, Jun Zhu, Wenhua Du, and Rui Suo; **42** (8), 2225-8 (2003).
10-GHz all-optical recirculating shift register with semiconductor optical amplifier (SOA)-assisted Sagnac switch and SOA feedback. — T. Houbavlis and K. E. Zoiros; **42** (9), 2483-4 (2003).
Glass integrated optics ultranarrow linewidth distributed feedback laser matrix for dense wavelength division multiplexing applications. — Lionel Bastard, Sylvain Blaize, and Jean-Emmanuel Broquin; **42** (10), 2800-4 (2003).

**Ferroelectrics**
Dual-antiferroelectric liquid crystal display with high transmittance efficiency and no dispersion. — Chul Gyu Jhun, Jin-Woo Kang, Tae-Hoon Yoon, and Jae Chang Kim; **42** (7), 2047-50 (2003).
Spatial sampling in pixelated-metal-mirror ferroelectric-liquid-crystal optically addressed spatial-light-modulator devices. — Solon Mias, Neil Collings, Tim D. Wilkinson, Stuart Coomber, Maurice Stanley, and William A. Crossland; **42** (7), 2075-81 (2003).

**Fiber characteristics**
Transient microbending loss induced by thermal loading in double-coated optical fibers. — Haw-Long Lee; **42** (4), 969-76 (2003).
Long-term thermally interfacial-shear-stress-induced delamination of polymeric coatings from glass fibers in double-coated optical fibers. — Ting-Ying Shen and Sham-Tsong Shiue; **42** (5), 1456-9 (2003).

**Fiber characterization**
Method for the rotational alignment of polarization-maintaining optical fibers and waveguides. — Timo T. Aalto, Mikko Harjanne, and Markku Kapulainen; **42** (10), 2861-7 (2003).

**Fiber lasers**
Continuous true-time-delay beamforming employing a tunable multiwavelength fiber ring laser source with equally increased or decreased wavelength spacing. — Jianliang Yang, Jianping Yao, Yunqi Liu, and Swee Chuan Tjin; **42** (1), 239-44 (2003).

Multipoint fiber Bragg grating laser sensor interrogated by the intermodal beating frequency. — Manuel May-Alarcón, E. A. Kuzin, R. A. Vázquez-Sánchez, M. G. Shlyagin, and I. Márquez-Borbón; **42** (8), 2246-9 (2003).
Ring resonator for multiwavelength fiber laser using a Sagnac loop filter. — Gautam Das and John W. Y. Lit; **42** (8), 2257-62 (2003).
Pedestal-free 10-GHz pulse compression using comb-like dispersion profiled fibers and its application in 40-Gb/s OTDM systems. — Jianping Wang, Yue Wu, Caiyun Lou, and Yizhi Gao; **42** (8), 2380-3 (2003).
Pulse evolution of a Q-switched ytterbium-doped double-clad fiber laser. — Yong Wang, Alejandro Martinez-Rios, and Hong Po; **42** (9), 2521-6 (2003).
Influence of cross-sectional shape on absorption characteristics of double-clad fiber lasers. — Jianqiu Xu, Junhua Lu, Jianren Lu, and K. Ueda; **42** (9), 2527-33 (2003).
Impacts of cavity losses on cw Raman fiber lasers. — Yong Wang and Hong Po; **42** (10), 2872-9 (2003).
Sagnac loop reflector and its multiwavelength laser application. — Gautam Das and John W. Y. Lit; **42** (10), 2880-5 (2003).

### Fiber optic applications

OC-192 and CATV hybrid dense-wavelength-division-multiplexing transport system. — Hai-Han Lu, Po-Chou Lai, Hsiang-Chih Chen, and Ya-Lin Chen; **42** (5), 1370-4 (2003).

### Fiber optic sensors

Research on measurement technology of internal MJ threads used for aerospace with a reflex fiber-optic sensor. — Yong Zhao and Yanbiao Liao; **42** (2), 416-20 (2003).
Thermochromic-effect-based temperature optical fiber sensor for underwater applications. — Carlos Fernández-Valdivielso, Ignacio R. Matías, Francisco J. Arregui, Joaquín Roca-Dorda, Jose A. Vera, and Manuel Jimenez; **42** (3), 656-61 (2003).
Measurement of dynamic deformations using a path-unbalance Michelson-interferometer-based optical fiber sensing device. — Sandra LLoret, Pramod Rastogi, Luc Thévenaz, and Daniele Inaudi; **42** (3), 662-9 (2003).
Fiber optic off-focus sensor for surface topography measurement. — Yong Zhao, Yanbiao Liao, and Shurong Lai; **42** (3), 670-4 (2003).
Fiber-optic current sensor. — Wuu-Wen Lin; **42** (4), 896-7 (2003).
Response of a fiber Bragg grating ultrasonic sensor. — Pavel Fomitchov and Sridhar Krishnaswamy; **42** (4), 956-63 (2003).
Remote sensing with ultra-low-reflective Bragg gratings written in standard telecommunication fiber. — I. Márquez-Borbón, M. G. Shlyagin, O. Esteban, S. V. Miridonov, and V. V. Spirin; **42** (5), 1182-3 (2003).
Optical time-domain reflectometry interrogation of multiplexing low-reflectance Bragg-grating-based sensor system. — Po Zhang, H. H. Cerecedo-Núñez, B. Qi, G. Pickrell, and Anbo Wang; **42** (6), 1597-603 (2003).
Experimental results of ratio-based erbium-doped-silica temperature sensor. — Gonzalo Paez and Marija Strojnik; **42** (6), 1805-11 (2003).
Temperature-compensated fiber-Bragg-grating-based magnetostrictive sensor for dc and ac currents. — Kin Seng Chiang, Ramesh Kancheti, and Vipul Rastogi; **42** (7), 1906-9 (2003).
Phase sensitivity of conventional single-mode and holey optical fibers: a comparison study. — Wilson K. S. Chiu, Jason M. Maguire, and Marilyn J. Berliner; **42** (8), 2304-10 (2003).
Fiber optic microampere dc current sensor. — Wuu-Wen Lin, Shih-Chu Huang, and Mao-Hsiung Chen; **42** (9), 2551-7 (2003).
Diaphragm-type fiber-optic interferometric acoustic sensor. — Nan Zeng, Chunzheng Shi, Dongning Wang, Min Zhang, and Yanbiao Liao; **42** (9), 2558-62 (2003).
Design of the fiber optic distributed acoustic sensor based on Michelson interferometer and its location application. — Changsen Sun and Farhad Ansari; **42** (10), 2987-93 (2003).
Novel data processing techniques for dispersive white light interferometer. — Bing Qi, Gary R. Pickrell, JunCheng Xu, Po Zhang, Yuhong Duan, Wei Peng, Zhenyu Huang, Wei Huo, Hai Xiao, Russell G. May, and Anbo Wang; **42** (11), 3165-71 (2003).

### Fiber optics

Numerical optimization approach for designing bandpass filters using fiber Bragg gratings. — Jinho Bae and Joohwan Chun; **42** (1), 23-9 (2003).
Optical fiber interferometer for measuring the *in situ* deflection characteristics of microelectromechanical structures. — Tristan J. Tayag, Edward S. Kolesar, Brandon D. Pitt, Kam See Hoon, James Marchetti, and Ijaz H. Jafri; **42** (1), 105-11 (2003).
Continuous true-time-delay beamforming employing a tunable multiwavelength fiber ring laser source with equally increased or decreased wavelength spacing. — Jianliang Yang, Jianping Yao, Yunqi Liu, and Swee Chuan Tjin; **42** (1), 239-44 (2003).
Wavelength division multiplexers/demultiplexers for optical interconnects in massively parallel processing. — Feng Zhao, Yun Zhang, Jizuo Zou, Zhong Shi, Bipin Bihari, Edward Frietman, Xuegong Deng, Jie Qiao, Zan Shi, and Ray T. Chen; **42** (1), 273-80 (2003).
Dispersion compensation and crosstalk reduction in a bidirectional dense wavelength division multiplexing cable television system. — Hai-Han Lu and Wen-Shing Tsai; **42** (1), 281-4 (2003).
Research on measurement technology of internal MJ threads used for aerospace with a reflex fiber-optic sensor. — Yong Zhao and Yanbiao Liao; **42** (2), 416-20 (2003).
Detection sensitivity optimization of optical signals generated by fiber optic Bragg gratings under dynamic excitation. — Grigory Adamovsky, John Lekki, and James A. Lock; **42** (2), 425-30 (2003).
Thermochromic-effect-based temperature optical fiber sensor for underwater applications. — Carlos Fernández-Valdivielso, Ignacio R. Matías, Francisco J. Arregui, Joaquín Roca-Dorda, Jose A. Vera, and Manuel Jimenez; **42** (3), 656-61 (2003).
Design of praseodymium-doped optical waveguides. — Antonella D'Orazio, Marco De Sario, Luciano Mescia, Vincenzo Petruzzelli, Francesco Prudenzano, Anna P. Caricato, Gilberto Leggieri, and Maurizio Martino; **42** (3), 765-72 (2003).
Wavelength selector using dual-core fiber for dense wavelength division multiplexing networks. — Yi Bin Lu and Pak L. Chu; **42** (3), 875-81 (2003).
Polarization-isolated electrical modulation of an etched long-period fiber grating with an outer liquid-crystal cladding. — Yoonchan Jeong, Hak-Rin Kim, Seungin Baek, Yonghyun Kim, Yong Wook Lee, Sin-Doo Lee, and Byoungho Lee; **42** (4), 964-8 (2003).
Transient microbending loss induced by thermal loading in double-coated optical fibers. — Haw-Long Lee; **42** (4), 969-76 (2003).
Design of a small residual dispersion fiber and a corresponding dispersion compensating fiber for dense wavelength division multiplexing systems. — I. C. Goyal, R. K. Varshney, and Ajoy K. Ghatak; **42** (4), 977-80 (2003).
Fiber design—from optical mode to index profile. — Pao-Lo Liu and Swades De; **42** (4), 981-4 (2003).
OC-192 and CATV hybrid dense-wavelength-division-multiplexing transport system. — Hai-Han Lu, Po-Chou Lai, Hsiang-Chih Chen, and Ya-Lin Chen; **42** (5), 1370-4 (2003).
Linear and steplike characteristics in an optical fiber refractometric transducer with hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **42** (5), 1383-9 (2003).
Front-end sources of the LIL-LMJ fusion lasers: progress report and prospects. — Alain Jolly, J. F. Gleyze, J. Luce, H. Coic, and G. Deschaseaux; **42** (5), 1427-38 (2003).
Device for concatenation of phase-shifted long-period grating and its application as gain-flattening fiber filter. — Yinian Zhu, Beatrys M. Lacquet, Pieter L. Swart, Stephanus J. Spammer, Ping Shum, and Chao Lu; **42** (5), 1445-50 (2003).
Long-term thermally interfacial-shear-stress-induced delamination of polymeric coatings from glass fibers in double-coated optical fibers. — Ting-Ying Shen and Sham-Tsong Shiue; **42** (5), 1456-9 (2003).
Compact automated optical-fiber cross-connect module using micro-optical connectors and a fiber-handling robot. — Masato Mizukami, Nobuhide Tanaka, Kunihiko Sasakura, and Kazumasa Kaneko; **42** (6), 1604-10 (2003).
Complete characterization of a high-numerical-aperture small-core fiber with subwavelength resolution using atomic force microscopy and near-field scanning optical microscopy. — Shane T. Huntington, Ann Roberts, Keith A. Nugent, and Simon C. Fleming; **42** (7), 1893-5 (2003).
Long-period fiber grating effects induced by double-sided loading. — Tsung-Yi Tang, Pao-Yi Tseng, Chung-Yi Chiu, Chih-Nan Lin, C. C. Yang, Yean-Woei Kiang, and Kung-Jen Ma; **42** (7), 1910-4 (2003).
Novel fiber optic alignment strategy using Hamiltonian algorithm and Matlab/Simulink. — Rong Zhang and Frank G. Shi; **42** (8), 2240-5 (2003).
Fiber Bragg-grating-based all-optical microwave filter synthesis using genetic algorithm. — Fei Zeng, Jianping Yao, and Stephen J. Mihailov; **42** (8), 2250-6 (2003).
Simple tunable chirp of fiber Bragg gratings without center wavelength shift. — Riccardo Falciai and Cosimo Trono; **42** (8), 2263-7 (2003).
Ultrafast all-optical exclusive OR operation with semiconductor optical amplifier-assisted fiber Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (9), 2481-2 (2003).
Pulse evolution of a Q-switched ytterbium-doped double-clad fiber laser. — Yong Wang, Alejandro Martinez-Rios, and Hong Po; **42** (9), 2521-6 (2003).
Direct electro-optic intermodulation in fibers. — Sedig S. Agili and Thomas Koryu Ishii; **42** (9), 2542-50 (2003).
Light coupling and propagation in a fiber–dielectric-slab composite with a conductor cladding. — Kwang-Hee Kwon, Jae-Won Song, Euy-Don Park, and Don-Muk Choi; **42** (9), 2630-41 (2003).
Glass integrated optics ultranarrow linewidth distributed feedback laser matrix for dense wavelength division multiplexing applications. — Lionel Bastard, Sylvain Blaize, and Jean-Emmanuel Broquin; **42** (10), 2800-4 (2003).
Compact multimode pumped erbium-doped phosphate fiber amplifiers. — Shibin Jiang, Sergio B. Mendes, Yongdan Hu, Gualtiero Nunzi-Conti, Arturo Chavez-Pirson, Yushi Kaneda, Tao Luo, Qingyun Chen, Sandrine Hocde, Dan T. Nguyen, Ewan Wright, Jiafu Wang, Wenyan Tian, Thomas Nikolajsen, and Nasser Peyghambarian; **42** (10), 2817-20 (2003).
Learning evolution design of multiband-transmission fiber Bragg grating filters. — Su-Frang Shu, Yinchieh Lai, and Ci-Ling Pan; **42** (10), 2856-60 (2003).
Optimal design for bidirectionally pumped Raman transmission systems. — Yonghong Ma, Shizhong Xie, Shouxian She, and Minghua Chen; **42** (10), 2942-6 (2003).
All-fiber Fourier filter flat-top interleaver design with specified performance parameters. — Qijie Wang, Tong Liu, Yeng Chai Soh, and Ying Zhang; **42** (11), 3172-8 (2003).
Design of single-channel optical rotary joint using bulk optical detector. — Wencai Jing, Yi-Mo Zhang, Ge Zhou, Dagong Jia, Bao Liu, and Feng Tang; **42** (11), 3285-9 (2003).
All-fiber acousto-optical tunable filter with loop structure. — Hao Li, Tong Liu, Changyun Wen, Yeng Chai Soh, and Ying Zhang; **42** (12), 3409-10 (2003).
Gain-flattened ultra-wideband fiber amplifiers. — Yang Cao and M. Yasin Akhtar Raja; **42** (12), 3447-51 (2003).

### Fiber optics sensors

Cantilever optical vibrometer using fiber Bragg grating. — C. Z. Shi, N. Zeng, H. L. Ho, C. C. Chan, M. Zhang, W. Jin, and Y. B. Liao; **42** (11), 3179-81 (2003).

### Films

Second-generation approach to all-organic modulators based on intrinsically polar self-assembled molecular superlattices. — Y.-G. Zhao, S. Chang, A. Wu, H.-L. Lu, S. T. Ho, M. E. van der Boom, and T. J. Marks; **42** (2), 298-9 (2003).
Investigation on the optical properties of side-polished fiber contacted with planar waveguide including a thin metal film. — Kwang Taek Kim, Jung Ho Hwang, Jun Ock Lee, Jae Pyung Mah, Cheol Ho Kim, and Seung Hwangbo; **42** (3), 675-81 (2003).
Thin film electro-optic modulator based on single crystal of N-(4-nitrophenyl)-(L)-prolinol (NPP) grown from melt by the modified Bridgman method. — Zhifu Liu, Sergey S. Sarkisov, Michael J. Curley, Alexander Leyderman, and Charles Lee; **42** (3), 803-12 (2003).
Investigation of diffractive optical element fabricated on diamond film by use of focused ion beam direct milling. — Yongqi Fu and Ngoi Kok Ann Bryan; **42** (8), 2214-7 (2003).
Laser-induced changes on the complex refractive indices of phase-change thin film. — Bo Liu, Hao Ruan, and Fuxi Gan; **42** (9), 2702-6 (2003).
Nonlinear optical limiting of the azo dye methyl-red doped nematic liquid crystalline films. — Luogen Deng and Hua-Kuang Liu; **42** (10), 2936-41 (2003).
Recording on $As_2S_3$ glassy films by pulsed and continuous illumination—optical evaluation and comparison. — Boris Spektor, Joseph Shamir, Victor Lyubin, and Matvei Klebanov; **42** (11), 3279-84 (2003).
Thermal modeling $CO_2$ laser radiation transmission welding of superposed thermoplastic films. — João M. P. Coelho, Manuel A. Abreu, and F. Carvalho Rodrigues; **42** (11), 3365-73 (2003).

### Filtering

Removing speckle noise and extracting the skeletons from a single speckle fringe pattern by spin filtering with curved-surface windows. — Qifeng Yu, Xiangyi Sun, Xiaolin Liu, Xiaohua Ding, and Zhiqiang Qiu; **42** (1), 68-74 (2003).
Adaptive filtering approach to chirp estimation and inverse synthetic aperture radar imaging of maneuvering targets. — Genyuan Wang, Xiang-Gen Xia, and Victor C. Chen; **42** (1), 190-9 (2003).
Karhunen-Loeve expansion of stationary random signals with exponentially oscillating covariance function. — Vitaly Kober and Josué Alvarez-Borrego; **42** (4), 1018-23 (2003).
Improved vector filtering for color images using fuzzy noise detection. — Edward S. Hore, Bin Qiu, and Hong Ren Wu; **42** (6), 1656-64 (2003).
Window functions for imaging radar: a maximum energy approach to contiguous and notched spectrums. — Fred M. Dickey, Louis A. Romero, and Armin W. Doerry; **42** (7), 2113-28 (2003).
Fast loop filtering using separable characteristics of the integer 2-D discrete cosine transform. — Yung-Lyul Lee, Il-Hong Shin, and Hyun Wook Park; **42** (9), 2588-94 (2003).
Spatial filtering of three-dimensional objects based on volume holography. — Ching-Cherng Sun, Chih-Yuan Hsu, Chia-How Wu, and Wei-Chia Su; **42** (10), 2788-9 (2003).
Filtering the complex field in phase shifting interferometry. — Kemao Qian, Hock Soon Seah, and Anand Asundi; **42** (10), 2792-3 (2003).

Repetition frequency quadruplication through Fabry-Perot filtering. — K. Vyrsokinos, K. Yiannopoulos, E. Kehayas, N. Pleros, T. Houbavlis, and H. Avramopoulos; **42** (11), 3075-6 (2003).

**Filters**

Numerical optimization approach for designing bandpass filters using fiber Bragg gratings. — Jinho Bae and Joohwan Chun; **42** (1), 23-9 (2003).

Hierarchical spatiotemporal moving object segmentation based on a binary split algorithm. — Young Sik Park, Eui Yoon Chung, Gi Seok Kim, and Yeong Ho Ha; **42** (1), 245-54 (2003).

Optimal model for biorthogonal wavelet filters. — Guoqiu Wang and Weiwei Yuan; **42** (2), 350-6 (2003).

Effects of image restoration on target acquisition. — Norman S. Kopeika, Stanley R. Rotman, Israel Taig, and Ariel Vander; **42** (2), 534-40 (2003).

Analysis and implementation of an efficient edge detection algorithm. — R. Sundaram; **42** (3), 642-50 (2003).

Design of guided-wave photonic bandgap devices by using the Bloch-Floquet theory. — Agostino Giorgio, Anna Gina Perri, and Mario N. Armenise; **42** (4), 1100-7 (2003).

Device for concatenation of phase-shifted long-period grating and its application as gain-flattening fiber filter. — Yinian Zhu, Beatrys M. Lacquet, Pieter L. Swart, Stephanus J. Spammer, Ping Shum, and Chao Lu; **42** (5), 1445-50 (2003).

Improved vector filtering for color images using fuzzy noise detection. — Edward S. Hore, Bin Qiu, and Hong Ren Wu; **42** (6), 1656-64 (2003).

Color correction of metal halide arc lamp sources. — Ronald A. Ferrante, Michael L. Fulton, Robert Cabrera, James Walker, and Holger Claus; **42** (7), 2155-9 (2003).

Architecture of a configurable 2-D adaptive filter used for small object detection and digital image processing. — Hongshi Sang, Xubang Shen, and Chaoyang Chen; **42** (8), 2182-9 (2003).

Fiber Bragg-grating-based all-optical microwave filter synthesis using genetic algorithm. — Fei Zeng, Jianping Yao, and Stephen J. Mihailov; **42** (8), 2250-6 (2003).

Ring resonator for multiwavelength fiber laser using a Sagnac loop filter. — Gautam Das and John W. Y. Lit; **42** (8), 2257-62 (2003).

Information differences between subbands of the mid-wave infrared spectrum. — Steve Moyer, Ronald G. Driggers, Richard H. Vollmerhausen, Michael A. Soel, Gisele Welch, and William T. Rhodes; **42** (8), 2296-303 (2003).

Study on optical finite impulse response filter. — Ying Zhou, Guangjie Zeng, Feihong Yu, and H. S. Kwok; **42** (8), 2318-23 (2003).

Greedy modular eigenspaces and positive Boolean function for supervised hyperspectral image classification. — Yang-Lang Chang, Chin-Chuan Han, Kuo-Chin Fan, K. S. Chen, Chia-Tang Chen, and Jeng-Horng Chang; **42** (9), 2576-87 (2003).

Criteria for satellite image restoration success. — Dan Arbel, Shlomo Greenberg, Ofer Hadar, and Norman S. Kopeika; **42** (9), 2607-13 (2003).

Noise suppression in spatial carrier phase shifting method. — Qian Kemao, Seah Hock Soon, and Anand Asundi; **42** (9), 2642-5 (2003).

Learning evolution design of multiband-transmission fiber Bragg grating filters. — Su-Frang Shu, Yinchieh Lai, and Ci-Ling Pan; **42** (10), 2856-60 (2003).

All-fiber Fourier filter flat-top interleaver design with specified performance parameters. — Qijie Wang, Tong Liu, Yeng Chai Soh, and Ying Zhang; **42** (11), 3172-8 (2003).

All-optical packet clock generation from decision pulses. — M. Kalyvas, K. Yiannopoulos, G. Theophilopoulos, T. Houbavlis, H. Avramopoulos, and G. Guekos; **42** (12), 3413-4 (2003).

**Flourescence**

Estimating the relative shrinkage profile of newsprint. — Anders P. Kaestner and Carl Magnus Nilsson; **42** (5), 1467-75 (2003).

**Flows**

Hierarchical spatiotemporal moving object segmentation based on a binary split algorithm. — Young Sik Park, Eui Yoon Chung, Gi Seok Kim, and Yeong Ho Ha; **42** (1), 245-54 (2003).

Simple fabrication of cylindrical sol-gel microlens array by reflowing technique. — M. He, X.-C. Yuan, N. Q. Ngo, W. C. Cheong, and J. Bu; **42** (8), 2180-1 (2003).

**Fluorescence**

Toward integrated single-photon-counting microarrays. — J. Carl Jackson, Don Phelan, Alan P. Morrison, R. Michael Redfern, and Alan Mathewson; **42** (1), 112-8 (2003).

Experimental results of ratio-based erbium-doped-silica temperature sensor. — Gonzalo Paez and Marija Strojnik; **42** (6), 1805-11 (2003).

Fluorescent microscopy of wet-cleaned surfaces: imaging of water stains distribution. — K. Mikhaylichenko and V. V. Yakovlev; **42** (7), 2051-5 (2003).

**Fluorescence detectors**

Evaluation method of optical filters used in fluorescence detectors. — Athanasios K. Geranios, Emmanuel Fokitis, Stavros Maltezos, A. Petridis, and M. Vassiliou; **42** (3), 759-64 (2003).

**Focal plane arrays**

Comparison of HgCdTe and quantum-well infrared photodetector dual-band focal plane arrays. — Arnold C. Goldberg, Stephen W. Kennerly, John W. Little, Thomas A. Shafer, C. Lynn Mears, Herbert F. Schaake, Michael Winn, Michael Taylor, and Parvez N. Uppal; **42** (1), 30-46 (2003).

Etching electrode method in loophole technology. — Suxia Xing, Yi Cai, and Benkang Chang; **42** (3), 682-5 (2003).

Design of a multiple-field-of-view optical system for 3- to 5-$\mu$m infrared focal-plane arrays. — Muhammad Nadeem Akram; **42** (6), 1704-14 (2003).

Operational parametrization of the 1/*f* noise of a sequence of frames by means of the principal component analysis in focal plane arrays. — José Manuel López-Alonso and Javier Alda; **42** (7), 1915-22 (2003).

Geometric calibration models of infrared cameras and scanners for photogrammetric and remote sensing applications. — Gürcan Büyüksalih; **42** (7), 1923-34 (2003).

Optical output silicon retina chip. — Albert H. Titus and Timothy J. Drabik; **42** (8), 2416-26 (2003).

**Focus**

Three-dimensional optical metrology with extended depth-measuring range using a holographic axilens. — Erez Hasman and Vladimir Kleiner; **42** (1), 132-6 (2003).

Generation and focusing of radially polarized electric fields. — T. Wilson, F. Massoumian, and R. Juškaitis; **42** (11), 3088-9 (2003).

**Forward-looking infrared**

Automatic target recognition using boundary partitioning and invariant features in forward-looking infrared images. — Sun-Gu Sun and Hyun Wook Park; **42** (2), 524-33 (2003).

Multistage infrared target detection. — Alex Lipchen Chan, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (9), 2746-54 (2003).

**Four-wave mixing**

Reduction of four-wave mixing effect in an optical wavelength-division multiplexed system by utilizing different channel spacing and chromatic dispersion schemes. — M. Forkan Uddin, A. B. M. Nasirud Doulah, A. B. M. Ishteak Hossain, Muhammad Zulfiker Alam, and Mohammed Nazrul Islam; **42** (9), 2761-7 (2003).

**Fourier optics**

Production of computer-generated holograms on recordable compact disk media using a compact disk writer. — Adrian Cable, Peter Mash, and Timothy Wilkinson; **42** (9), 2514-20 (2003).

Effect of the fill factor of CCD pixels on digital holograms: comment on the papers "Frequency analysis of digital holography" and "Frequency analysis of digital holography with reconstruction by convolution". — Cheng-Shan Guo, Li Zhang, Zhen-Yu Rong, and Hui-Tian Wang; **42** (9), 2768-71 (2003).

Response to "Effect of the fill factor of CCD pixels on digital holograms: comment on the papers 'Frequency analysis of digital holography' and 'Frequency analysis of digital holography with reconstruction by convolution' ". — Thomas M. Kreis; **42** (9), 2772 (2003).

All-fiber Fourier filter flat-top interleaver design with specified performance parameters. — Qijie Wang, Tong Liu, Yeng Chai Soh, and Ying Zhang; **42** (11), 3172-8 (2003).

**Fourier spectroscopy**

Signal processing methods to improve the performance of a compact Fourier transform spectrometer. — Stéphanie Prunet, Cécile Durieu, and Bernard Journet; **42** (4), 985-93 (2003).

Empirical modeling and calibration of Fourier transform spectrometers. — Daniel R. Fuhrmann and William H. Smith; **42** (8), 2268-76 (2003).

**Fourier transforms**

Fabrication of a far-infrared photodetector based on InAs/GaAs quantum-dot superlattices. — Yi-Chang Cheng, San-Te (Ching-Ming) Yang, Jyh-Neng Yang, Wen-How Lan, Liann-Be Chang, and Li-Zen Hsieh; **42** (1), 119-23 (2003).

Systematic approach to image formation in digital holography. — Pramod Rastogi and Akshay Sharma; **42** (5), 1208-14 (2003).

Fully phase encryption using fractional Fourier transform. — Naveen Kumar Nishchal, Joby Joseph, and Kehar Singh; **42** (6), 1583-8 (2003).

Experimental demonstration of the longitudinal image shift in digital holography. — Sergio De Nicola, Pietro Ferraro, Andrea Finizio, Simonetta Grilli, and Giovanni Pierattini; **42** (6), 1625-30 (2003).

Fourier transform method for measurement of thin film thickness by speckle interferometry. — Canan Karaalioğlu and Yani Skarlatos; **42** (6), 1694-8 (2003).

New method for measuring dynamic response of small components by fringe projection. — Cho J. Tay, Chenggen Quan, Huai M. Shang, T. Wu, and Shihua Wang; **42** (6), 1715-20 (2003).

Algorithm for directly retrieving the phase difference: a generalization. — Kemao Qian, Hock Soon Seah, and Anand K. Asundi; **42** (6), 1721-4 (2003).

Empirical modeling and calibration of Fourier transform spectrometers. — Daniel R. Fuhrmann and William H. Smith; **42** (8), 2268-76 (2003).

Sensitivity improvement in phase-shifted moire interferometry using 1-D continuous wavelet transform image processing. — Heng Liu, Alexander N. Cartwright, and Cemal Basaran; **42** (9), 2646-52 (2003).

Filtering the complex field in phase shifting interferometry. — Kemao Qian, Hock Soon Seah, and Anand Asundi; **42** (10), 2792-3 (2003).

Pattern recognition by quantization of modulated function to complexes of a quadrupole in matched filtering. — Taketsugu Yao and Takumi Minemoto; **42** (10), 2994-3003 (2003).

Hyperbolic wavelet power spectra of nonstationary signals. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (10), 3017-37 (2003).

Determination of strains from fringe patterns using space-frequency representations. — Cesar A. Sciammarella and Taeeeui Kim; **42** (11), 3182-93 (2003).

Limiting aspect ratios of Sagnac interferometers. — R. Glenn Sellar and Glenn D. Boreman; **42** (11), 3320-5 (2003).

Rapid calculation research of temperature fields in laser heat treatments. — Junchang Li, J. Merlin, Yingxiong Qin, Qiguang Zheng, and Yunchang Fu; **42** (12), 3545-50 (2003).

Optical encryption using a localized fractional Fourier transform. — Naveen Kumar Nishchal, G. Unnikrishnan, Joby Joseph, and Kehar Singh; **42** (12), 3566-71 (2003).

**Fractals**

Two algorithms to estimate fractal dimension of gray-level images. — Wen-Shiung Chen, Shang-Yuan Yuan, and Chih-Ming Hsieh; **42** (8), 2452-64 (2003).

**Frequency**

Multilayer optical storage disk based on the frequency up-conversion effect from rare-earth ions. — Ho Pui Ho, W. W. Wong, and S. Y. Wu; **42** (8), 2349-53 (2003).

**Frequency conversion**

Single sideband techniques for laser Doppler velocimeter frequency offset. — Adrian A. Dorrington and Rainer Künnemeyer; **42** (11), 3239-46 (2003).

**Frequency generation**

Single sideband techniques for laser Doppler velocimeter frequency offset. — Adrian A. Dorrington and Rainer Künnemeyer; **42** (11), 3239-46 (2003).

**Frequency modulation**

Direct electro-optic intermodulation in fibers. — Sedig S. Agili and Thomas Koryu Ishii; **42** (9), 2542-50 (2003).

Coherent lightwave associative memory system that possesses a carrier-frequency-controlled behavior. — Sotaro Kawata and Akira Hirose; **42** (9), 2670-5 (2003).

**Fringe analysis**

High-speed 3-D shape measurement based on digital fringe projection. — Peisen S. Huang, Chengping Zhang, and Fu-Pen Chiang; **42** (1), 163-8 (2003).

Use of Mueller matrices in the photoelastic determination of the stress distribution in a model for a solid propellant rocket grain. — Guillermo C. Gaunaurd; **42** (2), 467-76 (2003).

Error compensation for a three-dimensional shape measurement system. — Peisen S. Huang, Qingying Hu, and Fu-Pen Chiang; **42** (2), 482-6 (2003).

Hard disk wobble detection using optical triangulation and time-delay integrated imaging. — Tuck Wah Ng and H. K. Sin; **42** (4), 935-8 (2003).

New method for measuring dynamic response of small components by fringe projection. — Cho J. Tay, Chenggen Quan, Huai M. Shang, T. Wu, and Shihua Wang; **42** (6), 1715-20 (2003).

Color texture extraction from fringe image based on full-field projection. — Zonghua Zhang, David Zhang, Xiang Peng, and Xiaotang Hu; **42** (7), 1935-9 (2003).

Determination of strains from fringe patterns using space-frequency representations. — Cesar A. Sciammarella and Taeeeui Kim; **42** (11), 3182-93 (2003).

Simple technique for measurement of residual wedge angle of high optical quality transparent parallel plate. — Sanjib Chatterjee; **42** (11), 3235-8 (2003).

Profilometry by fringe projection. — Luis Salas, Esteban Luna, Javier Salinas, Víctor García, and Manuel Servín; **42** (11), 3307-14 (2003).

### Gases

Examination of thin films of phthalocyanines in plasmon system for application in $NO_2$ sensors. — Jolanta Ignac-Nowicka, Tadeusz Pustelny, Zbigniew Opilski, Erwin Maciak, Wiesław P. Jakubik, and Marian Urbanczyk; **42** (10), 2978-86 (2003).

### Geometric optics

Characterization of a single delamination using geometric moments and genetic algorithms. — Alejandro Maranon, Andrew D. Nurse, and Jonathan M. Huntley; **42** (5), 1328-36 (2003).

Beam shaping with a plano-aspheric lens pair. — John A. Hoffnagle and C. Michael Jefferson; **42** (11), 3090-9 (2003).

Geometric optics-based design of laser beam shapers. — David L. Shealy and Shao-Hua Chao; **42** (11), 3123-38 (2003).

### Glass

Triangular-shaped bulk-optic glass sensor for simultaneous measurement of three ac currents. — Ka Hang Kong, Beatrice C. B. Chu, Henry Shu-Hung Chung, and Kin Seng Chiang; **42** (2), 421-4 (2003).

Design of praseodymium-doped optical waveguides. — Antonella D'Orazio, Marco De Sario, Luciano Mescia, Vincenzo Petruzzelli, Francesco Prudenzano, Anna P. Caricato, Gilberto Leggieri, and Maurizio Martino; **42** (3), 765-72 (2003).

Optical waveguide fabrication by combination of spin-on-glass and plasma-enhanced chemical vapor deposition for optoelectronic integration. — Tomiyuki Arakawa, Tatsushi Hasegawa, and Masatoshi Kagawa; **42** (4), 898-9 (2003).

Striae quality grades for optical glass. — Jackson S. Stroud; **42** (6), 1618-24 (2003).

Glass integrated optics ultranarrow linewidth distributed feedback laser matrix for dense wavelength division multiplexing applications. — Lionel Bastard, Sylvain Blaize, and Jean-Emmanuel Broquin; **42** (10), 2800-4 (2003).

Characterization of ion-exchanged waveguides in tungsten tellurite and zinc tellurite $Er^{3+}$-doped glasses. — G. Nunzi Conti, V. K. Tikhomirov, M. Bettinelli, S. Berneschi, M. Brenci, B. Chen, S. Pelli, A. Speghini, A. B. Seddon, and G. C. Righini; **42** (10), 2805-11 (2003).

Measurement and modeling of ion-exchange parameters for IOG-10 glass. — Peng Y. Choo, Jesse A. Frantz, James T. A. Carriere, David L. Mathine, Raymond K. Kostuk, and Nasser Peyghambarian; **42** (10), 2812-6 (2003).

Advances in silica-based integrated optics. — Mogens Rysholt Poulsen, Peter Ingo Borel, Jacob Fage-Pedersen, Jörg Hübner, Martin Kristensen, Jørn Hedegaard Povlsen, Karsten Rottwitt, Mikael Svalgaard, and Winnie Svendsen; **42** (10), 2821-34 (2003).

Design of a 2-×200-nm bandwith integrated optic duplexer. — Elise Ghibaudo, Jean-Emmanuel Broquin, and Pierre Benech; **42** (10), 2850-5 (2003).

Fabrication of Ag-doped polarizing glass by a sol-gel method. — Dawei Wang, Shiju Guo, and Sheng Yin; **42** (12), 3585-8 (2003).

### Gradient index

Aberration measurements and birefringence effects in gradient index rod relays. — Marcial Montoya, Daniel Malacara-Hernández, and Saul Almazán; **42** (3), 696-700 (2003).

Low-loss optical add drop multiplexer module using a 2×2 port optical device. — M. J. Kim, H. K. Kim, H. M. Lee, H. Y. Park, and S. G. Lee; **42** (9), 2489-90 (2003).

Differential confocal optical system using gradient-index lenses. — Jiubin Tan and Jie Zhang; **42** (10), 2868-71 (2003).

### Grating

Applications of active arrayed-waveguide grating in future wavelength division multiplexing networks. — F. I. El-Nahal and R. J. Mears; **42** (3), 867-74 (2003).

### Gratings

Effect of spontaneous noise on mode-locked fiber grating external cavity lasers. — Nuran Dogru and M. Sadettin Ozyazici; **42** (1), 18-22 (2003).

Numerical optimization approach for designing bandpass filters using fiber Bragg gratings. — Jinho Bae and Joohwan Chun; **42** (1), 23-9 (2003).

Measurements of the temperature profile of a two-dimensional slot burner using a Lau phase interferometer with linear gratings. — Madhuri Thakur, S. K. Angra, and Chandra Shakher; **42** (1), 86-91 (2003).

Continuous true-time-delay beamforming employing a tunable multiwavelength fiber ring laser source with equally increased or decreased wavelength spacing. — Jianliang Yang, Jianping Yao, Yunqi Liu, and Swee Chuan Tjin; **42** (1), 239-44 (2003).

Dispersion compensation and crosstalk reduction in a bidirectional dense wavelength division multiplexing cable television system. — Hai-Han Lu and Wen-Shing Tsai; **42** (1), 281-4 (2003).

Detection sensitivity optimization of optical signals generated by fiber optic Bragg gratings under dynamic excitation. — Grigory Adamovsky, John Lekki, and James A. Lock; **42** (2), 425-30 (2003).

Wavelength multiplexing of microelectromechanical system pressure and temperature sensors using fiber Bragg gratings and arrayed waveguide gratings. — Weizhuo Li, Don C. Abeysinghe, and Joseph T. Boyd; **42** (2), 431-8 (2003).

Response of a fiber Bragg grating ultrasonic sensor. — Pavel Fomitchov and Sridhar Krishnaswamy; **42** (4), 956-63 (2003).

Polarization-isolated electrical modulation of an etched long-period fiber grating with an outer liquid-crystal cladding. — Yoonchan Jeong, Hak-Rin Kim, Seungin Baek, Yonghyun Kim, Yong Wook Lee, Sin-Doo Lee, and Byoungho Lee; **42** (4), 964-8 (2003).

Filtering characteristics and grating images of multiphase grating optical low-pass filters. — Yong-Ho Oh, Jai-Cheol Lee, Sungwoo Lim, Shiho Kim, and Chun-Soo Go; **42** (4), 994-9 (2003).

Collimation testing using photorefractive crystal and temporal coherence. — Arun Anand and C. S. Narayanamurthy; **42** (4), 1108-13 (2003).

Remote sensing with ultra-low-reflective Bragg gratings written in standard telecommunication fiber. — I. Márquez-Borbón, M. G. Shlyagin, O. Esteban, S. V. Miridonov, and V. V. Spirin; **42** (5), 1182-3 (2003).

Simplified model for diffraction analysis of volume holograms. — Ching-Cherng Sun; **42** (5), 1184-5 (2003).

Absolute phase analysis method for three-dimensional surface profilometry using frequency-modulated grating. — Yasuyuki Ikeda, Satoru Yoneyama, Motoharu Fujigaki, and Yoshiharu Morimoto; **42** (5), 1249-56 (2003).

Device for concatenation of phase-shifted long-period grating and its application as gain-flattening fiber filter. — Yinian Zhu, Beatrys M. Lacquet, Pieter L. Swart, Stephanus J. Spammer, Ping Shum, and Chao Lu; **42** (5), 1445-50 (2003).

Optical time-domain reflectometry interrogation of multiplexing low-reflectance Bragg-grating-based sensor system. — Po Zhang, H. H. Cerecedo-Núñez, B. Qi, G. Pickrell, and Anbo Wang; **42** (6), 1597-603 (2003).

Sinusoidal liquid crystal display grating in the Ronchi test. — Miguel Mora-González and Noe Alcalá Ochoa; **42** (6), 1725-9 (2003).

Fabrication of digital sinusoidal gratings and precisely controlled diffusive flats and their application to highly accurate projected fringe profilometry. — Wei-Hung Su, Hongyu Liu, Karl Reichard, Shizhuo Yin, and Francis T. S. Yu; **42** (6), 1730-40 (2003).

Improvement of composite second-order and composite triple-beat performances by using chirped fiber gratings in a wavelength-division-multiplexing transport system. — Hai-Han Lu, Wen-Shing Tsai, Wen-Jen Wang, and Hsu-Hung Huang; **42** (7), 1901-5 (2003).

Temperature-compensated fiber-Bragg-grating-based magnetostrictive sensor for dc and ac currents. — Kin Seng Chiang, Ramesh Kancheti, and Vipul Rastogi; **42** (7), 1906-9 (2003).

Long-period fiber grating effects induced by double-sided loading. — Tsung-Yi Tang, Pao-Yi Tseng, Chung-Yi Chiu, Chih-Nan Lin, C. C. Yang, Yean-Woei Kiang, and Kung-Jen Ma; **42** (7), 1910-4 (2003).

Wavelength tuning and multiple-wavelength array-waveguide-grating lasers. — Shien-Kuei Liaw, Fu-Chung Hung, Zhengchun Xu, Yueguang Jiao, Tao Qin, Hanyi Zhang, Yili Guo, and Xiaoping Zheng; **42** (8), 2178-9 (2003).

Multipoint fiber Bragg grating laser sensor interrogated by the intermodal beating frequency. — Manuel May-Alarcón, E. A. Kuzin, R. A. Vázquez-Sánchez, M. G. Shlyagin, and I. Márquez-Borbón; **42** (8), 2246-9 (2003).

Fiber Bragg-grating-based all-optical microwave filter synthesis using genetic algorithm. — Fei Zeng, Jianping Yao, and Stephen J. Mihailov; **42** (8), 2250-6 (2003).

Simple tunable chirp of fiber Bragg gratings without center wavelength shift. — Riccardo Falciai and Cosimo Trono; **42** (8), 2263-7 (2003).

Comparison of the thermal tuning capability of different types of Bragg grating filters for wavelength division multiplexing applications. — M. J. N. Lima, A. L. J. Teixeira, J. R. Ferreira da Rocha, O. Frazão, and P. S. B. André; **42** (9), 2502-5 (2003).

Learning evolution design of multiband-transmission fiber Bragg grating filters. — Su-Frang Shu, Yinchieh Lai, and Ci-Ling Pan; **42** (10), 2856-60 (2003).

Impacts of cavity losses on cw Raman fiber lasers. — Yong Wang and Hong Po; **42** (10), 2872-9 (2003).

Holographic Gaussian to flat-top beam shaping. — Miroslav Miler, Ivo Aubrecht, and Jan Pala; **42** (11), 3114-22 (2003).

Cantilever optical vibrometer using fiber Bragg grating. — C. Z. Shi, N. Zeng, H. L. Ho, C. C. Chan, M. Zhang, W. Jin, and Y. B. Liao; **42** (11), 3179-81 (2003).

Far-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam incident on the reflection grating. — Hone-Ene Hwang; **42** (11), 3374-82 (2003).

Fabrication method of Bragg gratings in silica channel optical waveguides. — Tomiyuki Arakawa, Yutaka Uno, Hideki Ono, Hiromi Takahashi, Kentaro Harase, and Hideaki Okayama; **42** (12), 3419-20 (2003).

Study of wedge-adjusted Talbot interferometer for writing fiber gratings with variable inscribed Bragg wavelengths. — Chuan Li, Yi-Mo Zhang, Xue-Fei Tian, and Bing-Heng Xiong; **42** (12), 3452-5 (2003).

Phase-shifting diffraction-grating interferometer for testing concave mirrors. — Tae-Joon Hwang and Seung-Woo Kim; **42** (12), 3532-6 (2003).

### Guided waves

K-band phased-array antenna system demonstration using substrate guided wave true-time delay. — Yihong Chen and Ray T. Chen; **42** (7), 2000-5 (2003).

### Halftones

Simulation of the fabrication infidelity of diffractive-optical elements by using halftone gray-scale masks. — J. S. Liu, M. J. Thomson, and M. R. Taghizadeh; **42** (2), 334-9 (2003).

### Heterodyning

Full-field heterodyne interferometer for shape measurement: experimental characteristics of the system. — Tomasz Tkaczyk and Romuald Józwicki; **42** (8), 2391-9 (2003).

### Heterojunctions

Noise modeling of an InP/InGaAs heterojunction bipolar phototransistor. — P. Chakrabarti, Naveen Kumar Agrawal, Pankaj Kalra, Shishir Agrawal, and Gaurav Gupta; **42** (4), 939-47 (2003).

### Holograms

Holographic diffuser for diffuse infrared wireless home networking. — Jianping Yao, George C. K. Chen, and Tuan-Kay Lim; **42** (2), 317-24 (2003).

Spectral-hologram-based correlator for photonic IP router: architectural considerations. — Joewono Widjaja; **42** (3), 747-52 (2003).

Image-plane conical multiplex holography by one-step recording. — Yih-Shyang Cheng and Chien-Mo Lai; **42** (6), 1631-9 (2003).

Production of computer-generated holograms on recordable compact disk media using a compact disk writer. — Adrian Cable, Peter Mash, and Timothy Wilkinson; **42** (9), 2514-20 (2003).

### Holographic optical elements

K-band phased-array antenna system demonstration using substrate guided wave true-time delay. — Yihong Chen and Ray T. Chen; **42** (7), 2000-5 (2003).

### Holography

Polarization-multiplexed volume holograms in $LiNbO_3$ with 90-deg geometry. — Wei-Chia Su, Ching-Cherng Sun, Nicholai Kukhtarev, and Arthur E. T. Chiou; **42** (1), 9-10 (2003).

Three-dimensional optical metrology with extended depth-measuring range using a holographic axilens. — Erez Hasman and Vladimir Kleiner; **42** (1), 132-6 (2003).

Holographic diffuser for diffuse infrared wireless home networking. — Jianping Yao, George C. K. Chen, and Tuan-Kay Lim; **42** (2), 317-24 (2003).

Digital holographic aberration compensation in electron holography. — Cheng Liu, Zhigang Liu, Feng Bo, Yong Wang, and Jianqiang Zhu; **42** (3), 651-5 (2003).

Systematic approach to image formation in digital holography. — Pramod Rastogi and Akshay Sharma; **42** (5), 1208-14 (2003).

Measurement of mechanical properties of materials in the micrometer range using electronic holographic moiré. — Cesar A. Sciammarella and Federico M. Sciammarella; **42** (5), 1215-22 (2003).

Optoelectronic characterization of shape and deformation of MEMS accelerometers used in transportation applications. — Cosme Furlong and Ryszard J. Pryputniewicz; **42** (5), 1223-31 (2003).

Measurement of surface shape and deformation by phase-shifting image digital holography. — Ichirou Yamaguchi, Jun-ichi Kato, and Hirokazu Matsuzaki; **42** (5), 1267-71 (2003).

Mechanical evaluation of finger-jointed timber assemblies using holographic moiré interferometry. — Pramod Rastogi and Jean-Luc Sandoz; **42** (5), 1321-7 (2003).

K100 electronic holography system and HG7000 interferometric computer: instruments for automotive component analysis. — Karl A. Stetson; **42** (5), 1348-53 (2003).

Experimental characterization of phenanthrenequinone-doped poly(methyl methacrylate) photopolymer for volume holographic storage. — Ken Y. Hsu, Shiuan Huei Lin, Yi-Nan Hsiao, and Wha Tzong Whang; **42** (5), 1390-6 (2003).

Incremental update of computer-generated holograms. — Wendy Plesniak; **42** (6), 1560-71 (2003).

Experimental demonstration of the longitudinal image shift in digital holography. — Sergio De Nicola, Pietro Ferraro, Andrea Finizio, Simonetta Grilli, and Giovanni Pierattini; **42** (6), 1625-30 (2003).
Image-plane conical multiplex holography by one-step recording. — Yih-Shyang Cheng and Chien-Mo Lai; **42** (6), 1631-9 (2003).
Digital microholointerferometer: development and validation. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **42** (8), 2218-24 (2003).
Effect of the fill factor of CCD pixels on digital holograms: comment on the papers "Frequency analysis of digital holography" and "Frequency analysis of digital holography with reconstruction by convolution". — Cheng-Shan Guo, Li Zhang, Zhen-Yu Rong, and Hui-Tian Wang; **42** (9), 2768-71 (2003).
Response to "Effect of the fill factor of CCD pixels on digital holograms: comment on the papers 'Frequency analysis of digital holography' and 'Frequency analysis of digital holography with reconstruction by convolution' ". — Thomas M. Kreis; **42** (9), 2772 (2003).
Fabrication of optical structures using SU-8 photoresist and chemically assisted ion beam etching. — Lin Pang, Wataru Nakagawa, and Yeshaiahu Fainman; **42** (10), 2912-7 (2003).
Holographic Gaussian to flat-top beam shaping. — Miroslav Miler, Ivo Aubrecht, and Jan Pala; **42** (11), 3114-22 (2003).
Measurement of microthermal deformations in an optical pick-up base using holographic interferometry. — Youngmin Seo, Sunghoon Cho, and Shinill Kang; **42** (11), 3198-203 (2003).
Shack-Hartmann wavefront sensor with holographic memory. — Jung-Young Son, Dmytro V. Podanchuk, Volodymir P. Dan'ko, and Kae-Dal Kwak; **42** (11), 3389-98 (2003).
Simultaneous measurement of displacement and its spatial derivatives with a digital holographic method. — Liu Cheng; **42** (12), 3443-6 (2003).

**Holography applications**

Image-plane conical multiplex holography by one-step recording. — Yih-Shyang Cheng and Chien-Mo Lai; **42** (6), 1631-9 (2003).

**Homodyning**

Study of homodyne crosstalk accumulation in wavelength-division-multiplexed networks based on adaptive importance sampling method. — Min Rao, Xiaohan Sun, and Mingde Zhang; **42** (7), 2150-4 (2003).
Coherent telescope array with self-homodyne interferometric detection for optical communications. — Bernard Eng-Kie Souw; **42** (11), 3139-57 (2003).

**Illumination**

Color correction of metal halide arc lamp sources. — Ronald A. Ferrante, Michael L. Fulton, Robert Cabrera, James Walker, and Holger Claus; **42** (7), 2155-9 (2003).
Image segmentation by merge-split method based on relation stable state. — Mingwu Ren, Jingyu Yang, and Han Sun; **42** (8), 2362-7 (2003).
Model for illumination-dependent trap occupancy in optically biased GaN metal-semiconductor field effect transistor for improved electrical characteristics. — Adarsh Singh, Mridula Gupta, and R. S. Gupta; **42** (9), 2563-7 (2003).
Analysis of measurement accuracy of quadrilateral hole using optical inner-diameter-measuring machine. — Ekrit Liangpanich, Nobuyuki Akiyama, Masahiro Yoshida, and Kazutoshi Kuwabara; **42** (9), 2568-75 (2003).
Fabrication of a complex-shaped mirror for an extreme ultraviolet lithography illumination system. — Hideo Takino, Teruki Kobayashi, Norio Shibata, Masaaki Kuki, Akinori Itoh, and Hideki Komatsuda; **42** (9), 2676-82 (2003).
Beam shaping with a plano-aspheric lens pair. — John A. Hoffnagle and C. Michael Jefferson; **42** (11), 3090-9 (2003).
Recording on $As_2S_3$ glassy films by pulsed and continuous illumination—optical evaluation and comparison. — Boris Spektor, Joseph Shamir, Victor Lyubin, and Matvei Klebanov; **42** (11), 3279-84 (2003).

**Image acquisition**

Use of a photosimulation laboratory for estimating vehicle detection probability. — Thomas J. Meitzler, David Bednarz, Darryl Bryk, Kimberly Lane, and Euijung Sohn; **42** (6), 1820-5 (2003).
Color texture extraction from fringe image based on full-field projection. — Zonghua Zhang, David Zhang, Xiang Peng, and Xiaotang Hu; **42** (7), 1935-9 (2003).

**Image analysis**

Using invariants to recognize airplanes in inverse synthetic aperture radar images. — Shen-Chi Tien, Tsorng-Lin Chia, and Yibin Lu; **42** (1), 200-10 (2003).
Video shot boundary detection using relative difference between frames. — In-Shik Jeong and Oh-Jin Kwon; **42** (3), 604-5 (2003).
Operational parametrization of the 1/*f* noise of a sequence of frames by means of the principal component analysis in focal plane arrays. — José Manuel López-Alonso and Javier Alda; **42** (7), 1915-22 (2003).
Greedy modular eigenspaces and positive Boolean function for supervised hyperspectral image classification. — Yang-Lang Chang, Chin-Chuan Han, Kuo-Chin Fan, K. S. Chen, Chia-Tang Chen, and Jeng-Horng Chang; **42** (9), 2576-87 (2003).
Improved approach for object location under affine transformation using the Hausdorff distance. — Xiaoming Peng, Mingyue Ding, Chengping Zhou, and Tianxu Zhang; **42** (10), 2794-5 (2003).

**Image compression**

Efficient disparity estimation algorithm based on spatial correlation. — Jin-Woo Bae, Ho-Chong Park, Eun-Soo Kim, and Ji-Sang Yoo; **42** (1), 176-81 (2003).
Residual image coding for stereo image compression. — Tamás Frajka and Kenneth Zeger; **42** (1), 182-9 (2003).
Optimal model for biorthogonal wavelet filters. — Guoqiu Wang and Weiwei Yuan; **42** (2), 350-6 (2003).
Linear prediction in lossless compression of hyperspectral images. — Jarno Mielikainen, Pekka Toivanen, and Arto Kaarna; **42** (4), 1013-7 (2003).
Differential pulse code modulation predictor design procedure using a genetic algorithm. — Yung-Gi Wu; **42** (6), 1649-55 (2003).
New high-fidelity medical image compression based on modified set partitioning in hierarchical trees. — Shen-Chuan Tai, Yen-Yu Chen, and Wen-Chien Yan; **42** (7), 1956-63 (2003).
Low-complexity and low-bit-rate image compression scheme based on absolute moment block truncation coding. — Yu-Chen Hu; **42** (7), 1964-75 (2003).
Secret image sharing with capability of share data reduction. — Chang-Chou Lin and Wen-Hsiang Tsai; **42** (8), 2340-5 (2003).
Fast algorithm for discrete cosine transform (DCT)-domain image downsampling using Winograd DCTs. — Donyeon Kim and Yoonsik Choe; **42** (9), 2485-6 (2003).
Fast loop filtering using separable characteristics of the integer 2-D discrete cosine transform. — Yung-Lyul Lee, Il-Hong Shin, and Hyun Wook Park; **42** (9), 2588-94 (2003).
Reducing artifacts in block-coded images using adaptive constraints. — Ju Jia Zou, Hong Yan, and David C. Levy; **42** (10), 2900-11 (2003).
Transform domain enhanced resizing for a discrete-cosine-transform-based codec. — Gun Shik Shin and Moon Gi Kang; **42** (11), 3204-14 (2003).
Disparity estimation window size. — Tamás Frajka and Kenneth Zeger; **42** (11), 3334-41 (2003).

**Image enhancement**

Adaptive neighborhood contrast enhancement in mammographic phantom images. — Vincente H. Guis, Mouloud Adel, Monique Rasigni, Georges Rasigni, Brigitte Séradour, and Patrice Heid; **42** (2), 357-66 (2003).

**Image formation**

Compact robotics perception system based on a laser range finder coupled with silicon micromirrors. — Marc Lescure, Christian Ganibal, Roland Prajoux, and Maurice Briot; **42** (9), 2653-8 (2003).

**Image intensifiers**

Fifty-percent probability of identification ($N_{50}$) comparison for targets in the visible and infrared spectral bands. — John D. O'Connor, Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, and Jeff Olson; **42** (10), 3047-52 (2003).

**Image processing**

Measurements of the temperature profile of a two-dimensional slot burner using a Lau phase interferometer with linear gratings. — Madhuri Thakur, S. K. Angra, and Chandra Shakher; **42** (1), 86-91 (2003).
Three-dimensional surface profile measurement of a moving object by a spatial-offset phase stepping method. — Satoru Yoneyama, Yoshiharu Morimoto, Motoharu Fujigaki, and Yasuyuki Ikeda; **42** (1), 137-42 (2003).
Texture feature coding method for texture classification. — Ming-Huwi Horng; **42** (1), 228-38 (2003).
Rotation-, scale-, and translation-invariant image watermark using higher order spectra. — Hyung-Shin Kim, Yunju Baek, and Heung-Kyu Lee; **42** (2), 340-9 (2003).
Automatic object identification irrespective of geometric changes. — José Luis Pech-Pacheco, Josué Alvarez-Borrego, Gabriel Cristóbal, and Matthias S. Keil; **42** (2), 551-9 (2003).

**Image Processing**

Comparison of motion-compensated algorithms for frame interpolation. — Demin Wang; **42** (2), 586-90 (2003).

**Image processing**

Efficient gamut clipping for color image processing using LHS and YIQ. — Christopher C. Yang and S. H. Kwok; **42** (3), 701-11 (2003).
Invariant object recognition under three-dimensional rotations and changes of scale. — Sébastien Roy, Henri H. Arsenault, and Daniel Lefebvre; **42** (3), 813-21 (2003).
Multispectral three-dimensional digital infrared thermal imaging. — Hai Xiao, Yibing Zhang, and Anbo Wang; **42** (4), 906-11 (2003).
Linear prediction in lossless compression of hyperspectral images. — Jarno Mielikainen, Pekka Toivanen, and Arto Kaarna; **42** (4), 1013-7 (2003).
Karhunen-Loeve expansion of stationary random signals with exponentially oscillating covariance function. — Vitaly Kober and Josué Alvarez-Borrego; **42** (4), 1018-23 (2003).
Watermarking approach to embedded signature-based authentication by channel statistics. — Zhi-Fang Yang and Wen-Hsiang Tsai; **42** (4), 1157-65 (2003).
Contour-based image registration with local deformations. — Wen-Nung Lie and Cheng-Hung Chuang; **42** (5), 1405-16 (2003).
Improved vector filtering for color images using fuzzy noise detection. — Edward S. Hore, Bin Qiu, and Hong Ren Wu; **42** (6), 1656-64 (2003).
Multispectral illumination invariant classification with three visible bands and a near-infrared band. — Toshihiro Okamura, Jun-ichi Kudo, and Kunihiro Tanikawa; **42** (6), 1665-72 (2003).
New disparity estimation scheme based on adaptive matching windows for intermediate view reconstruction. — Kyung-Hoon Bae, Jung-Jin Kim, and Eun-Soo Kim; **42** (6), 1778-86 (2003).
Robust watermarking scheme for still images using frequency shift keying with high-variance block selection. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (6), 1826-35 (2003).
Multichannel optical correlator for texture classification. — Joaquim Barbé, Juan Campos, Josep Nicolás, and Claudio Iemmi; **42** (7), 2062-7 (2003).
New least-significant-bit-based steganographic model. — Hua Zhong, Li-Cheng Jiao, and Fang Liu; **42** (7), 2082-91 (2003).
Optical method for detecting displacement of a car in stereo images. — Osami Sasaki, Kenichi Sakata, and Takamasa Suzuki; **42** (7), 2092-5 (2003).
Architecture of a configurable 2-D adaptive filter used for small object detection and digital image processing. — Hongshi Sang, Xubang Shen, and Chaoyang Chen; **42** (8), 2182-9 (2003).
Fast algorithm for discrete cosine transform (DCT)-domain image downsampling using Winograd DCTs. — Donyeon Kim and Yoonsik Choe; **42** (9), 2485-6 (2003).
Morphological operators for color image processing based on Mahalanobis distance measure. — Hazem Munawer Al-Otum; **42** (9), 2595-606 (2003).
Measuring 3-D shapes of a human face using photometric stereo method with color light sources and slit patterns. — Hitoshi Saji and Hiromasa Nakatani; **42** (9), 2727-33 (2003).
Public-key image steganography using discrete cosine transform and quadtree partition vector quantization coding. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (10), 2886-92 (2003).
Improved multilevel successive elimination algorithm using efficient decision conditions. — Tae Gyoung Ahn, Yong Ho Moon, and Jae Ho Kim; **42** (11), 3247-52 (2003).
New hybrid opto-electronic method for fast and unsupervised object detection. — Jean-Baptiste Fasquel and Michel Bruynooghe; **42** (11), 3352-64 (2003).
Imaging and analysis of forensic striation marks. — Michael Heizmann and Fernando Puente León; **42** (12), 3423-32 (2003).
Restoration of interlaced images degraded by variable velocity motion. — Yitzhak Yitzhaky and Adrian Stern; **42** (12), 3557-65 (2003).

**Image quality**

Adaptive neighborhood contrast enhancement in mammographic phantom images. — Vincente H. Guis, Mouloud Adel, Monique Rasigni, Georges Rasigni, Brigitte Séradour, and Patrice Heid; **42** (2), 357-66 (2003).
Synthetic aperture radar target acquisition model based on a National Imagery Interpretability Rating Scale to probability of discrimination conversion. — Ronald G. Driggers, James A. Ratches, Jon C. Leachtenauer, and Regina W. Kistner; **42** (7), 2104-12 (2003).
Improved multilevel successive elimination algorithm using efficient decision conditions. — Tae Gyoung Ahn, Yong Ho Moon, and Jae Ho Kim; **42** (11), 3247-52 (2003).

**Image Reconstruction**

Partitioned computing architectures for image noise reduction. — R. Sundaram; **42** (1), 47-53 (2003).

**Image reconstruction**

Multispectral three-dimensional digital infrared thermal imaging. — Hai Xiao, Yibing Zhang, and Anbo Wang; **42** (4), 906-11 (2003).

Experimental demonstration of the longitudinal image shift in digital holography. — Sergio De Nicola, Pietro Ferraro, Andrea Finizio, Simonetta Grilli, and Giovanni Pierattini; **42** (6), 1625-30 (2003).

Public-key-based optical image cryptosystem based on data embedding techniques. — Guo-Shiang Lin, Hsuan T. Chang, Wen-Nung Lie, and Cheng-Hung Chuang; **42** (8), 2331-9 (2003).

Fast algorithm for discrete cosine transform (DCT)-domain image downsampling using Winograd DCTs. — Donyeon Kim and Yoonsik Choe; **42** (9), 2485-6 (2003).

Image reconstruction with a half-detector in single-photon emission computed tomography with nonuniform attenuation. — Emil Y. Sidky and Xiaochuan Pan; **42** (9), 2506-13 (2003).

Limited-angle optical computed tomography algorithms. — Xiong Wan, Yiqing Gao, Qing Wang, Shuping Le, and Shenglin Yu; **42** (9), 2659-69 (2003).

Classification of single-particle two-dimensional angular optical scattering patterns and heuristic scatterer reconstruction. — Giovanni F. Crosta, Simeone Zomer, Yong-Le Pan, and Stephen Holler; **42** (9), 2689-701 (2003).

Fast surface approximation for volume and surface area measurements using distance transform. — D. J. Lee, Joseph Eifert, Pengcheng Zhan, and Benjamin Westover; **42** (10), 2947-55 (2003).

Interlaced interpolation weighting functions for multislice helical computed tomography. — Patrick J. La Rivière and Xiaochuan Pan; **42** (12), 3461-70 (2003).

**Image recording**

Image-plane conical multiplex holography by one-step recording. — Yih-Shyang Cheng and Chien-Mo Lai; **42** (6), 1631-9 (2003).

**Image restoration**

Effects of image restoration on target acquisition. — Norman S. Kopeika, Stanley R. Rotman, Israel Taig, and Ariel Vander; **42** (2), 534-40 (2003).

Simultaneous image restoration and distance estimation of an object from a strongly defocused photon image. — Shinya Ono and Shinichi Komatsu; **42** (4), 1024-8 (2003).

Fast algorithm for discrete cosine transform (DCT)-domain image downsampling using Winograd DCTs. — Donyeon Kim and Yoonsik Choe; **42** (9), 2485-6 (2003).

New image super-resolution scheme based on residual error restoration by neural networks. — Fengzhi Pan and Liming Zhang; **42** (10), 3038-46 (2003).

Transform domain enhanced resizing for a discrete-cosine-transform-based codec. — Gun Shik Shin and Moon Gi Kang; **42** (11), 3204-14 (2003).

Fast restoration approach for rotational motion blurred image based on deconvolution along the blurring paths. — Hanyu Hong and Tianxu Zhang; **42** (12), 3471-86 (2003).

Restoration of interlaced images degraded by variable velocity motion. — Yitzhak Yitzhaky and Adrian Stern; **42** (12), 3557-65 (2003).

**Image segmentation**

Hierarchical spatiotemporal moving object segmentation based on a binary split algorithm. — Young Sik Park, Eui Yoon Chung, Gi Seok Kim, and Yeong Ho Ha; **42** (1), 245-54 (2003).

CORAL: collective rationality for the allocation of bits. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Xose R. Fdez-Vidal; **42** (4), 1000-12 (2003).

Method to segment the brain automatically applied to a magnetic resonance imaging sequence. — Vianney Le Thuc, Abdelmalik Taleb-Ahmed, Xavier Leclerc, and Thierry Saint Michel; **42** (7), 1976-92 (2003).

Novel approach for region merging and image segmentation for human-computer interaction. — Jinghe Yuan, Zhizhan Xu, Sumei Li, and Yanxin Zhang; **42** (8), 2277-80 (2003).

Image segmentation by merge-split method based on relation stable state. — Mingwu Ren, Jingyu Yang, and Han Sun; **42** (8), 2362-7 (2003).

**Image storage**

Use of a photosimulation laboratory for estimating vehicle detection probability. — Thomas J. Meitzler, David Bednarz, Darryl Bryk, Kimberly Lane, and Euijung Sohn; **42** (6), 1820-5 (2003).

New high-fidelity medical image compression based on modified set partitioning in hierarchical trees. — Shen-Chuan Tai, Yen-Yu Chen, and Wen-Chien Yan; **42** (7), 1956-63 (2003).

**Image systems**

Analysis of the Naval Observatory Flagstaff Station 1-m telescope using annular Zernike polynomials. — Sergio R. Restaino, Scott W. Teare, Michael DiVittorio, G. Charmaine Gilbreath, and David Mozurkewich; **42** (9), 2491-5 (2003).

**Image transmission**

Scalable and robust image transmission using block-based layered set partitioning in hierarchical trees. — Wen-Jyi Hwang, Ching-Fung Chine, and Wen-Liang Hwang; **42** (5), 1397-404 (2003).

Image recovery from noisy transmission using soft bits and Markov random field models. — Alfred Mertins; **42** (10), 2893-9 (2003).

Self-control of quantizer risk attitude in rational embedded wavelet image coding. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Javier Martinez-Baena; **42** (11), 3215-34 (2003).

**Imaging**

Hard disk wobble detection using optical triangulation and time-delay integrated imaging. — Tuck Wah Ng and H. K. Sin; **42** (4), 935-8 (2003).

Simultaneous image restoration and distance estimation of an object from a strongly defocused photon image. — Shinya Ono and Shinichi Komatsu; **42** (4), 1024-8 (2003).

Image assessment of a birefringent lens based on the factor of encircled energy. — Sucharita Sanyal and Ajay Ghosh; **42** (4), 1058-64 (2003).

Investigation on convergence behaviors of the differential method for 2-D motion parameter estimation. — Sang-hee Lee, Kook-yeol Yoo, and Jae-kyoon Kim; **42** (4), 1065-75 (2003).

Signal-to-clutter measure for measuring automatic target recognition performance using complimentary eigenvalue distribution analysis. — Abhijit Mahalanobis, S. Richard F. Sims, and Alan Van Nevel; **42** (4), 1144-51 (2003).

Continuous unconstrained range sensing of free-form surfaces without sensor-head pose measurement. — Jonathan Kofman and George K. Knopf; **42** (5), 1496-510 (2003).

Formation of orthoscopic three-dimensional real images in direct pickup one-step integral imaging. — Ju-Seog Jang and Bahram Javidi; **42** (7), 1869-70 (2003).

General construction of wavelet filters via a lifting scheme and its application in image coding. — DianLong Liang, Lizhi Cheng, and ZengHui Zhang; **42** (7), 1949-55 (2003).

Fluorescent microscopy of wet-cleaned surfaces: imaging of water stains distribution. — K. Mikhaylichenko and V. V. Yakovlev; **42** (7), 2051-5 (2003).

New least-significant-bit-based steganographic model. — Hua Zhong, Li-Cheng Jiao, and Fang Liu; **42** (7), 2082-91 (2003).

Limiting aspect ratios of Sagnac interferometers. — R. Glenn Sellar and Glenn D. Boreman; **42** (11), 3320-5 (2003).

**Imaging systems**

Resolution requirements for alphanumeric readability. — John Lester Miller and John M. Wiltse; **42** (3), 846-52 (2003).

Geometric calibration models of infrared cameras and scanners for photogrammetric and remote sensing applications. — Gürcan Büyüksalih; **42** (7), 1923-34 (2003).

Visual range of low-light-level night vision goggles for driving. — Lei Liu and Benkang Chang; **42** (7), 2056-61 (2003).

Parameters for designing autostereoscopic imaging systems based on lenticular, parallax barrier, and integral photography plates. — Jung-Young Son, Vladmir V. Saveljev, Yong-Jin Choi, Ji-Eun Bahn, Sung-Kyu Kim, and Hyunhee Choi; **42** (11), 3326-33 (2003).

Adaptive anomaly detection using subspace separation for hyperspectral imagery. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (11), 3342-51 (2003).

**Information processing**

Bayes factors for edge detection from wavelet product spaces. — Fionn Murtagh and Jean-Luc Starck; **42** (5), 1375-82 (2003).

**Information storage**

Hard disk wobble detection using optical triangulation and time-delay integrated imaging. — Tuck Wah Ng and H. K. Sin; **42** (4), 935-8 (2003).

**Infrared**

Holographic diffuser for diffuse infrared wireless home networking. — Jianping Yao, George C. K. Chen, and Tuan-Kay Lim; **42** (2), 317-24 (2003).

Object detection in cluttered infrared images. — Kjell Brunnström, Bo N. Schenkman, and Bengt Jacobson; **42** (2), 388-99 (2003).

Automatic target recognition using boundary partitioning and invariant features in forward-looking infrared images. — Sun-Gu Sun and Hyun Wook Park; **42** (2), 524-33 (2003).

Alternative measurement techniques for infrared sensor performance. — Arie N. de Jong, Eric M. Franken, and Hans Winkel; **42** (3), 712-24 (2003).

Wide-angle achromatic prism beam steering for infrared countermeasure applications. — Bradley D. Duncan, Philip J. Bos, and Vassili Sergan; **42** (4), 1038-47 (2003).

Contour-based image registration with local deformations. — Wen-Nung Lie and Cheng-Hung Chuang; **42** (5), 1405-16 (2003).

Introducing anisotropy in the autocorrelation function of natural terrain infrared images. — Zadok Hadas, Kalman Wilner, and Nissim Ben-Yosef; **42** (6), 1683-9 (2003).

Rule-based target differentiation and position estimation based on infrared intensity measurements. — Tayfun Aytaç and Billur Barshan; **42** (6), 1766-71 (2003).

Geometric calibration models of infrared cameras and scanners for photogrammetric and remote sensing applications. — Gürcan Büyüksalih; **42** (7), 1923-34 (2003).

Information differences between subbands of the mid-wave infrared spectrum. — Steve Moyer, Ronald G. Driggers, Richard H. Vollmerhausen, Michael A. Soel, Gisele Welch, and William T. Rhodes; **42** (8), 2296-303 (2003).

Double-heterojunction photodetector for midinfrared applications: theoretical model and experimental results. — P. Chakrabarti, A. Krier, and A. F. Morgan; **42** (9), 2614-23 (2003).

Fifty-percent probability of identification ($N_{50}$) comparison for targets in the visible and infrared spectral bands. — John D. O'Connor, Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, and Jeff Olson; **42** (10), 3047-52 (2003).

Image restoration from camera vibration and object motion blur in infrared staggered time-delay and integration systems. — Sergey Raiter, Adrian Stern, Ofer Hadar, and Norman S. Kopeika; **42** (11), 3253-64 (2003).

Digital optical switch based on amorphous silicon waveguide. — L. Sirleto, M. Iodice, I. Rendina, and F. G. Della Corte; **42** (12), 3417-8 (2003).

Power, efficiency, and polarization analysis of a beamsplitter for the equipartition of infrared input power in the presence of angular, film-thickness, and spectral deviations. — A. M. El-Saba and Rasheed M. A. Azzam; **42** (12), 3487-90 (2003).

Third-generation infrared photon detectors. — Antoni Rogalski; **42** (12), 3498-516 (2003).

Heat transfer analysis of a dynamic infrared-to-visible converter. — Jaime Sandoval, Gonzalo Paez, and Marija Strojnik; **42** (12), 3517-23 (2003).

Position-invariant surface recognition and localization using infrared sensors. — Billur Barshan and Tayfun Aytaç; **42** (12), 3589-94 (2003).

**Infrared imaging**

Object detection in cluttered infrared images. — Kjell Brunnström, Bo N. Schenkman, and Bengt Jacobson; **42** (2), 388-99 (2003).

Automatic target recognition using boundary partitioning and invariant features in forward-looking infrared images. — Sun-Gu Sun and Hyun Wook Park; **42** (2), 524-33 (2003).

Impact of speckle on laser range-gated shortwave infrared imaging system target identification performance. — Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, Carl Halford, and Kenneth J. Barnard; **42** (3), 738-46 (2003).

Constrained energy minimization and the target-constrained interference-minimized filter. — Steven Johnson; **42** (6), 1850-4 (2003).

**Infrared optics**

Design of a multiple-field-of-view optical system for 3- to 5-$\mu$m infrared focal-plane arrays. — Muhammad Nadeem Akram; **42** (6), 1704-14 (2003).

**Infrared spectroscopy**

Fabrication of a far-infrared photodetector based on InAs/GaAs quantum-dot superlattices. — Yi-Chang Cheng, San-Te (Ching-Ming) Yang, Jyh-Neng Yang, Wen-How Lan, Liann-Be Chang, and Li-Zen Hsieh; **42** (1), 119-23 (2003).

Correlation spectroscopy with diffractive grating synthetic spectra and orthogonal subspace projection filters. — Avishai Ben-David, Agustin Ifarraguerri, and Alan C. Samuels; **42** (2), 325-33 (2003).

**Infrared systems**

Impact of speckle on laser range-gated shortwave infrared imaging system target identification performance. — Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, Carl Halford, and Kenneth J. Barnard; **42** (3), 738-46 (2003).

**Inteferometry**

Sensitivity improvement in phase-shifted moiré interferometry using 1-D continuous wavelet transform image processing. — Heng Liu, Alexander N. Cartwright, and Cemal Basaran; **42** (9), 2646-52 (2003).

**Integraged optics**

Applications of active arrayed-waveguide grating in future wavelength division multiplexing networks. — F. I. El-Nahal and R. J. Mears; **42** (3), 867-74 (2003).

**Integrated circuits**

Investigation of optical interconnect receivers in standard micron and submicron MOS technology. — Thomas Heide and Horst Zimmermann; **42** (3), 773-86 (2003).

Optical sensor for semiconductor chip bonding. — T. W. Ng and C. W. Ng; **42** (12), 3572-4 (2003).

**Integrated optics**

Multiaxial beam combiner for optical coherence tomography. — Matthieu Nannini, Philippe Nerin, Pierre Benech, and Isabelle Schanen-Duport; **42** (1), 75-9 (2003).

Polymer-based thermo-optic waveguide beam deflector with novel dual folded-thin-strip heating electrodes. — Jin-Ha Kim, Lin Sun, Chiou-Hung Jang, Chul-Chae Choi, and Ray T. Chen; **42** (3), 620-4 (2003).

Investigation of optical interconnect receivers in standard micron and submicron MOS technology. — Thomas Heide and Horst Zimmermann; **42** (3), 773-86 (2003).

Front-end sources of the LIL-LMJ fusion lasers: progress report and prospects. — Alain Jolly, J. F. Gleyze, J. Luce, H. Coic, and G. Deschaseaux; **42** (5), 1427-38 (2003).

Numerical analysis of amplification characteristic of ytterbium-sensitized erbium-doped waveguide amplifiers by the finite difference beam propagation method. — Zhong Yu, Wei Wei, and Xun Hou; **42** (10), 2790-1 (2003).

Glass integrated optics ultranarrow linewidth distributed feedback laser matrix for dense wavelength division multiplexing applications. — Lionel Bastard, Sylvain Blaize, and Jean-Emmanuel Broquin; **42** (10), 2800-4 (2003).

Advances in silica-based integrated optics. — Mogens Rysholt Poulsen, Peter Ingo Borel, Jacob Fage-Pedersen, Jörg Hübner, Martin Kristensen, Jørn Hedegaard Povlsen, Karsten Rottwitt, Mikael Svalgaard, and Winnie Svendsen; **42** (10), 2821-34 (2003).

Design of a 2-×200-nm bandwith integrated optic duplexer. — Elise Ghibaudo, Jean-Emmanuel Broquin, and Pierre Benech; **42** (10), 2850-5 (2003).

Digital optical switch based on amorphous silicon waveguide. — L. Sirleto, M. Iodice, I. Rendina, and F. G. Della Corte; **42** (12), 3417-8 (2003).

**Interconnects**

Wavelength division multiplexers/demultiplexers for optical interconnects in massively parallel processing. — Feng Zhao, Yun Zhang, Jizuo Zou, Zhong Shi, Bipin Bihari, Edward Frietman, Xuegong Deng, Jie Cui, Zan Shi, and Ray T. Chen; **42** (1), 273-80 (2003).

**Interference**

Multimode-interference-type thermo-optic variable optical attenuator with a response frequency of 10 kHz. — Lin Yang, Yuliang Liu, Yi Cheng, Wei Wang, and Qiming Wang; **42** (3), 606-7 (2003).

Valve cone measurement using white light interference microscopy in a spherical measurement geometry. — Peter de Groot and Xavier Colonna de Lega; **42** (5), 1232-7 (2003).

Size tolerance analysis of a 4×4 tapered multimode interference coupler in a silicon-on-insulator structure. — Qingfeng Yan, Jinzhong Yu, and Zhongli Liu; **42** (8), 2235-9 (2003).

Three-dimensional profilometer for supersmooth surface. — Yuanqing Wang; **42** (10), 3013-6 (2003).

Passive wavelength monitor based on multimode interference waveguide. — C. Sookdhis, T. Mei, H. S. Djie, and J. Arokiaraj; **42** (12), 3421-2 (2003).

**Interferometers**

Phase-shifting Fizeau interference microscope with a wavelength-shifted laser diode. — Yukihiro Ishii, Jun Chen, Ribun Onodera, and Taizo Nakamura; **42** (1), 60-7 (2003).

Multiaxial beam combiner for optical coherence tomography. — Matthieu Nannini, Philippe Nerin, Pierre Benech, and Isabelle Schanen-Duport; **42** (1), 75-9 (2003).

Measurement of the temperature of a gaseous flame using a shearing plate. — Priti Singh and Chandra Shakher; **42** (1), 80-5 (2003).

Measurements of the temperature profile of a two-dimensional slot burner using a Lau phase interferometer with linear gratings. — Madhuri Thakur, S. K. Angra, and Chandra Shakher; **42** (1), 86-91 (2003).

Large surface profile measurement with instantaneous phase-shifting interferometry. — N. R. Sivakumar, W. K. Hui, K. Venkatakrishnan, and B. K. A. Ngoi; **42** (2), 367-72 (2003).

Detection sensitivity optimization of optical signals generated by fiber optic Bragg gratings under dynamic excitation. — Grigory Adamovsky, John Lekki, and James A. Lock; **42** (2), 425-30 (2003).

Measurement of dynamic deformations using a path-unbalance Michelson-interferometer-based optical fiber sensing device. — Sandra LLoret, Pramod Rastogi, Luc Thévenaz, and Daniele Inaudi; **42** (3), 662-9 (2003).

Fiber-optic current sensor. — Wuu-Wen Lin; **42** (4), 896-7 (2003).

Signal processing methods to improve the performance of a compact Fourier transform spectrometer. — Stéphanie Prunet, Cécile Durieu, and Bernard Journet; **42** (4), 985-93 (2003).

Simple technique for polishing laser rods. — Sanjib Chatterjee; **42** (4), 1076-83 (2003).

Two-dimensional rotation angle measurement using a sinusoidal phase-modulating laser diode interferometer. — Osami Sasaki, Chikao Togashi, and Takamasa Suzuki; **42** (4), 1132-6 (2003).

Ultrafast all-optical exclusive OR operation with semiconductor optical amplifier-assisted fiber Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (9), 2481-2 (2003).

10-GHz all-optical recirculating shift register with semiconductor optical amplifier (SOA)-assisted Sagnac switch and SOA feedback. — T. Houbavlis and K. E. Zoiros; **42** (9), 2483-4 (2003).

Fiber optic microampere dc current sensor. — Wuu-Wen Lin, Shih-Chu Huang, and Mao-Hsiung Chen; **42** (9), 2551-7 (2003).

Diaphragm-type fiber-optic interferometric acoustic sensor. — Nan Zeng, Chunzheng Shi, Dongning Wang, Min Zhang, and Yanbiao Liao; **42** (9), 2558-62 (2003).

Design of the fiber optic distributed acoustic sensor based on Michelson interferometer and its location application. — Changsen Sun and Farhad Ansari; **42** (10), 2987-93 (2003).

Novel data processing techniques for dispersive white light interferometer. — Bing Qi, Gary R. Pickrell, JunCheng Xu, Po Zhang, Yuhong Duan, Wei Peng, Zhenyu Huang, Wei Huo, Hai Xiao, Russell G. May, and Anbo Wang; **42** (11), 3165-71 (2003).

Simple technique for measurement of residual wedge angle of high optical quality transparent parallel plate. — Sanjib Chatterjee; **42** (11), 3235-8 (2003).

Limiting aspect ratios of Sagnac interferometers. — R. Glenn Sellar and Glenn D. Boreman; **42** (11), 3320-5 (2003).

Study of wedge-adjusted Talbot interferometer for writing fiber gratings with variable inscribed Bragg wavelengths. — Chuan Li, Yi-Mo Zhang, Xue-Fei Tian, and Bing-Heng Xiong; **42** (12), 3452-5 (2003).

Phase-shifting diffraction-grating interferometer for testing concave mirrors. — Tae-Joon Hwang and Seung-Woo Kim; **42** (12), 3532-6 (2003).

**Interferometers: Profiling**

Equal optical path beamsplitter for a pencil beam interferometer and shearing interferometer. — Shinan Qian and Peter Z. Takacs; **42** (4), 929-34 (2003).

**Interferometry**

High-stability white-light interferometry with reference signal for real-time correction of scanning errors. — Artur Olszak and Joanna Schmit; **42** (1), 54-9 (2003).

Deformation measurement of a micro-rf capacitive switch membrane using laser interferometry. — C. Quan, S. H. Wang, C. J. Tay, A. Q. Liu, and H. M. Shang; **42** (1), 92-7 (2003).

Optical fiber interferometer for measuring the *in situ* deflection characteristics of microelectromechanical structures. — Tristan J. Tayag, Edward S. Kolesar, Brandon D. Pitt, Kam See Hoon, James Marchetti, and Ijaz H. Jafri; **42** (1), 105-11 (2003).

Large surface profile measurement with instantaneous phase-shifting interferometry. — N. R. Sivakumar, W. K. Hui, K. Venkatakrishnan, and B. K. A. Ngoi; **42** (2), 367-72 (2003).

Spatial coherence radar applied for tilted surface profilometry. — Mark Gokhler, Zhihui Duan, Joseph Rosen, and Mitsuo Takeda; **42** (3), 830-6 (2003).

Numerical phase front propagation for a large-baseline space interferometer. — Miltiadis V. Papalexandris and Eugene Waluschka; **42** (4), 1029-37 (2003).

Unified approach for holography and shearography in surface deformation measurement and nondestructive testing. — Michael Y. Y. Hung, H. M. Shang, and Lianxiang Yang; **42** (5), 1197-207 (2003).

Systematic approach to image formation in digital holography. — Pramod Rastogi and Akshay Sharma; **42** (5), 1208-14 (2003).

Valve cone measurement using white light interference microscopy in a spherical measurement geometry. — Peter de Groot and Xavier Colonna de Lega; **42** (5), 1232-7 (2003).

Mechanical evaluation of finger-jointed timber assemblies using holographic moiré interferometry. — Pramod Rastogi and Jean-Luc Sandoz; **42** (5), 1321-7 (2003).

K100 electronic holography system and HG7000 interferometric computer: instruments for automotive component analysis. — Karl A. Stetson; **42** (5), 1348-53 (2003).

Observational model for microarcsecond astrometry with the Space Interferometry Mission. — Mark H. Milman and Slava G. Turyshev; **42** (7), 1873-83 (2003).

Measurement of the concentration of a solution with surface plasmon resonance heterodyne interferometry. — Kun-Huang Chen, Cheng-Chih Hsu, and Der-Chin Su; **42** (7), 1884-7 (2003).

Dynamic measurement of displacement with phase-shifting technique. — Yueguang Lu, A. Peter Doel, David D. Walker, and Xia Zhao; **42** (7), 2006-9 (2003).

Digital microholointerferometer: development and validation. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **42** (8), 2218-24 (2003).

Empirical modeling and calibration of Fourier transform spectrometers. — Daniel R. Fuhrmann and William H. Smith; **42** (8), 2268-76 (2003).

Silicon wafer thickness variation measurements using the National Institute of Standards and Technology infrared interferometer. — Tony L. Schmitz, Angela Davies, Chris J. Evans, and Robert E. Parks; **42** (8), 2281-90 (2003).

Full-field heterodyne interferometer for shape measurement: experimental characteristics of the system. — Tomasz Tkaczyk and Romuald Jóźwicki; **42** (8), 2391-9 (2003).

Filtering the complex field in phase shifting interferometry. — Kemao Qian, Hock Soon Seah, and Anand Asundi; **42** (10), 2792-3 (2003).

Coherent telescope array with self-homodyne interferometric detection for optical communications. — Bernard Eng-Kie Souw; **42** (11), 3139-57 (2003).

Measurement of microthermal deformations in an optical pick-up base using holographic interferometry. — Youngmin Seo, Sunghoon Cho, and Shinill Kang; **42** (11), 3198-203 (2003).

Simple technique for measurement of residual wedge angle of high optical quality transparent parallel plate. — Sanjib Chatterjee; **42** (11), 3235-8 (2003).

Two-step phase-shifting algorithm. — Saúl Almazán-Cuéllar and Daniel Malacara-Hernández; **42** (12), 3524-31 (2003).

Near-real-time phase difference amplification using multiple-beam interferometry and a liquid-crystal-phase-only spatial light modulator. — Kiyofumi Matsuda, Geoffrey T. Bold, Thomas H. Barnes, Tomoaki Eiju, Chander P. Grover, and Colin J. R. Sheppard; **42** (12), 3537-44 (2003).

**Inverse optics**

Adaptive filtering approach to chirp estimation and inverse synthetic aperture radar imaging of maneuvering targets. — Genyuan Wang, Xiang-Gen Xia, and Victor C. Chen; **42** (1), 190-9 (2003).

**Ions**

Investigation of diffractive optical element fabricated on diamond film by use of focused ion beam direct milling. — Yongqi Fu and Ngoi Kok Ann Bryan; **42** (8), 2214-7 (2003).

Multilayer optical storage disk based on the frequency up-conversion effect from rare-earth ions. — Ho Pui Ho, W. W. Wong, and S. Y. Wu; **42** (8), 2349-53 (2003).

Characterization of ion-exchanged waveguides in tungsten tellurite and zinc tellurite $Er^{3+}$-doped glasses. — G. Nunzi Conti, V. K. Tikhomirov, M. Bettinelli, S. Berneschi, M. Brenci, B. Chen, S. Pelli, A. Speghini, A. B. Seddon, and G. C. Righini; **42** (10), 2805-11 (2003).

Measurement and modeling of ion-exchange parameters for IOG-10 glass. — Peng Y. Choo, Jesse A. Frantz, James T. A. Carriere, David L. Mathine, Raymond K. Kostuk, and Nasser Peyghambarian; **42** (10), 2812-6 (2003).

Design of a 2-×200-nm bandwith integrated optic duplexer. — Elise Ghibaudo, Jean-Emmanuel Broquin, and Pierre Benech; **42** (10), 2850-5 (2003).

Improved surface characteristics of *n*-GaN epitaxial structures after reactive ion etching. — Hoshin H. Yee, H. F. Hong, and J. Y. Chang; **42** (10), 2918-22 (2003).

**Joint transforms**

Face recognition through pose estimation and fringe-adjusted joint transform correlation. — A. Alsamman and Mohammad S. Alam; **42** (2), 560-7 (2003).

Performance comparison between multichannel polychromatic and conventional joint transform correlators. — Chih-Sung Wu and Chulung Chen; **42** (6), 1758-65 (2003).

**Laser applications**

Digital laser microinterferometer and its applications. — Lianxiang Yang and Paul Colbourne; **42** (5), 1417-26 (2003).

Research on solidification of resin in stereolithography. — Shigeru Nagamori and Toru Yoshizawa; **42** (7), 2096-103 (2003).

**Laser Doppler velocimetry**

Recent advances in brake noise and vibration engineering using laser metrology. — F. Chen, G. M. Brown, M. M. Marchi, and M. Dale; **42** (5), 1359-69 (2003).

Single sideband techniques for laser Doppler velocimeter frequency offset. — Adrian A. Dorrington and Rainer Künnemeyer; **42** (11), 3239-46 (2003).

**Laser materials modification**

Study of the beam path distortion profiles generated by a two-axis tilt single-mirror laser scanner. — Moustapha Hafez, Thomas Sidler, and René-Paul Salathé; **42** (4), 1048-57 (2003).

**Lasers**

Effect of spontaneous noise on mode-locked fiber grating external cavity lasers. — Nuran Doğru and M. Sadettin Özyazıcı; **42** (1), 18-22 (2003).

Deformation measurement of a micro-rf capacitive switch membrane using laser interferometry. — C. Quan, S. H. Wang, C. J. Tay, A. Q. Liu, and H. M. Shang; **42** (1), 92-7 (2003).

23-channel with 100-GHZ spacing multi-wavelength laser source. — K. Vlachos and H. Avramopoulos; **42** (2), 300-1 (2003).

Modeling and algorithm of attitude measurement of moving target by laser tracking systems. — Jia Wang, Yongdong Liu, Zhaohui Hu, and Jinwen Liang; **42** (2), 373-82 (2003).
Design and performances of prototype laser amplifiers for technical-integration-line facility. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Jun Tang, Shaobo He, Yong Liu, Hai Zhou, Donghui Lin, Xuejun Jiang, Liangfu Guo, Yizheng Li, Dehuai Chen, Xiaofeng Wei, and Xiaomin Zhang; **42** (3), 725-9 (2003).
Continuous scanning laser Doppler vibrometer for mode shape analysis. — Jongpil La, Jieun Choi, Semyung Wang, Kyoungsuk Kim, and Kyihwan Park; **42** (3), 730-7 (2003).
Design of praseodymium-doped optical waveguides. — Antonella D'Orazio, Marco De Sario, Luciano Mescia, Vincenzo Petruzzelli, Francesco Prudenzano, Anna P. Caricato, Gilberto Leggieri, and Maurizio Martino; **42** (3), 765-72 (2003).
Regenerative amplifier with continuously variable pulse duration used in an optical parametric chirped-pulse amplification laser system for synchronous pumping. — Yuxin Leng, Lihuang Lin, Xiaodong Yang, Haihe Lu, Zhengquan Zhang, and Zhizhan Xu; **42** (3), 862-6 (2003).
Quality control of safety belts by machine vision inspection for real-time production. — Daniel Ponsa, Robert Benavente, Felipe Lumbreras, Judit Martinez, and Xavier Roca; **42** (4), 1114-20 (2003).
Development of an automatic detection machine for cracks originating at side faces of ceramic chips. — Masahiro Yoshida and Nobuyuki Akiyama; **42** (4), 1121-7 (2003).
Automatic refractometer. — A. F. Leung and J. J. Vandiver; **42** (4), 1128-31 (2003).
*In situ* analysis of a vertical-cavity surface-emitting laser active layer by two-photon spectroscopy. — Bruno Ullrich, Raoul Schroeder, A. Knigge, M. Zorn, and M. Weyers; **42** (4), 1152-6 (2003).
Improved performance of an externally modulated system with external light injection technique. — Hai-Han Lu, Heng-Sheng Su, Ming-Chuan Wang, and Hsu-Hung Huang; **42** (5), 1180-1 (2003).
Fast and full-field measurement of brake squeal using pulsed ESPI technique. — René Krupka, Thomas Walz, and Andreas Ettemeyer; **42** (5), 1354-8 (2003).
Front-end sources of the LIL-LMJ fusion lasers: progress report and prospects. — Alain Jolly, J. F. Gleyze, J. Luce, H. Coic, and G. Deschaseaux; **42** (5), 1427-38 (2003).
Continuous unconstrained range sensing of free-form surfaces without sensor-head pose measurement. — Jonathan Kofman and George K. Knopf; **42** (5), 1496-510 (2003).
Contrast of polychromatic speckle patterns and its dependence to surface heights distribution. — Carlos M. P. Rodrigues and João L. Pinto; **42** (6), 1699-703 (2003).
Thermal modeling of solid state lasers with super-Gaussian pumping profiles. — Wenjie Xie, Young Kwon, Wentao Hu, and Feng Zhou; **42** (6), 1787-94 (2003).
Communication performance analysis of microsatellites using an optical phased array antenna. — Anna Polishuk and Shlomi Arnon; **42** (7), 2015-24 (2003).
Analysis of accuracy of measurement by Doppler laser meters. — Jonas Skeivalas and Vytautas Giniotis; **42** (7), 2025-8 (2003).
Research on solidification of resin in stereolithography. — Shigeru Nagamori and Toru Yoshizawa; **42** (7), 2096-103 (2003).
Wavelength tuning and multiple-wavelength array-waveguide-grating lasers. — Shien-Kuei Liaw, Fu-Chung Hung, Zhengchun Xu, Yueguang Jiao, Tao Qin, Hanyi Zhang, Yifi Guo, and Xiaoping Zheng; **42** (8), 2178-9 (2003).
Displacement sensors based on feedback effect of orthogonally polarized lights of frequency-split HeNe lasers. — Yingchun Ding, Shulian Zhang, Yan Li, Jun Zhu, Wenhua Du, and Rui Suo; **42** (8), 2225-8 (2003).
Real-time remote identification and verification of objects using optical ID tags. — Bahram Javidi; **42** (8), 2346-8 (2003).
Compact robotics perception system based on a laser range finder coupled with silicon micromirrors. — Marc Lescure, Christian Ganibal, Roland Prajoux, and Maurice Briot; **42** (9), 2653-8 (2003).
Laser-induced changes on the complex refractive indices of phase-change thin film. — Bo Liu, Hao Ruan, and Fuxi Gan; **42** (9), 2702-6 (2003).
Dynamic shape measurement system for laser materials processing. — Mark Reeves, Andrew J. Moore, Duncan P. Hand, and Julian D. C. Jones; **42** (10), 2923-9 (2003).
Repetition frequency quadruplication through Fabry-Perot filtering. — K. Vyrsokinos, K. Yiannopoulos, E. Kehayas, N. Pleros, T. Houbavlis, and H. Avramopoulos; **42** (11), 3075-6 (2003).
Geometric optics-based design of laser beam shapers. — David L. Shealy and Shao-Hua Chao; **42** (11), 3123-38 (2003).
Thermal modeling $CO_2$ laser radiation transmission welding of superposed thermoplastic films. — João M. P. Coelho, Manuel A. Abreu, and F. Carvalho Rodrigues; **42** (11), 3365-73 (2003).
Rapid calculation research of temperature fields in laser heat treatments. — Junchang Li, J. Merlin, Yingxiong Qin, Qiguang Zheng, and Yunchang Fu; **42** (12), 3545-50 (2003).
Optical and electro-optical properties of pulse laser deposited PLZT thin films. — Ludovic Escoubas, Pascal Huguet-Chantôme, Miroslav Jelínek, Francois Flory, Emmanuel Drouard, Ján Lančok, Jean-Jacques Simon, and Thomas Mazingue; **42** (12), 3579-84 (2003).
Self-triggering pulsed time-of-flight laser range-finding method. — Qiansong Chen, Dalong Zhao, Chengwei Yang, and Yujing Huo; **42** (12), 3608-11 (2003).
Optical pumping of the XeF(C→A) and iodine 1.315-$\mu$m lasers by a compact surface discharge system. — B. A. Knecht, R. D. Fraser, D. J. Wheeler, C. J. Zietkiewicz, A. A. Senin, L. D. Mikheev, V. S. Zuev, and J. G. Eden; **42** (12), 3612-21 (2003).

**Lasers: Holography Interferometry**

Recent advances in brake noise and vibration engineering using laser metrology. — F. Chen, G. M. Brown, M. M. Marchi, and M. Dale; **42** (5), 1359-69 (2003).

**Lenses**

Tapered waveguide with parabolic lens: theory and experiment. — Atef M. Rashed, Kevin A. Williams, Peter J. Heard, Richard V. Penty, and Ian H. White; **42** (3), 792-7 (2003).
Image assessment of a birefringent lens based on the factor of encircled energy. — Sucharita Sanyal and Ajay Ghosh; **42** (4), 1058-64 (2003).
Dynamical thermal lensing of high-power solid-state lasers. — Wenjie Xie, Wentao Hu, Jiandong Xu, and Feng Zhou; **42** (5), 1439-44 (2003).
Contactless embossing of microlenses—a parameter study. — Sławomir Ziółkowski, Ines Frese, Henryk Kasprzak, and Stefan Kufner; **42** (5), 1451-5 (2003).
Planar pattern for automatic camera calibration. — Beiwei Zhang, Y. F. Li, and Fu-Chao Wu; **42** (6), 1542-9 (2003).
Design of a multiple-field-of-view optical system for 3- to 5-$\mu$m infrared focal-plane arrays. — Muhammad Nadeem Akram; **42** (6), 1704-14 (2003).
Simple fabrication of cylindrical sol-gel microlens array by reflowing technique. — M. He, X.-C. Yuan, N. Q. Ngo, W. C. Cheong, and J. Bu; **42** (8), 2180-1 (2003).
Low-loss optical add drop multiplexer module using a 2×2 port optical device. — M. J. Kim, H. K. Kim, H. M. Lee, H. Y. Park, and S. G. Lee; **42** (9), 2489-90 (2003).
Differential confocal optical system using gradient-index lenses. — Jiubin Tan and Jie Zhang; **42** (10), 2868-71 (2003).
Structured microlens arrays for beam shaping. — Tasso R. M. Sales; **42** (11), 3084-5 (2003).
Design of single-channel optical rotary joint using bulk optical detector. — Wencai Jing, Yi-Mo Zhang, Ge Zhou, Dagong Jia, Bao Liu, and Feng Tang; **42** (11), 3285-9 (2003).
Study on electro-optic Q switch for $CO_2$ waveguide lasers. — Dingfu Zhou, Dong Jiang, Congzhong Zheng, Yihua Huo, and Jianguo Chen; **42** (11), 3315-9 (2003).

**Lidar**

Differential absorption lidar system for simultaneous measurement of $O_3$ and $NO_2$: system development and measurement error estimation. — Tetsuo Fukuchi, Takuya Nayuki, Nianwen Cao, Takashi Fujii, Koshichi Nemoto, Hideto Mori, and Nobuo Takeuchi; **42** (1), 98-104 (2003).
Automatic laser frequency locking to gas absorption lines. — Grady J. Koch; **42** (6), 1690-3 (2003).
Study on electro-optic Q switch for $CO_2$ waveguide lasers. — Dingfu Zhou, Dong Jiang, Congzhong Zheng, Yihua Huo, and Jianguo Chen; **42** (11), 3315-9 (2003).

**Light**

Cathode ray tube addressed liquid crystal light valve projection display. — Qiong-Hua Wang, Jianbo Cheng, Shin-Tson Wu, Changjun Ge, Guangjiu Fang, Kangcheng Qi, and Haibo Rao; **42** (3), 837-9 (2003).
Improved performance of an externally modulated system with external light injection technique. — Hai-Han Lu, Heng-Sheng Su, Ming-Chuan Wang, and Hsu-Hung Huang; **42** (5), 1180-1 (2003).
Noncontact inspection: challenging application in the aircraft industry. — John Palmateer; **42** (5), 1272-6 (2003).
Contrast of polychromatic speckle patterns and its dependence to surface heights distribution. — Carlos M. P. Rodrigues and João L. Pinto; **42** (6), 1699-703 (2003).
Optical properties of semiinfinite turbid media: some simple analytical approximations. — Alexander A. Kokhanovsky; **42** (7), 2040-6 (2003).
Visual range of low-light-level night vision goggles for driving. — Lei Liu and Benkang Chang; **42** (7), 2056-61 (2003).
Optical matrix structure for optical interconnection between two groups of points. — S. L Yeh and Y. K. Shen; **42** (7), 2068-74 (2003).
Calibration approach for structured-light-stripe vision sensor based on the invariance of double cross-ratio. — Zhenzhong Wei, Guangjun Zhang, and Yuan Xu; **42** (10), 2956-66 (2003).
Optical sensor for semiconductor chip bonding. — T. W. Ng and C. W. Ng; **42** (12), 3572-4 (2003).

**Liquid crystals**

Real-time photolithographic technique for fabrication of arbitrarily shaped microstructures. — Qinjun Peng, Shijie Liu, Yongkang Guo, Bo Chen, Jinglei Du, Yangsu Zeng, Chongxi Zhou, and Zheng Cui; **42** (2), 477-81 (2003).
Intensity variations using a quantized spatial light modulator for nonmechanical beam steering. — Emil Hällstig, Lars Sjöqvist, and Mikael Lindgren; **42** (3), 613-9 (2003).
Cathode ray tube addressed liquid crystal light valve projection display. — Qiong-Hua Wang, Jianbo Cheng, Shin-Tson Wu, Changjun Ge, Guangjiu Fang, Kangcheng Qi, and Haibo Rao; **42** (3), 837-9 (2003).
Polarization-isolated electrical modulation of an etched long-period fiber grating with an outer liquid-crystal cladding. — Yoonchan Jeong, Hak-Rin Kim, Seungin Baek, Yonghyun Kim, Yong Wook Lee, Sin-Doo Lee, and Byoungho Lee; **42** (4), 964-8 (2003).
Sinusoidal liquid crystal display grating in the Ronchi test. — Miguel Mora-Gonzalez and Noe Alcalá Ochoa; **42** (6), 1725-9 (2003).
Dual-antiferroelectric liquid crystal display with high transmittance efficiency and no dispersion. — Chul Gyu Jhun, Jin-Woo Kang, Tae-Hoon Yoon, and Jae Chang Kim; **42** (7), 2047-50 (2003).
Spatial sampling in pixelated-metal-mirror ferroelectric-liquid-crystal optically addressed spatial-light-modulator devices. — Solon Mias, Neil Collings, Tim D. Wilkinson, Stuart Coomber, Maurice Stanley, and William A. Crossland; **42** (7), 2075-81 (2003).
Optical method for detecting displacement of a car in stereo images. — Osami Sasaki, Kenichi Sakata, and Takamasa Suzuki; **42** (7), 2092-5 (2003).
Parallel classification of multiple objects using a phase-only multichannel optical correlator. — Mirta Villarreal, Claudio Iemmi, and Juan Campos; **42** (8), 2354-61 (2003).
Nonlinear optical limiting of the azo dye methyl-red doped nematic liquid crystalline films. — Luogen Deng and Hua-Kuang Liu; **42** (10), 2936-41 (2003).
Near-real-time phase difference amplification using multiple-beam interferometry and a liquid-crystal-phase-only spatial light modulator. — Kiyofumi Matsuda, Geoffrey T. Bold, Thomas H. Barnes, Tomoaki Eiju, Chander P. Grover, and Colin J. R. Sheppard; **42** (12), 3537-44 (2003).
Optical engines for high-performance liquid crystal on silicon projection systems. — Youri Meuret and Patrick De Visschere; **42** (12), 3551-6 (2003).

**Lithium niobate**

Seed-source tuning of a broadband noncollinear optical parametric generator based on periodically poled $LiNbO_3$. — S. Haidar, T. Usami, J. Shikata, and H. Ito; **42** (1), 143-7 (2003).
Lithium niobate electro-optic sensor for examining conductive patterns on display panels. — Changho Lee, Yongbae Jeon, and Kwangsoo No; **42** (6), 1589-96 (2003).

**Lithography**

Real-time photolithographic technique for fabrication of arbitrarily shaped microstructures. — Qinjun Peng, Shijie Liu, Yongkang Guo, Bo Chen, Jinglei Du, Yangsu Zeng, Chongxi Zhou, and Zheng Cui; **42** (2), 477-81 (2003).
Research on solidification of resin in stereolithography. — Shigeru Nagamori and Toru Yoshizawa; **42** (7), 2096-103 (2003).
Silicon wafer thickness variation measurements using the National Institute of Standards and Technology infrared interferometer. — Tony L. Schmitz, Angela Davies, Chris J. Evans, and Robert E. Parks; **42** (8), 2281-90 (2003).
Fabrication of a complex-shaped mirror for an extreme ultraviolet lithography illumination system. — Hideo Takino, Teruki Kobayashi, Norio Shibata, Masaaki Kuki, Akinori Itoh, and Hideki Komatsuda; **42** (9), 2676-82 (2003).
Fabrication of optical structures using SU-8 photoresist and chemically assisted ion beam etching. — Lin Pang, Wataru Nakagawa, and Yeshaiahu Fainman; **42** (10), 2912-7 (2003).
Fabrication of multilevel structures in self-development photosensitive hybrid sol-gel glass by a gray scale mask. — Weixing Yu and X.-C. Yuan; **42** (12), 3411-2 (2003).

**Logic**

Use of a photosimulation laboratory for estimating vehicle detection probability. — Thomas J. Meitzler, David Bednarz, Darryl Bryk, Kimberly Lane, and Euijung Sohn; **42** (6), 1820-5 (2003).
40 Gb/s all-optical write/store memory using a single semiconductor optical amplifier-based logic gate. — Marios Kalyvas; **42** (11), 3073-4 (2003).

Ultrafast pattern-operated all-optical Boolean XOR with semiconductor optical amplifier-assisted Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (12), 3415-6 (2003).

**Luminences**

Efficient gamut clipping for color image processing using LHS and YIQ. — Christopher C. Yang and S. H. Kwok; **42** (3), 701-11 (2003).

**Machine vision**

Quality control of safety belts by machine vision inspection for real-time production. — Daniel Ponsa, Robert Benavente, Felipe Lumbreras, Judit Martínez, and Xavier Roca; **42** (4), 1114-20 (2003).

Nondestructive testing of specularly reflective objects using reflection three-dimensional computer vision technique. — Michael Y. Y. Hung and H. M. Shang; **42** (5), 1343-7 (2003).

Fast surface approximation for volume and surface area measurements using distance transform. — D. J. Lee, Joseph Eifert, Pengcheng Zhan, and Benjamin Westover; **42** (10), 2947-55 (2003).

**Magnetic properties**

Temperature-compensated fiber-Bragg-grating-based magnetostrictive sensor for dc and ac currents. — Kin Seng Chiang, Ramesh Kancheti, and Vipul Rastogi; **42** (7), 1906-9 (2003).

**Magnetic resonance imaging**

Method to segment the brain automatically applied to a magnetic resonance imaging sequence. — Vianney Le Thuc, Abdelmalik Taleb-Ahmed, Xavier Leclerc, and Thierry Saint Michel; **42** (7), 1976-92 (2003).

**Magneto-optics**

Triangular-shaped bulk-optic glass sensor for simultaneous measurement of three ac currents. — Ka Hang Kong, Beatrice C. B. Chu, Henry Shu-Hung Chung, and Kin Seng Chiang; **42** (2), 421-4 (2003).

**Mahematical morphology**

Morphological quantification of surface roughness. — Yoganand Balagurunathan and Edward R. Dougherty; **42** (6), 1795-804 (2003).

**Mapping**

Parallel multiplication-free algorithm and architecture for affine-based motion compensation. — Wael Badawy and Magdy A. Bayoumi; **42** (1), 255-64 (2003).

Practical algorithm for the inversion of an experimental input-output color map for color correction. — Daniel E. Viassolo, Soheil A. Dianat, Lalit K. Mestha, and Yao R. Wang; **42** (3), 625-31 (2003).

Multispectral three-dimensional digital infrared thermal imaging. — Hai Xiao, Yibing Zhang, and Anbo Wang; **42** (4), 906-11 (2003).

Computational approach for optimal sensor setup. — Xiaoping Qian and Kevin G. Harding; **42** (5), 1238-48 (2003).

Novel method of chaotic-signal estimation. — Stephen T. Feng and Patrick C. Yip; **42** (6), 1550-9 (2003).

Color texture extraction from fringe image based on full-field projection. — Zonghua Zhang, David Zhang, Xiang Peng, and Xiaotang Hu; **42** (7), 1935-9 (2003).

Extra encoding of fine grayscale data into 8-bit sRGB color space. — Hisakazu Kikuchi, Hiroto Sato, Satoshi Hasebe, Naoki Mizutani, Shogo Muramatsu, Shigenobu Sasaki, Jie Zhou, Seishi Sekine, Yoshito Abe, Ikuo Tofukuji, and Makoto Nakashizuka; **42** (7), 1940-8 (2003).

Geometric optics-based design of laser beam shapers. — David L. Shealy and Shao-Hua Chao; **42** (11), 3123-38 (2003).

**Masks**

Real-time photolithographic technique for fabrication of arbitrarily shaped microstructures. — Qinjun Peng, Shijie Liu, Yongkang Guo, Bo Chen, Jinglei Du, Yangsu Zeng, Chongxi Zhou, and Zheng Cui; **42** (2), 477-81 (2003).

Parameters for designing autostereoscopic imaging systems based on lenticular, parallax barrier, and integral photography plates. — Jung-Young Son, Vladmir V. Saveljev, Yong-Jin Choi, Ji-Eun Bahn, Sung-Kyu Kim, and Hyunhee Choi; **42** (11), 3326-33 (2003).

Study of wedge-adjusted Talbot interferometer for writing fiber gratings with variable inscribed Bragg wavelengths. — Chuan Li, Yi-Mo Zhang, Xue-Fei Tian, and Bing-Heng Xiong; **42** (12), 3452-5 (2003).

**Materials**

Active deformable sheets: prototype implementation, modeling, and control. — Robert J. Lind and Charalabos C. Doumanidis; **42** (2), 304-16 (2003).

Examination of sol-gel production repeatability by statistical pattern recognition methods. — Joanna Kobel, Artur Suchwałko, Halina Podbielska, and Agnieszka Ulatowska-Jarża; **42** (4), 1137-43 (2003).

Classification of single-particle two-dimensional angular optical scattering patterns and heuristic scatterer reconstruction. — Giovanni F. Crosta, Simeone Zomer, Yong–Le Pan, and Stephen Holler; **42** (9), 2689-701 (2003).

Dynamic shape measurement system for laser materials processing. — Mark Reeves, Andrew J. Moore, Duncan P. Hand, and Julian D. C. Jones; **42** (10), 2923-9 (2003).

Measurement of *J* integral by shadow spot generated from out-of-plane displacement. — Perng-Fei Luo, C. K. Chuang, and Yuh J. Chao; **42** (12), 3433-42 (2003).

**Mathematical morphology**

Morphological operators for color image processing based on Mahalanobis distance measure. — Hazem Munawer Al-Otum; **42** (9), 2595-606 (2003).

**Matrices**

Use of Mueller matrices in the photoelastic determination of the stress distribution in a model for a solid propellant rocket grain. — Guillermo C. Gaunaurd; **42** (2), 467-76 (2003).

Study on optical finite impulse response filter. — Ying Zhou, Guangjie Zeng, Feihong Yu, and H. S. Kwok; **42** (8), 2318-23 (2003).

Analytical model for computing propagation constant of Ti:$LiNbO_3$ periodically segmented waveguides by effective-index-based matrix method. — R. Chakraborty, J. C. Biswas, and S. K. Lahiri; **42** (9), 2624-9 (2003).

**Matrix multiplication**

Constrained energy minimization and the target-constrained interference-minimized filter. — Steven Johnson; **42** (6), 1850-4 (2003).

**Medical imaging**

New high-fidelity medical image compression based on modified set partitioning in hierarchical trees. — Shen-Chuan Tai, Yen-Yu Chen, and Wen-Chien Yan; **42** (7), 1956-63 (2003).

Node-matching-based pattern recognition method for retinal blood vessel images. — Tusheng Lin and Yibin Zheng; **42** (11), 3302-6 (2003).

New hybrid opto-electronic method for fast and unsupervised object detection. — Jean-Baptiste Fasquel and Michel Bruynooghe; **42** (11), 3352-64 (2003).

**Meteorology**

Meteorological structures and pattern recognition: Modal analysis of shapes extracted from satellite images. — Fabio Dell'Acqua and Paolo Gamba; **42** (3), 822-9 (2003).

**Metrology**

Optical fiber interferometer for measuring the *in situ* deflection characteristics of microelectromechanical structures. — Tristan J. Tayag, Edward S. Kolesar, Brandon D. Pitt, Kam See Hoon, James Marchetti, and Ijaz H. Jafri; **42** (1), 105-11 (2003).

Three-dimensional optical metrology with extended depth-measuring range using a holographic axilens. — Erez Hasman and Vladimir Kleiner; **42** (1), 132-6 (2003).

Three-dimensional surface profile measurement of a moving object by a spatial-offset phase stepping method. — Satoru Yoneyama, Yoshiharu Morimoto, Motoharu Fujigaki, and Yasuyuki Ikeda; **42** (1), 137-42 (2003).

Mobile shearography system for the inspection of aircraft and automotive components. — Michael Kalms and Wolfgang Osten; **42** (5), 1188-96 (2003).

Unified approach for holography and shearography in surface deformation measurement and nondestructive testing. — Michael Y. Y. Hung, H. M. Shang, and Lianxiang Yang; **42** (5), 1197-207 (2003).

Computational approach for optimal sensor setup. — Xiaoping Qian and Kevin G. Harding; **42** (5), 1238-48 (2003).

Absolute phase analysis method for three-dimensional surface profilometry using frequency-modulated grating. — Yasuyuki Ikeda, Satoru Yoneyama, Motoharu Fujigaki, and Yoshiharu Morimoto; **42** (5), 1249-56 (2003).

Strain measurement by three-dimensional electronic speckle pattern interferometry: potentials, limitations, and applications. — Lianxiang Yang and Andreas Ettemeyer; **42** (5), 1257-66 (2003).

Measurement of surface shape and deformation by phase-shifting image digital holography. — Ichirou Yamaguchi, Jun-ichi Kato, and Hirokazu Matsuzaki; **42** (5), 1267-71 (2003).

Evolution of white light speckle method and its application to micro/nanotechnology and heart mechanics. — Fu-Pen Chiang; **42** (5), 1288-92 (2003).

Deformations in wide, center-notched, thin panels, part I: three-dimensional shape and deformation measurements by computer vision. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1293-305 (2003).

Deformations in wide, center-notched, thin panels, part II: finite element analysis and comparison to experimental measurements. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1306-20 (2003).

Characterization of a single delamination using geometric moments and genetic algorithms. — Alejandro Maranon, Andrew D. Nurse, and Jonathan M. Huntley; **42** (5), 1328-36 (2003).

Reconstruction and enhancement of active thermographic image sequences. — Steven M. Shepard, James R. Lhota, Bruce A. Rubadeux, David Wang, and Tasdiq Ahmed; **42** (5), 1337-42 (2003).

Nondestructive testing of specularly reflective objects using reflection three-dimensional computer vision technique. — Michael Y. Y. Hung and H. M. Shang; **42** (5), 1343-7 (2003).

Profile coating and its application for Kirkpatrick-Baez mirrors. — Chian Liu, Labsen Assoufid, Ray Conley, Albert T. Macrander, Gene E. Ice, and J. Z. Tischler; **42** (12), 3622-8 (2003).

**Micro-optics**

Three-dimensional micro-optical switching system architecture using slab-waveguide-based micro-optical switches. — Tetsuzo Yoshimura, Satoshi Tsukada, Shinji Kawakami, Minoru Ninomiya, Yukihiko Arai, Hiroaki Kurokawa, and Kunihiko Asama; **42** (2), 439-46 (2003).

Real-time photolithographic technique for fabrication of arbitrarily shaped microstructures. — Qinjun Peng, Shijie Liu, Yongkang Guo, Bo Chen, Jinglei Du, Yangsu Zeng, Chongxi Zhou, and Zheng Cui; **42** (2), 477-81 (2003).

Measurement of mechanical properties of materials in the micrometer range using electronic holographic moiré. — Cesar A. Sciammarella and Federico M. Sciammarella; **42** (5), 1215-22 (2003).

Contactless embossing of microlenses—a parameter study. — Sławomir Ziółkowski, Ines Frese, Henryk Kasprzak, and Stefan Kufner; **42** (5), 1451-5 (2003).

Simple fabrication of cylindrical sol-gel microlens array by reflowing technique. — M. He, X.-C. Yuan, N. Q. Ngo, W. C. Cheong, and J. Bu; **42** (8), 2180-1 (2003).

**Microelectromechanical systems**

Optical fiber interferometer for measuring the *in situ* deflection characteristics of microelectromechanical structures. — Tristan J. Tayag, Edward S. Kolesar, Brandon D. Pitt, Kam See Hoon, James Marchetti, and Ijaz H. Jafri; **42** (1), 105-11 (2003).

Wavelength multiplexing of microelectromechanical system pressure and temperature sensors using fiber Bragg gratings and arrayed waveguide gratings. — Weizhuo Li, Don C. Abeysinghe, and Joseph T. Boyd; **42** (2), 431-8 (2003).

Optoelectronic characterization of shape and deformation of MEMS accelerometers used in transportation applications. — Cosme Furlong and Ryszard J. Pryputniewicz; **42** (5), 1223-31 (2003).

Evolution of white light speckle method and its application to micro/nanotechnology and heart mechanics. — Fu-Pen Chiang; **42** (5), 1288-92 (2003).

Digital laser microinterferometer and its applications. — Lianxiang Yang and Paul Colbourne; **42** (5), 1417-26 (2003).

Digital microholointerferometer: development and validation. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **42** (8), 2218-24 (2003).

**Microscopes**

Valve cone measurement using white light interference microscopy in a spherical measurement geometry. — Peter de Groot and Xavier Colonna de Lega; **42** (5), 1232-7 (2003).

Design considerations and fabrication techniques of Nomarski reflection microscope. — Sanjib Chatterjee; **42** (8), 2202-13 (2003).

Digital microholointerferometer: development and validation. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **42** (8), 2218-24 (2003).

Generation and focusing of radially polarized electric fields. — T. Wilson, F. Massoumian, and R. Juškaitis; **42** (11), 3088-9 (2003).

**Microscopy**

Valve cone measurement using white light interference microscopy in a spherical measurement geometry. — Peter de Groot and Xavier Colonna de Lega; **42** (5), 1232-7 (2003).

Complete characterization of a high-numerical-aperture small-core fiber with subwavelength resolution using atomic force microscopy and near-field scanning optical microscopy. — Shane T. Huntington, Ann Roberts, Keith A. Nugent, and Simon C. Fleming; **42** (7), 1893-5 (2003).

Fluorescent microscopy of wet-cleaned surfaces: imaging of water stains distribution. — K. Mikhaylichenko and V. V. Yakovlev; **42** (7), 2051-5 (2003).

Differential confocal optical system using gradient-index lenses. — Jiubin Tan and Jie Zhang; **42** (10), 2868-71 (2003).

**Microwaves**

Noise analysis of an optically controlled metal semiconductor field effect transistor at microwave frequencies. — P. Chakrabarti, Badri Nath Tiwari, and Suman Kumar; **42** (2), 447-55 (2003).

Fiber Bragg-grating-based all-optical microwave filter synthesis using genetic algorithm. — Fei Zeng, Jianping Yao, and Stephen J. Mihailov; **42** (8), 2250-6 (2003).

**Mirrors**

Ultra-high-speed wide-angle catadioptric corrector system for medium-scale spherical mirror telescopes. — David Beach; **42** (2), 405-15 (2003).

Contrast-improving methods for Digital Micromirror Device projectors. — Youri Meuret and Patrick De Visschere; **42** (3), 840-5 (2003).

Optical design of a scatterometer with an ellipsoidal mirror. — Martha Rosete-Aguilar, Oscar G. Rodriguez-Herrera, and Neil C. Bruce; **42** (6), 1772-7 (2003).

Spatial sampling in pixelated-metal-mirror ferroelectric-liquid-crystal optically addressed spatial-light-modulator devices. — Solon Mias, Neil Collings, Tim D. Wilkinson, Stuart Coomber, Maurice Stanley, and William A. Crossland; **42** (7), 2075-81 (2003).

Axicon as a retroreflector in open-path Fourier transform infrared spectrometry. — Robert L. Richardson and Peter R. Griffiths; **42** (8), 2197-201 (2003).

Fabrication of a complex-shaped mirror for an extreme ultraviolet lithography illumination system. — Hideo Takino, Teruki Kobayashi, Norio Shibata, Masaaki Kuki, Akinori Itoh, and Hideki Komatsuda; **42** (9), 2676-82 (2003).

Profilometry by fringe projection. — Luis Salas, Esteban Luna, Javier Salinas, Victor Garcia, and Manuel Servin; **42** (11), 3307-14 (2003).

Study of wedge-adjusted Talbot interferometer for writing fiber gratings with variable inscribed Bragg wavelengths. — Chuan Li, Yi-Mo Zhang, Xue-Fei Tian, and Bing-Heng Xiong; **42** (12), 3452-5 (2003).

Profile coating and its application for Kirkpatrick-Baez mirrors. — Chian Liu, Lahsen Assoufid, Ray Conley, Albert T. Macrander, Gene E. Ice, and J. Z. Tischler; **42** (12), 3622-8 (2003).

**Mode**

Long-period fiber grating effects induced by double-sided loading. — Tsung-Yi Tang, Pao-Yi Tseng, Chung-Yi Chiu, Chih-Nan Lin, C. C. Yang, Yean-Woei Kiang, and Kung-Jen Ma; **42** (7), 1910-4 (2003).

Performance comparison of standard FEC and enhanced FEC in coded systems with high polarization mode dispersion. — Juanjuan Yan, Minghua Chen, Shizhong Xie, and Bingkun Zhou; **42** (12), 3456-60 (2003).

**Modes**

Effect of spontaneous noise on mode-locked fiber grating external cavity lasers. — Nuran Dogru and M. Sadettin Ozyazici; **42** (1), 18-22 (2003).

Continuous scanning laser Doppler vibrometer for mode shape analysis. — Jongpil La, Jieun Choi, Semyung Wang, Kyoungsuk Kim, and Kyihwan Park; **42** (3), 730-7 (2003).

Complete characterization of a high-numerical-aperture small-core fiber with subwavelength resolution using atomic force microscopy and near-field scanning optical microscopy. — Shane T. Huntington, Ann Roberts, Keith A. Nugent, and Simon C. Fleming; **42** (7), 1893-5 (2003).

Hybrid mode calculations for novel photonic crystal fibers. — Waleed S. Mohammed, Laurent Vaissié, and Eric G. Johnson; **42** (8), 2311-7 (2003).

Influence of cross-sectional shape on absorption characteristics of double-clad fiber lasers. — Jianqiu Xu, Junhua Lu, Jianren Lu, and K. Ueda; **42** (9), 2527-33 (2003).

Light coupling and propagation in a fiber–dielectric-slab composite with a conductor cladding. — Kwang-Hee Kwon, Jae-Won Song, Euy-Don Park, and Don-Muk Choi; **42** (9), 2630-41 (2003).

Passive wavelength monitor based on multimode interference waveguide. — C. Sookdhis, T. Mei, H. S. Djie, and J. Arokiaraj; **42** (12), 3421-2 (2003).

**Modulation**

Intermodulation in the spectrophotometric cell. — O. D. D. Soares and M. L. de Pedraza; **42** (2), 510-23 (2003).

Absolute phase analysis method for three-dimensional surface profilometry using frequency-modulated grating. — Yasuyuki Ikeda, Satoru Yoneyama, Motoharu Fujigaki, and Yoshiharu Morimoto; **42** (5), 1249-56 (2003).

Modulation, alignment, and calibration methods for phase-modulated optical polarimeters. — Jeffrey R. Mackey, Ezzatollah Salari, and Padateha Tin; **42** (5), 1460-6 (2003).

Automatic laser frequency locking to gas absorption lines. — Grady J. Koch; **42** (6), 1690-3 (2003).

Performance variation of preamplifier integrated cross-phase modulation wavelength converter by internal reflectivity of semiconductor optical amplifiers. — Jeung-Mo Kang, Yong-Soo Jeon, Sang-Kook Han, and Seok Lee; **42** (6), 1836-42 (2003).

Direct electro-optic intermodulation in fibers. — Sedig S. Agili and Thomas Koryu Ishii; **42** (9), 2542-50 (2003).

Dual-amplitude pulse interval modulation for optical wireless communications. — Kai Zhang, Haitao Zhang, Mali Gong, Ping Yan, and Xin Yang; **42** (9), 2721-6 (2003).

Single sideband techniques for laser Doppler velocimeter frequency offset. — Adrian A. Dorrington and Rainer Künnemeyer; **42** (11), 3239-46 (2003).

**Modulation transfer function**

Effects of image restoration on target acquisition. — Norman S. Kopeika, Stanley R. Rotman, Israel Taig, and Ariel Vander; **42** (2), 534-40 (2003).

**Modulation transfer functions**

Criteria for satellite image restoration success. — Dan Arbel, Shlomo Greenberg, Ofer Hadar, and Norman S. Kopeika; **42** (9), 2607-13 (2003).

**Modulators**

Transient analysis of a high-speed thermo-optic modulator integrated in an all-silicon waveguide. — M. Iodice, F. G. Della Corte, I. Rendina, P. M. Sarro, and M. Bellucci; **42** (1), 169-75 (2003).

Second-generation approach to all-organic modulators based on intrinsically polar self-assembled molecular superlattices. — Y.-G. Zhao, S. Chang, A. Wu, H.-L. Lu, S. T. Ho, M. E. van der Boom, and T. J. Marks; **42** (2), 298-9 (2003).

Thin film electro-optic modulator based on single crystal of N-(4-nitrophenyl)-(L)-prolinol (NPP) grown from melt by the modified Bridgman method. — Zhifu Liu, Sergey S. Sarkisov, Michael J. Curley, Alexander Leyderman, and Charles Lee; **42** (3), 803-12 (2003).

Progress in development of multiple-quantum-well retromodulators for free-space data links. — G. Charmaine Gilbreath, William S. Rabinovich, Timothy J. Meehan, Michael J. Vilcheck, Mena Stell, Rita Mahon, Peter G. Goetz, Eun Oh, John A. Vasquez, Kerry Cochrell, Robert L. Lucke, and Sharon Mozersky; **42** (6), 1611-7 (2003).

**Moire**

Filtering characteristics and grating images of multiphase grating optical low-pass filters. — Yong-Ho Oh, Jai-Cheol Lee, Sungwoo Lim, Shiho Kim, and Chun-Soo Go; **42** (4), 994-9 (2003).

Measurement of mechanical properties of materials in the micrometer range using electronic holographic moiré. — Cesar A. Sciammarella and Federico M. Sciammarella; **42** (5), 1215-22 (2003).

Mechanical evaluation of finger-jointed timber assemblies using holographic moiré interferometry. — Pramod Rastogi and Jean-Luc Sandoz; **42** (5), 1321-7 (2003).

Sensitivity improvement in phase-shifted moiré interferometry using 1-D continuous wavelet transform image processing. — Heng Liu, Alexander N. Cartwright, and Cemal Basaran; **42** (9), 2646-52 (2003).

**Motion**

Parallel multiplication-free algorithm and architecture for affine-based motion compensation. — Wael Badawy and Magdy A. Bayoumi; **42** (1), 255-64 (2003).

Comparison of motion-compensated algorithms for frame interpolation. — Demin Wang; **42** (2), 586-90 (2003).

Investigation on convergence behaviors of the differential method for 2-D motion parameter estimation. — Sang-hee Lee, Kook-yeol Yoo, and Jae-kyoon Kim; **42** (4), 1065-75 (2003).

Measuring 3-D shapes of a human face using photometric stereo method with color light sources and slit patterns. — Hitoshi Saji and Hiromasa Nakatani; **42** (9), 2727-33 (2003).

Improved multilevel successive elimination algorithm using efficient decision conditions. — Tae Gyoung Ahn, Yong Ho Moon, and Jae Ho Kim; **42** (11), 3247-52 (2003).

Image restoration from camera vibration and object motion blur in infrared staggered time-delay and integration systems. — Sergey Raiter, Adrian Stern, Ofer Hadar, and Norman S. Kopeika; **42** (11), 3253-64 (2003).

Fast restoration approach for rotational motion blurred image based on deconvolution along the blurring paths. — Hanyu Hong and Tianxu Zhang; **42** (12), 3471-86 (2003).

**Multialyers**

Fabrication and characterization of four-layer polymeric optical waveguides based on styrene acrylonitrile. — G. J. Qureshi, V. K. Gupta, Amit Pratap Singh, Avinashi Kapoor, and K. N. Tripathi; **42** (6), 1754-7 (2003).

**Multilayers**

Multilayer storage in a shift-multiplexed holographic disk. — Wei-Chia Su, Yu-Weng Chen, Ching-Cherng Sun, and Yueh Ouyang; **42** (6), 1528-9 (2003).

Multistage infrared target detection. — Alex Lipchen Chan, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (9), 2746-54 (2003).

**Multimedia**

Watermarking approach to embedded signature-based authentication by channel statistics. — Zhi-Fang Yang and Wen-Hsiang Tsai; **42** (4), 1157-65 (2003).

Adaptive video-dissolve detection method based on correlation between successive scenes. — Jong-Un Won, Jae-Gark Choi, Sang-Keun Oh, Dong-Min Kwak, and Kil-Houm Park; **42** (5), 1511-8 (2003).

**Multiplexers**

Wavelength selector using dual-core fiber for dense wavelength division multiplexing networks. — Yi Bin Lu and Pak L. Chu; **42** (3), 875-81 (2003).

Study of homodyne crosstalk accumulation in wavelength-division-multiplexed networks based on adaptive importance sampling method. — Min Rao, Xiaohan Sun, and Mingde Zhang; **42** (7), 2150-4 (2003).

Low-loss optical add drop multiplexer module using a $2\times2$ port optical device. — M. J. Kim, H. K. Kim, H. M. Lee, H. Y. Park, and S. G. Lee; **42** (9), 2489-90 (2003).

**Multiplexing**

Polarization-multiplexed volume holograms in $LiNbO_3$ with 90-deg geometry. — Wei-Chia Su, Ching-Cherng Sun, Nicholai Kukhtarev, and Arthur E. T. Chiou; **42** (1), 9-10 (2003).

Dispersion compensation and crosstalk reduction in a bidirectional dense wavelength division multiplexing cable television system. — Hai-Han Lu and Wen-Shing Tsai; **42** (1), 281-4 (2003).

Wavelength multiplexing of microelectromechanical system pressure and temperature sensors using fiber Bragg gratings and arrayed waveguide gratings. — Weizhuo Li, Don C. Abeysinghe, and Joseph T. Boyd; **42** (2), 431-8 (2003).

Applications of active arrayed-waveguide grating in future wavelength division multiplexing networks. — F. I. El-Nahal and R. J. Mears; **42** (3), 867-74 (2003).

Improved transmission performance by hybrid optical amplification in DWDM systems. — Tao Xu and Bernard J. Maxum; **42** (3), 882-5 (2003).

Design of a small residual dispersion fiber and a corresponding dispersion compensating fiber for dense wavelength division multiplexing systems. — I. C. Goyal, R. K. Varshney, and Ajoy K. Ghatak; **42** (4), 977-80 (2003).

OC-192 and CATV hybrid dense-wavelength-division-multiplexing transport system. — Hai-Han Lu, Po-Chou Lai, Hsiang-Chih Chen, and Ya-Lin Chen; **42** (5), 1370-4 (2003).

Multilayer storage in a shift-multiplexed holographic disk. — Wei-Chia Su, Yu-Weng Chen, Ching-Cherng Sun, and Yueh Ouyang; **42** (6), 1528-9 (2003).

Optical time-domain reflectometry interrogation of multiplexing low-reflectance Bragg-grating-based sensor system. — Po Zhang, H. H. Cerecedo-Nuñez, B. Qi, G. Pickrell, and Anbo Wang; **42** (6), 1597-603 (2003).

Fabrication and characterization of four-layer polymeric optical waveguides based on styrene acrylonitrile. — G. J. Qureshi, V. K. Gupta, Amit Pratap Singh, Avinashi Kapoor, and K. N. Tripathi; **42** (6), 1754-7 (2003).

Raman crosstalk cancellation in wavelength-division multiplexing by using neural networks. — Ramón M. Rodriguez-Dagnino, José A. Faz-Gomez, and Ignacio Larraga-Orozco; **42** (6), 1843-9 (2003).

Multiplexed edge-lit holograms. — Wei-Chia Su, Ching-Cherng Sun, and Nicholai Kukhtarev; **42** (7), 1871-2 (2003).

Improvement of composite second-order and composite triple-beat performances by using chirped fiber gratings in a wavelength-division-multiplexing transport system. — Hai-Han Lu, Wen-Shing Tsai, Wen-Jen Wang, and Hsu-Hung Huang; **42** (7), 1901-5 (2003).

Comparison of the thermal tuning capability of different types of Bragg grating filters for wavelength division multiplexing applications. — M. J. N. Lima, A. L. J. Teixeira, J. R. Ferreira da Rocha, O. Frazão, and P. S. B. André; **42** (9), 2502-5 (2003).

Reduction of four-wave mixing effect in an optical wavelength-division multiplexed system by utilizing different channel spacing and chromatic dispersion schemes. — M. Forkan Uddin, A. B. M. Nasirud Doulah, A. B. M. Ishteak Hossain, Muhammad Zulfiker Alam, and Mohammed Nazrul Islam; **42** (9), 2761-7 (2003).

Glass integrated optics ultranarrow linewidth distributed feedback laser matrix for dense wavelength division multiplexing applications. — Lionel Bastard, Sylvain Blaize, and Jean-Emmanuel Broquin; **42** (10), 2800-4 (2003).

Learning evolution design of multiband-transmission fiber Bragg grating filters. — Su-Frang Shu, Yinchieh Lai, and Ci-Ling Pan; **42** (10), 2856-60 (2003).

All-fiber Fourier filter flat-top interleaver design with specified performance parameters. — Qijie Wang, Tong Liu, Yeng Chai Soh, and Ying Zhang; **42** (11), 3172-8 (2003).

Gain-flattened ultra-wideband fiber amplifiers. — Yang Cao and M. Yasin Akhtar Raja; **42** (12), 3447-51 (2003).

**Networks**

Holographic diffuser for diffuse infrared wireless home networking. — Jianping Yao, George C. K. Chen, and Tuan-Kay Lim; **42** (2), 317-24 (2003).

Jumpstart just-in-time signaling protocol: a formal description using extended finite state machines. — Abdul Halim Zaim, Ilia Baldine, Mark Cassada, George N. Rouskas, Harry G. Perros, and Daniel Stevenson; **42** (2), 568-85 (2003).
Spectral-hologram-based correlator for photonic IP router: architectural considerations. — Joewono Widjaja; **42** (3), 747-52 (2003).
Multistation data fusion for code-division multiple access wireless communications. — Zhi Tian and Kuo-Chu Chang; **42** (6), 1572-82 (2003).
Compact automated optical-fiber cross-connect module using micro-optical connectors and a fiber-handling robot. — Masato Mizukami, Nobuhide Tanaka, Kunihiko Sasakura, and Kazumasa Kaneko; **42** (6), 1604-10 (2003).
Queueing models of optical delay lines in synchronous and asynchronous optical packet-switching networks. — Xiaoming Zhu and Joseph M. Kahn; **42** (6), 1741-8 (2003).
Study of homodyne crosstalk accumulation in wavelength-division-multiplexed networks based on adaptive importance sampling method. — Min Rao, Xiaohan Sun, and Mingde Zhang; **42** (7), 2150-4 (2003).

**Neural networks**

Face recognition through pose estimation and fringe-adjusted joint transform correlation. — A. Alsamman and Mohammad S. Alam; **42** (2), 560-7 (2003).
Raman crosstalk cancellation in wavelength-division multiplexing by using neural networks. — Ramón M. Rodríguez-Dagnino, José A. Faz-Gómez, and Ignacio Lárraga-Orozco; **42** (6), 1843-9 (2003).
Novel approach for region merging and image segmentation for human-computer interaction. — Jinghe Yuan, Zhizhan Xu, Sumei Li, and Yanxin Zhang; **42** (8), 2277-80 (2003).
Optical broadcast interconnection neural network. — Horacio Lamela, Marta Ruiz-Llata, and Cardinal Warde; **42** (9), 2487-8 (2003).
Coherent lightwave associative memory system that possesses a carrier-frequency-controlled behavior. — Sotaro Kawata and Akira Hirose; **42** (9), 2670-5 (2003).
New image super-resolution scheme based on residual error restoration by neural networks. — Fengzhi Pan and Liming Zhang; **42** (10), 3038-46 (2003).

**Noise**

Effect of spontaneous noise on mode-locked fiber grating external cavity lasers. — Nuran Dogru and M. Sadettin Özyazici; **42** (1), 18-22 (2003).
Partitioned computing architectures for image noise reduction. — R. Sundaram; **42** (1), 47-53 (2003).
Removing speckle noise and extracting the skeletons from a single speckle fringe pattern by spin filtering with curved-surface windows. — Qifeng Yu, Xiangyi Sun, Xiaolin Liu, Xiaohua Ding, and Zhiqiang Qiu; **42** (1), 68-74 (2003).
Adaptive neighborhood contrast enhancement in mammographic phantom images. — Vincente H. Guis, Mouloud Adel, Monique Rasigni, Georges Rasigni, Brigitte Séradour, and Patrice Heid; **42** (2), 357-66 (2003).
Noise analysis of an optically controlled metal semiconductor field effect transistor at microwave frequencies. — P. Chakrabarti, Badri Nath Tiwari, and Suman Kumar; **42** (2), 447-55 (2003).
Noise modeling of an InP/InGaAs heterojunction bipolar phototransistor. — P. Chakrabarti, Naveen Kumar Agrawal, Pankaj Kalra, Shishir Agrawal, and Gaurav Gupta; **42** (4), 939-47 (2003).
Investigation on convergence behaviors of the differential method for 2-D motion parameter estimation. — Sang-hee Lee, Kook-yeol Yoo, and Jae-kyoon Kim; **42** (4), 1065-75 (2003).
Adaptive spatiotemporal multiple sensor fusion. — Hai-Wen Chen and Teresa Olson; **42** (5), 1481-95 (2003).
Novel method of chaotic-signal estimation. — Stephen T. Feng and Patrick C. Yip; **42** (6), 1550-9 (2003).
Multiresolution vessel tracking in angiographic images using valley courses. — Zikuan Chen and Sabee Molloi; **42** (6), 1673-82 (2003).
Operational parametrization of the 1/*f* noise of a sequence of frames by means of the principal component analysis in focal plane arrays. — José Manuel López-Alonso and Javier Alda; **42** (7), 1915-22 (2003).
Performance of a novel planar-processed avalanche photodiode for light and x-ray detection. — Ernesto Gramsch and Ricardo E. Avila; **42** (9), 2496-501 (2003).
Noise suppression in spatial carrier phase shifting method. — Qian Kemao, Seah Hock Soon, and Anand Asundi; **42** (9), 2642-5 (2003).

**Non-destructive testing**

Nondestructive testing with thermal waves using phase-shifted temporal speckle pattern interferometry. — Guillermo H. Kaufmann; **42** (7), 2010-4 (2003).

**Nondestructive testing**

Deformation measurement of a micro-rf capacitive switch membrane using laser interferometry. — C. Quan, S. H. Wang, C. J. Tay, A. Q. Liu, and H. M. Shang; **42** (1), 92-7 (2003).
Fiber optic off-focus sensor for surface topography measurement. — Yong Zhao, Yanbiao Liao, and Shurong Lai; **42** (3), 670-4 (2003).
Response of a fiber Bragg grating ultrasonic sensor. — Pavel Fomitchov and Sridhar Krishnaswamy; **42** (4), 956-63 (2003).
Development of an automatic detection machine for cracks originating at side faces of ceramic chips. — Masahiro Yoshida and Nobuyuki Akiyama; **42** (4), 1121-7 (2003).
Mobile shearography system for the inspection of aircraft and automotive components. — Michael Kalms and Wolfgang Osten; **42** (5), 1188-96 (2003).
Unified approach for holography and shearography in surface deformation measurement and nondestructive testing. — Michael Y. Y. Hung, H. M. Shang, and Lianxiang Yang; **42** (5), 1197-207 (2003).
Optoelectronic characterization of shape and deformation of MEMS accelerometers used in transportation applications. — Cosme Furlong and Ryszard J. Pryputniewicz; **42** (5), 1223-31 (2003).
Optoacoustical sensor to examine the structural integrity of transportation systems. — Vladimir Markov, James Trolinger, John Webster, and Gerard Pardoen; **42** (5), 1277-87 (2003).
Characterization of a single delamination using geometric moments and genetic algorithms. — Alejandro Maranon, Andrew D. Nurse, and Jonathan M. Huntley; **42** (5), 1328-36 (2003).
Reconstruction and enhancement of active thermographic image sequences. — Steven M. Shepard, James R. Lhota, Bruce A. Rubadeux, David Wang, and Tasdiq Ahmed; **42** (5), 1337-42 (2003).
Nondestructive testing of specularly reflective objects using reflection three-dimensional computer vision technique. — Michael Y. Y. Hung and H. M. Shang; **42** (5), 1343-7 (2003).

**Nonlinear image processing**

Pattern recognition by quantization of modulated function to complexes of a quadrupole in matched filtering. — Taketsugu Yao and Takumi Minemoto; **42** (10), 2994-3003 (2003).

**Nonlinear optics**

Seed-source tuning of a broadband noncollinear optical parametric generator based on periodically poled $LiNbO_3$. — S. Haidar, T. Usami, J. Shikata, and H. Ito; **42** (1), 143-7 (2003).
Wavelength selector using dual-core fiber for dense wavelength division multiplexing networks. — Yi Bin Lu and Pak L. Chu; **42** (3), 875-81 (2003).
Spatial sampling in pixelated-metal-mirror ferroelectric-liquid-crystal optically addressed spatial-light-modulator devices. — Solon Mias, Neil Collings, Tim D. Wilkinson, Stuart Coomber, Maurice Stanley, and William A. Crossland; **42** (7), 2075-81 (2003).
Three-core nonlinear directional coupler with variable coupling coefficient. — Gang Jun Liu, Bin Ming Liang, Qu Li, and Guo Liang Jin; **42** (10), 2930-5 (2003).
Nonlinear optical limiting of the azo dye methyl-red doped nematic liquid crystalline films. — Luogen Deng and Hua-Kuang Liu; **42** (10), 2936-41 (2003).
Noncollinear optical parametric oscillator design for walk-off reduction in GaSe crystals. — N. B. Singh, Dennis R. Suhre, Kenton A. Green, Nils C. Fernelius, and F. Kenneth Hopkins; **42** (11), 3270-3 (2003).
Computer study of nonlinearity in constant current biased mercury-cadmium-telluride detectors. — Mohammad S. Alam and Joseph P. Predina; **42** (12), 3491-7 (2003).

**Optical character recognition**

Resolution requirements for alphanumeric readability. — John Lester Miller and John M. Wiltse; **42** (3), 846-52 (2003).

**Optical communication**

Progress in development of multiple-quantum-well retromodulators for free-space data links. — G. Charmaine Gilbreath, William S. Rabinovich, Timothy J. Meehan, Michael J. Vilcheck, Mena Stell, Rita Mahon, Peter G. Goetz, Eun Oh, John A. Vasquez, Kerry Cochrell, Robert L. Lucke, and Sharon Mozersky; **42** (6), 1611-7 (2003).

**Optical communications**

Jumpstart just-in-time signaling protocol: a formal description using extended finite state machines. — Abdul Halim Zaim, Ilia Baldine, Mark Cassada, George N. Rouskas, Harry G. Perros, and Daniel Stevenson; **42** (2), 568-85 (2003).
Optical waveguide fabrication by combination of spin-on-glass and plasma-enhanced chemical vapor deposition for optoelectronic integration. — Tomiyuki Arakawa, Tatsushi Hasegawa, and Masatoshi Kagawa; **42** (4), 898-9 (2003).
Optical characteristics of PnpN optical thyristor operating at 1.55 $\mu$m. — Doo-Gun Kim, Hee-Hyun Lee, Woon-Kyung Choi, Jung-Jun Lee, Young-Wan Choi, S. Lee, Deokha H. Woo, Young-Tae Byun, J. H. Kim, Soo Hyun Kim, N. Futakuchi, and Yoshiaki Nakano; **42** (4), 1093-9 (2003).
Multistation data fusion for code-division multiple access wireless communications. — Zhi Tian and Kuo-Chu Chang; **42** (6), 1572-82 (2003).
Raman crosstalk cancellation in wavelength-division multiplexing by using neural networks. — Ramón M. Rodríguez-Dagnino, José A. Faz-Gómez, and Ignacio Lárraga-Orozco; **42** (6), 1843-9 (2003).
Communication performance analysis of microsatellites using an optical phased array antenna. — Anna Polishuk and Shlomi Arnon; **42** (7), 2015-24 (2003).
Study of homodyne crosstalk accumulation in wavelength-division-multiplexed networks based on adaptive importance sampling method. — Min Rao, Xiaohan Sun, and Mingde Zhang; **42** (7), 2150-4 (2003).
Public-key-based optical image cryptosystem based on data embedding techniques. — Guo-Shiang Lin, Hsuan T. Chang, Wen-Nung Lie, and Cheng-Hung Chuang; **42** (8), 2331-9 (2003).
Comparison of the thermal tuning capability of different types of Bragg grating filters for wavelength division multiplexing applications. — M. J. N. Lima, A. L. J. Teixeira, J. R. Ferreira da Rocha, O. Frazão, and P. S. B. André; **42** (9), 2502-5 (2003).
Dual-amplitude pulse interval modulation for optical wireless communications. — Kai Zhang, Haitao Zhang, Mali Gong, Ping Yan, and Xin Yang; **42** (9), 2721-6 (2003).
Optimal design for bidirectionally pumped Raman transmission systems. — Yonghong Ma, Shizhong Xie, Shouxian She, and Minghua Chen; **42** (10), 2942-6 (2003).
Optical wireless multibeam transmitter with line strip, diamond, and uniform geometries. — A. G. Al-Ghamdi and J. M. H. Elmirghani; **42** (11), 3295-301 (2003).
Passive wavelength monitor based on multimode interference waveguide. — C. Sookdhis, T. Mei, H. S. Djie, and J. Arokiaraj; **42** (12), 3421-2 (2003).
Performance comparison of standard FEC and enhanced FEC in coded systems with high polarization mode dispersion. — Juanjuan Yan, Minghua Chen, Shizhong Xie, and Bingkun Zhou; **42** (12), 3456-60 (2003).

**Optical computing**

Limited-angle optical computed tomography algorithms. — Xiong Wan, Yiqing Gao, Qing Wang, Shuping Le, and Shenglin Yu; **42** (9), 2659-69 (2003).
Coherent lightwave associative memory system that possesses a carrier-frequency-controlled behavior. — Sotaro Kawata and Akira Hirose; **42** (9), 2670-5 (2003).

**Optical constants**

Optical properties and average flow of energy in AgInSbTe films used for phase change optical recording. — P. K. Bhatnagar, Geeta Mongia, and P. C. Mathur; **42** (11), 3274-8 (2003).

**Optical design**

Influence of support structure on microdisk resonator performance. — Shouyuan Shi, Dennis W. Prather, Liuqing Yang, and James Kolodzey; **42** (2), 383-7 (2003).
Design of guided-wave photonic bandgap devices by using the Bloch-Floquet theory. — Agostino Giorgio, Anna Gina Perri, and Mario N. Armenise; **42** (4), 1100-7 (2003).
Analysis of the Naval Observatory Flagstaff Station 1-m telescope using annular Zernike polynomials. — Sergio R. Restaino, Scott W. Teare, Michael DiVittorio, G. Charmaine Gilbreath, and David Mozurkewich; **42** (9), 2491-5 (2003).
Refractive-diffractive hybrid optical element for true beam smoothing. — Qiaofeng Tan, Yingbai Yan, and Guofan Jin; **42** (11), 3100-5 (2003).
Geometric optics-based design of laser beam shapers. — David L. Shealy and Shao-Hua Chao; **42** (11), 3123-38 (2003).
Optical pumping of the XeF(C→A) and iodine 1.315-$\mu$m lasers by a compact surface discharge system. — B. A. Knecht, R. D. Fraser, D. J. Wheeler, C. J. Zietkiewicz, A. A. Senin, L. D. Mikheev, V. S. Zuev, and J. G. Eden; **42** (12), 3612-21 (2003).

**Optical designs**

Striae quality grades for optical glass. — Jackson S. Stroud; **42** (6), 1618-24 (2003).

**Optical devices**

Single-crystal thin films of organic molecular salt may lead to a new generation of electro-optic devices. — Mrinal Thakur, Jitto Titus, and Alpana Mishra; **42** (2), 456-8 (2003).
Investigation of optical interconnect receivers in standard micron and submicron MOS technology. — Thomas Heide and Horst Zimmermann; **42** (3), 773-86 (2003).
Wavelength selector using dual-core fiber for dense wavelength division multiplexing networks. — Yi Bin Lu and Pak L. Chu; **42** (3), 875-81 (2003).

Low-loss optical add drop multiplexer module using a 2 × 2 port optical device. — M. J. Kim, H. K. Kim, H. M. Lee, H. Y. Park, and S. G. Lee; **42** (9), 2489-90 (2003).
Design of a 2- × 200-nm bandwith integrated optic duplexer. — Elise Ghibaudo, Jean-Emmanuel Broquin, and Pierre Benech; **42** (10), 2850-5 (2003).

**Optical disks**
Influence of support structure on microdisk resonator performance. — Shouyuan Shi, Dennis W. Prather, Liuqing Yang, and James Kolodzey; **42** (2), 383-7 (2003).
Production of computer-generated holograms on recordable compact disk media using a compact disk writer. — Adrian Cable, Peter Mash, and Timothy Wilkinson; **42** (9), 2514-20 (2003).
Effect of edge rounding and sloping of sidewalls on the readout signal of the information pits on optical disks. — Yajun Li, Hungte Lee, and Emil Wolf; **42** (9), 2707-20 (2003).

**Optical fabrication**
Simulation of the fabrication infidelity of diffractive-optical elements by using halftone gray-scale masks. — J. S. Liu, M. J. Thomson, and M. R. Taghizadeh; **42** (2), 334-9 (2003).
Wavelength multiplexing of microelectromechanical system pressure and temperature sensors using fiber Bragg gratings and arrayed waveguide gratings. — Weizhuo Li, Don C. Abeysinghe, and Joseph T. Boyd; **42** (2), 431-8 (2003).
Fabrication of a complex-shaped mirror for an extreme ultraviolet lithography illumination system. — Hideo Takino, Teruki Kobayashi, Norio Shibata, Masaaki Kuki, Akinori Itoh, and Hideki Komatsuda; **42** (9), 2676-82 (2003).
Profilometry by fringe projection. — Luis Salas, Esteban Luna, Javier Salinas, Víctor García, and Manuel Servín; **42** (11), 3307-14 (2003).

**Optical filters**
Evaluation method of optical filters used in fluorescence detectors. — Athanasios K. Geranios, Emmanuel Fokitis, Stavros Maltezos, A. Petridis, and M. Vassiliou; **42** (3), 759-64 (2003).

**Optical inspection**
Research on measurement technology of internal MJ threads used for aerospace with a reflex fiber-optic sensor. — Yong Zhao and Yanbiao Liao; **42** (2), 416-20 (2003).
Fiber optic off-focus sensor for surface topography measurement. — Yong Zhao, Yanbiao Liao, and Shurong Lai; **42** (3), 670-4 (2003).
Calibration approach for structured-light-stripe vision sensor based on the invariance of double cross-ratio. — Zhenzhong Wei, Guangjun Zhang, and Yuan Xu; **42** (10), 2956-66 (2003).
Two-dimensional map of gloss of plastics measured by diffractive-element-based glossmeter. — Kari Myller, Kai-Erik Peiponen, and Raimo Silvennoinen; **42** (11), 3194-7 (2003).

**Optical interconnects**
Wavelength division multiplexers/demultiplexers for optical interconnects in massively parallel processing. — Feng Zhao, Yun Zhang, Jizuo Zou, Zhong Shi, Bipin Bihari, Edward Frietman, Xuegong Deng, Jie Qiao, Zan Shi, and Ray T. Chen; **42** (1), 273-80 (2003).
Three-dimensional micro-optical switching system architecture using slab-waveguide-based micro-optical switches. — Tetsuzo Yoshimura, Satoshi Tsukada, Shinji Kawakami, Minoru Ninomiya, Yukihiko Arai, Hiroaki Kurokawa, and Kunihiko Asama; **42** (2), 439-46 (2003).
Optical waveguide fabrication by combination of spin-on-glass and plasma-enhanced chemical vapor deposition for optoelectronic integration. — Tomiyuki Arakawa, Tatsushi Hasegawa, and Masatoshi Kagawa; **42** (4), 898-9 (2003).
Optical matrix structure for optical interconnection between two groups of points. — S. L. Yeh and Y. K. Shen; **42** (7), 2068-74 (2003).
Optical broadcast interconnection neural network. — Horacio Lamela, Marta Ruiz-Llata, and Cardinal Warde; **42** (9), 2487-8 (2003).
Integrated optoelectronic transmitter and receiver multi-chip modules for three-dimensional chip-level micro-optical interconnects. — Saurabh K. Lohokare, Dennis W. Prather, Jeffery A. Cox, Paul E. Sims, Michael G. Mauk, and Oleg V. Sulima; **42** (9), 2683-8 (2003).

**Optical limiting**
Nonlinear optical limiting of the azo dye methyl-red doped nematic liquid crystalline films. — Luogen Deng and Hua-Kuang Liu; **42** (10), 2936-41 (2003).

**Optical materials**
Fabrication of multilevel structures in self-development photosensitive hybrid sol-gel glass by a gray scale mask. — Weixing Yu and X.-C. Yuan; **42** (12), 3411-2 (2003).

**Optical networks**
OC-192 and CATV hybrid dense-wavelength-division-multiplexing transport system. — Hai-Han Lu, Po-Chou Lai, Hsiang-Chih Chen, and Ya-Lin Chen; **42** (5), 1370-4 (2003).

**Optical properties**
Optical properties and average flow of energy in AgInSbTe films used for phase change optical recording. — P. K. Bhatnagar, Geeta Mongia, and P. C. Mathur; **42** (11), 3274-8 (2003).
Optical and electro-optical properties of pulse laser deposited PLZT thin films. — Ludovic Escoubas, Pascal Huguet-Chantôme, Miroslav Jelínek, Francois Flory, Emmanuel Drouard, Ján Lančok, Jean-Jacques Simon, and Thomas Mazingue; **42** (12), 3579-84 (2003).
Fabrication of Ag-doped polarizing glass by a sol-gel method. — Dawei Wang, Shiju Guo, and Sheng Yin; **42** (12), 3585-8 (2003).

**Optical recording**
Study of the crystallization behavior of Ag-In-Sb-Te phase change optical recording film. — Geeta Mongia and P. K. Bhatnagar; **42** (1), 148-50 (2003).
Holographic Gaussian to flat-top beam shaping. — Miroslav Miler, Ivo Aubrecht, and Jan Pala; **42** (11), 3114-22 (2003).
Optical properties and average flow of energy in AgInSbTe films used for phase change optical recording. — P. K. Bhatnagar, Geeta Mongia, and P. C. Mathur; **42** (11), 3274-8 (2003).
Recording on $As_2S_3$ glassy films by pulsed and continuous illumination—optical evaluation and comparison. — Boris Spektor, Joseph Shamir, Victor Lyubin, and Matvei Klebanov; **42** (11), 3279-84 (2003).

**Optical storage**
Polarization-multiplexed volume holograms in $LiNbO_3$ with 90-deg geometry. — Wei-Chia Su, Ching-Cherng Sun, Nicholai Kukhtarev, and Arthur E. T. Chiou; **42** (1), 9-10 (2003).
Design and performances of prototype laser amplifiers for technical-integration-line facility. — Haiwu Yu, Wanguo Zheng, Chengcheng Wang, Jun Tang, Shaobo He, Yong Liu, Hai Zhou, Donghui Lin, Xuejun Jiang, Liangfu Guo, Yizheng Li, Dehuai Chen, Xiaofeng Wei, and Xiaomin Zhang; **42** (3), 725-9 (2003).
Multilayer storage in a shift-multiplexed holographic disk. — Wei-Chia Su, Yu-Weng Chen, Ching-Cherng Sun, and Yueh Ouyang; **42** (6), 1528-9 (2003).
Time response of optical switching properties of Sb thin films under focused laser pulses. — Jingsong Wei and Fuxi Gan; **42** (6), 1749-53 (2003).
Multilayer optical storage disk based on the frequency up-conversion effect from rare-earth ions. — Ho Pui Ho, W. W. Wong, and S. Y. Wu; **42** (8), 2349-53 (2003).
Effect of edge rounding and sloping of sidewalls on the readout signal of the information pits on optical disks. — Yajun Li, Hungte Lee, and Emil Wolf; **42** (9), 2707-20 (2003).
Spatial filtering of three-dimensional objects based on volume holography. — Ching-Cherng Sun, Chih-Yuan Hsu, Chia-How Wu, and Wei-Chia Su; **42** (10), 2788-9 (2003).

**Optical systems**
Assessment of a Wigner-distribution-function-based method to compute the polychromatic axial response given by an aberrated optical system. — Walter D. Furlan, Genaro Saavedra, Enrique Silvestre, Juan A. Monsoriu, and José D. Patrignani; **42** (3), 753-8 (2003).
Optical characteristics of PnpN optical thyristor operating at 1.55 $\mu$m. — Doo-Gun Kim, Hee-Hyun Lee, Woon-Kyung Choi, Jung-Jun Lee, Young-Wan Choi, S. Lee, Deokha H. Woo, Young-Tae Byun, J. H. Kim, Soo Hyun Kim, N. Futakuchi, and Yoshiaki Nakano; **42** (4), 1093-9 (2003).
Performance comparison of standard FEC and enhanced FEC in coded systems with high polarization mode dispersion. — Juanjuan Yan, Minghua Chen, Shizhong Xie, and Bingkun Zhou; **42** (12), 3456-60 (2003).

**Optical testing**
High-stability white-light interferometry with reference signal for real-time correction of scanning errors. — Artur Olszak and Joanna Schmit; **42** (1), 54-9 (2003).
Phase-shifting diffraction-grating interferometer for testing concave mirrors. — Tae-Joon Hwang and Seung-Woo Kim; **42** (12), 3532-6 (2003).

**Optical transfer functions**
Low-order mode correction anisoplanatism limitations for adaptive optics system. — Hongtao Zhang, Fuchang Yin, Bing Xu, and Wenhan Jiang; **42** (8), 2190-6 (2003).
Restoration of interlaced images degraded by variable velocity motion. — Yitzhak Yitzhaky and Adrian Stern; **42** (12), 3557-65 (2003).

**Optoelectronic packaging**
Novel fiber optic alignment strategy using Hamiltonian algorithm and Matlab/Simulink. — Rong Zhang and Frank G. Shi; **42** (8), 2240-5 (2003).

**Optoelectronics**
Wavelength division multiplexers/demultiplexers for optical interconnects in massively parallel processing. — Feng Zhao, Yun Zhang, Jizuo Zou, Zhong Shi, Bipin Bihari, Edward Frietman, Xuegong Deng, Jie Qiao, Zan Shi, and Ray T. Chen; **42** (1), 273-80 (2003).
Investigation of optical interconnect receivers in standard micron and submicron MOS technology. — Thomas Heide and Horst Zimmermann; **42** (3), 773-86 (2003).
Design of guided-wave photonic bandgap devices by using the Bloch-Floquet theory. — Agostino Giorgio, Anna Gina Perri, and Mario N. Armenise; **42** (4), 1100-7 (2003).

**Organic materials**
Second-generation approach to all-organic modulators based on intrinsically polar self-assembled molecular superlattices. — Y.-G. Zhao, S. Chang, A. Wu, H.-L. Lu, S. T. Ho, M. E. van der Boom, and T. J. Marks; **42** (2), 298-9 (2003).
All-optical switching with fast-response variable-index materials. — J. J. Robillard and D. Luna-Moreno; **42** (12), 3575-8 (2003).

**Oscillators**
Tunable pulse-duration optical parametric oscillator pumped by stimulated Brillouin scattering phase-conjugation wave. — Qiang Liu, Bin Shi, Mali Gong, Ping Yan, Yuezhu Wang, and Qi Wang; **42** (11), 3265-9 (2003).
Noncollinear optical parametric oscillator design for walk-off reduction in GaSe crystals. — N. B. Singh, Dennis R. Suhre, Kenton A. Green, Nils C. Fernelius, and F. Kenneth Hopkins; **42** (11), 3270-3 (2003).

**Ozone**
Differential absorption lidar system for simultaneous measurement of $O_3$ and $NO_2$: system development and measurement error estimation. — Tetsuo Fukuchi, Takuya Nayuki, Nianwen Cao, Takashi Fujii, Koshichi Nemoto, Hideto Mori, and Nobuo Takeuchi; **42** (1), 98-104 (2003).

**Parallel processing**
Wavelength division multiplexers/demultiplexers for optical interconnects in massively parallel processing. — Feng Zhao, Yun Zhang, Jizuo Zou, Zhong Shi, Bipin Bihari, Edward Frietman, Xuegong Deng, Jie Qiao, Zan Shi, and Ray T. Chen; **42** (1), 273-80 (2003).
Multichannel optical correlator for texture classification. — Joaquim Barbé, Juan Campos, Josep Nicolás, and Claudio Iemmi; **42** (7), 2062-7 (2003).
Coherent lightwave associative memory system that possesses a carrier-frequency-controlled behavior. — Sotaro Kawata and Akira Hirose; **42** (9), 2670-5 (2003).

**Particles**
Robust genetic algorithm for high-accuracy particle position estimation in three-dimensional particle image velocimetry applications. — P. Padilla-Sosa, J. E. Valdez, L. R. Berriel-Valdos, L. R. Sahagún-Ortiz, and M. Funes-Gallanzi; **42** (2), 459-66 (2003).

**Pattern recognition**
Considerations in designing a marine-mammal–ship collision avoidance system based on aerial imagery by an unmanned airborne vehicle. — Henry Stark, Prasanna Parthasarathy, and Richard N. Johnson; **42** (1), 11-7 (2003).
Texture feature coding method for texture classification. — Ming-Huwi Horng; **42** (1), 228-38 (2003).
Face recognition through pose estimation and fringe-adjusted joint transform correlation. — A. Alsamman and Mohammad S. Alam; **42** (2), 560-7 (2003).
Three-dimensional shape recovery across two views using approximate geometric constraints. — Hau-san Wong and Ronald Chung; **42** (3), 632-41 (2003).
Invariant object recognition under three-dimensional rotations and changes of scale. — Sebastien Roy, Henri H. Arsenault, and Daniel Lefebvre; **42** (3), 813-21 (2003).
Examination of sol-gel production repeatability by statistical pattern recognition methods. — Joanna Kobel, Artur Suchwałko, Halina Podbielska, and Agnieszka Ulatowska-Jarza; **42** (4), 1137-43 (2003).
Characterization of a single delamination using geometric moments and genetic algorithms. — Alejandro Maranon, Andrew D. Nurse, and Jonathan M. Huntley; **42** (5), 1328-36 (2003).
Performance comparison between multichannel polychromatic and conventional joint transform correlators. — Chih-Sung Wu and Chulung Chen; **42** (6), 1758-65 (2003).
Rule-based target differentiation and position estimation based on infrared intensity measurements. — Tayfun Aytaç and Billur Barshan; **42** (6), 1766-71 (2003).
Parallel classification of multiple objects using a phase-only multichannel optical correlator. — Mirta Villarreal, Claudio Iemmi, and Juan Campos; **42** (8), 2354-61 (2003).
Face recognition based on singular-value feature vectors. — Quan Pan, Min-Gui Zhang, De-Long Zhou, Yong-Mei Cheng, and Hong-Cai Zhang; **42** (8), 2368-74 (2003).
Greedy modular eigenspaces and positive Boolean function for supervised hyperspectral image classification. — Yang-Lang Chang, Chin-Chuan Han, Kuo-Chin Fan, K. S. Chen, Chia-Tang Chen, and Jeng-Horng Chang; **42** (9), 2576-87 (2003).

Classification of single-particle two-dimensional angular optical scattering patterns and heuristic scatterer reconstruction. — Giovanni F. Crosta, Simeone Zomer, Yong–Le Pan, and Stephen Holler; **42** (9), 2689-701 (2003).
Improved approach for object location under affine transformation using the Hausdorff distance. — Xiaoming Peng, Mingyue Ding, Chengping Zhou, and Tianxu Zhang; **42** (10), 2794-5 (2003).
Pattern recognition by quantization of modulated function to complexes of a quadrupole in matched filtering. — Taketsugu Yao and Takumi Minemoto; **42** (10), 2994-3003 (2003).
Node-matching-based pattern recognition method for retinal blood vessel images. — Tusheng Lin and Yibin Zheng; **42** (11), 3302-6 (2003).
Position-invariant surface recognition and localization using infrared sensors. — Billur Barshan and Tayfun Aytaç; **42** (12), 3589-94 (2003).

**Phase**

Three-dimensional surface profile measurement of a moving object by a spatial-offset phase stepping method. — Satoru Yoneyama, Yoshiharu Morimoto, Motoharu Fujigaki, and Yasuyuki Ikeda; **42** (1), 137-42 (2003).
Study of the crystallization behavior of Ag-In-Sb-Te phase change optical recording film. — Geeta Mongia and P. K. Bhatnagar; **42** (1), 148-50 (2003).
Calibration of a three-dimensional shape measurement system. — Qingying Hu, Peisen S. Huang, Qionglin Fu, and Fu-Pen Chiang; **42** (2), 487-93 (2003).
Fiber-optic current sensor. — Wuu-Wen Lin; **42** (4), 896-7 (2003).
Filtering characteristics and grating images of multiphase grating optical low-pass filters. — Yong-Ho Oh, Jai-Cheol Lee, Sungwoo Lim, Shiho Kim, and Chun-Soo Go; **42** (4), 994-9 (2003).
Two-dimensional rotation angle measurement using a sinusoidal phase-modulating laser diode interferometer. — Osami Sasaki, Chikao Togashi, and Takamasa Suzuki; **42** (4), 1132-6 (2003).
Absolute phase analysis method for three-dimensional surface profilometry using frequency-modulated grating. — Yasuyuki Ikeda, Satoru Yoneyama, Motoharu Fujigaki, and Yoshiharu Morimoto; **42** (5), 1249-56 (2003).
Modulation, alignment, and calibration methods for phase-modulated optical polarimeters. — Jeffrey R. Mackey, Ezzatollah Salari, and Padateha Tin; **42** (5), 1460-6 (2003).
Algorithm for directly retrieving the phase difference: a generalization. — Kemao Qian, Hock Soon Seah, and Anand K. Asundi; **42** (6), 1721-4 (2003).
Multiplexed edge-lit holograms. — Wei-Chia Su, Ching-Cherng Sun, and Nicholai Kukhtarev; **42** (7), 1871-2 (2003).
Phase sensitivity of conventional single-mode and holey optical fibers: a comparison study. — Wilson K. S. Chiu, Jason M. Maguire, and Marilyn J. Berliner; **42** (8), 2304-10 (2003).
Analysis and optimization on single-zone binary flat-top beam shaper. — Jame J. Yang and Michael R. Wang; **42** (11), 3106-13 (2003).
Optical properties and average flow of energy in AgInSbTe films used for phase change optical recording. — P. K. Bhatnagar, Geeta Mongia, and P. C. Mathur; **42** (11), 3274-8 (2003).
Ultrafast laser-induced crystallization of amorphous silicon films. — Tae Y. Choi, David J. Hwang, and Costas P. Grigoropoulos; **42** (11), 3383-8 (2003).
Study of wedge-adjusted Talbot interferometer for writing fiber gratings with variable inscribed Bragg wavelengths. — Chuan Li, Yi-Mo Zhang, Xue-Fei Tian, and Bing-Heng Xiong; **42** (12), 3452-5 (2003).
Near-real-time phase difference amplification using multiple-beam interferometry and a liquid-crystal-phase-only spatial light modulator. — Kiyofumi Matsuda, Geoffrey T. Bold, Thomas H. Barnes, Tomoaki Eiju, Chander P. Grover, and Colin J. R. Sheppard; **42** (12), 3537-44 (2003).

**Phase conjugation**

Fully phase encryption using fractional Fourier transform. — Naveen Kumar Nishchal, Joby Joseph, and Kehar Singh; **42** (6), 1583-8 (2003).
Tunable pulse-duration optical parametric oscillator pumped by stimulated Brillouin scattering phase-conjugation wave. — Qiang Liu, Bin Shi, Mali Gong, Ping Yan, Yuezhu Wang, and Qi Wang; **42** (11), 3265-9 (2003).

**Phase contrast**

Fully phase encryption using fractional Fourier transform. — Naveen Kumar Nishchal, Joby Joseph, and Kehar Singh; **42** (6), 1583-8 (2003).

**Phase measurement**

Measurement of the concentration of a solution with surface plasmon resonance heterodyne interferometry. — Kun-Huang Chen, Cheng-Chih Hsu, and Der-Chin Su; **42** (7), 1884-7 (2003).
Dynamic shape measurement system for laser materials processing. — Mark Reeves, Andrew J. Moore, Duncan P. Hand, and Julian D. C. Jones; **42** (10), 2923-9 (2003).
Simultaneous measurement of displacement and its spatial derivatives with a digital holographic method. — Liu Cheng; **42** (12), 3443-6 (2003).
Two-step phase-shifting algorithm. — Saúl Almazán-Cuéllar and Daniel Malacara-Hernández; **42** (12), 3524-31 (2003).

**Phase modulation**

Intensity variations using a quantized spatial light modulator for nonmechanical beam steering. — Emil Hällstig, Lars Sjöqvist, and Mikael Lindgren; **42** (3), 613-9 (2003).
Front-end sources of the LIL-LMJ fusion lasers: progress report and prospects. — Alain Jolly, J. F. Gleyze, J. Luce, H. Coic, and G. Deschaseaux; **42** (5), 1427-38 (2003).
Improvement of composite second-order and composite triple-beat performances by using chirped fiber gratings in a wavelength-division-multiplexing transport system. — Hai-Han Lu, Wen-Shing Tsai, Wen-Jen Wang, and Hsu-Hung Huang; **42** (7), 1901-5 (2003).
Real-time remote identification and verification of objects using optical ID tags. — Bahram Javidi; **42** (8), 2346-8 (2003).

**Phase retrieval**

Filtering the complex field in phase shifting interferometry. — Kemao Qian, Hock Soon Seah, and Anand Asundi; **42** (10), 2792-3 (2003).

**Phase shift**

High-speed 3-D shape measurement based on digital fringe projection. — Peisen S. Huang, Chengping Zhang, and Fu-Pen Chiang; **42** (1), 163-8 (2003).
Algorithm for directly retrieving the phase difference: a generalization. — Kemao Qian, Hock Soon Seah, and Anand K. Asundi; **42** (6), 1721-4 (2003).
Noise suppression in spatial carrier phase shifting method. — Qian Kemao, Seah Hock Soon, and Anand Asundi; **42** (9), 2642-5 (2003).

**Phase shifts**

Phase-shifting Fizeau interference microscope with a wavelength-shifted laser diode. — Yukihiro Ishii, Jun Chen, Ribun Onodera, and Taizo Nakamura; **42** (1), 60-7 (2003).
Large surface profile measurement with instantaneous phase-shifting interferometry. — N. R. Sivakumar, W. K. Hui, K. Venkatakrishnan, and B. K. A. Ngoi; **42** (2), 367-72 (2003).
Error compensation for a three-dimensional shape measurement system. — Peisen S. Huang, Qingying Hu, and Fu-Pen Chiang; **42** (2), 482-6 (2003).
Calibration of a three-dimensional shape measurement system. — Qingying Hu, Peisen S. Huang, Qionglin Fu, and Fu-Pen Chiang; **42** (2), 487-93 (2003).
Measurement of surface shape and deformation by phase-shifting image digital holography. — Ichirou Yamaguchi, Jun-ichi Kato, and Hirokazu Matsuzaki; **42** (5), 1267-71 (2003).
Device for concatenation of phase-shifted long-period grating and its application as gain-flattening fiber filter. — Yinian Zhu, Beatrys M. Lacquet, Pieter L. Swart, Stephanus J. Spammer, Ping Shum, and Chao Lu; **42** (5), 1445-50 (2003).
Sinusoidal liquid crystal display grating in the Ronchi test. — Miguel Mora-González and Noe Alcalá Ochoa; **42** (6), 1725-9 (2003).
Fabrication of digital sinusoidal gratings and precisely controlled diffusive flats and their application to highly accurate projected fringe profilometry. — Wei-Hung Su, Hongyu Liu, Karl Reichard, Shizhuo Yin, and Francis T. S. Yu; **42** (6), 1730-40 (2003).
Dynamic measurement of displacement with phase-shifting technique. — Yueguang Lu, A. Peter Doel, David D. Walker, and Xia Zhao; **42** (7), 2006-9 (2003).
Nondestructive testing with thermal waves using phase-shifted temporal speckle pattern interferometry. — Guillermo H. Kaufmann; **42** (7), 2010-4 (2003).
Phase-shifting photoelasticity using a flatbed scanner. — T. W. Ng, P. K. Quek, and K. H. Lim; **42** (8), 2375-9 (2003).
Pedestal-free 10-GHz pulse compression using comb-like dispersion profiled fibers and its application in 40-Gb/s OTDM systems. — Jianping Wang, Yue Wu, Caiyun Lou, and Yizhi Gao; **42** (8), 2380-3 (2003).
Sensitivity improvement in phase-shifted moiré interferometry using 1-D continuous wavelet transform image processing. — Heng Liu, Alexander N. Cartwright, and Cemal Basaran; **42** (9), 2646-52 (2003).
Filtering the complex field in phase shifting interferometry. — Kemao Qian, Hock Soon Seah, and Anand Asundi; **42** (10), 2792-3 (2003).
Two-step phase-shifting algorithm. — Saúl Almazán-Cuéllar and Daniel Malacara-Hernández; **42** (12), 3524-31 (2003).
Phase-shifting diffraction-grating interferometer for testing concave mirrors. — Tae-Joon Hwang and Seung-Woo Kim; **42** (12), 3532-6 (2003).

**Phase-only filters**

Automatic object identification irrespective of geometric changes. — José Luis Pech-Pacheco, Josué Alvarez-Borrego, Gabriel Cristóbal, and Matthias S. Keil; **42** (2), 551-9 (2003).
Parallel classification of multiple objects using a phase-only multichannel optical correlator. — Mirta Villarreal, Claudio Iemmi, and Juan Campos; **42** (8), 2354-61 (2003).

**Phased arrays**

Continuous true-time-delay beamforming employing a tunable multiwavelength fiber ring laser source with equally increased or decreased wavelength spacing. — Jianliang Yang, Jianping Yao, Yunqi Liu, and Swee Chuan Tjin; **42** (1), 239-44 (2003).
K-band phased-array antenna system demonstration using substrate guided wave true-time delay. — Yihong Chen and Ray T. Chen; **42** (7), 2000-5 (2003).
Communication performance analysis of microsatellites using an optical phased array antenna. — Anna Polishuk and Shlomi Arnon; **42** (7), 2015-24 (2003).

**Photoacoustics**

Photoacoustic study of the effect of doping concentration on the transport properties of GaAs epitaxial layers. — Sajan D. George, S. Dilna, R. Prasanth, P. Radhakrishnan, C. P. G. Vallabhan, and V. P. N. Nampoori; **42** (5), 1476-80 (2003).

**Photoconductors**

Computer study of nonlinearity in constant current biased mercury-cadmium-telluride detectors. — Mohammad S. Alam and Joseph P. Predina; **42** (12), 3491-7 (2003).

**Photodetectors**

Comparison of HgCdTe and quantum-well infrared photodetector dual-band focal plane arrays. — Arnold C. Goldberg, Stephen W. Kennerly, John W. Little, Thomas A. Shafer, C. Lynn Mears, Herbert F. Schaake, Michael Winn, Michael Taylor, and Parvez N. Uppal; **42** (1), 30-46 (2003).
Fabrication of a far-infrared photodetector based on InAs/GaAs quantum-dot superlattices. — Yi-Chang Cheng, San-Te (Ching-Ming) Yang, Jyh-Neng Yang, Wen-How Lan, Liann-Be Chang, and Li-Zen Hsieh; **42** (1), 119-23 (2003).
High-performance absolute rotary encoder using multitrack and M-code. — Yuji Matsuzoe, Nobuhiko Tsuji, Tomoharu Nakayama, Koetsu Fujita, and Toru Yoshizawa; **42** (1), 124-31 (2003).
Noise modeling of an InP/InGaAs heterojunction bipolar phototransistor. — P. Chakrabarti, Naveen Kumar Agrawal, Pankaj Kalra, Shishir Agrawal, and Gaurav Gupta; **42** (4), 939-47 (2003).
Automatic refractometer. — A. F. Leung and J. J. Vandiver; **42** (4), 1128-31 (2003).
Theoretical analysis of $Si_{1-x-y}Ge_xC_y$ near-infrared photodetectors. — Baojun Li, Soo-Jin Chua, and Eugene A. Fitzgerald; **42** (7), 1993-9 (2003).
Double-heterojunction photodetector for midinfrared applications: theoretical model and experimental results. — P. Chakrabarti, A. Krier, and A. F. Morgan; **42** (9), 2614-23 (2003).
Integrated optoelectronic transmitter and receiver multi-chip modules for three-dimensional chip-level micro-optical interconnects. — Saurabh K. Lohokare, Dennis W. Prather, Jeffery A. Cox, Paul E. Sims, Michael G. Mauk, and Oleg V. Sulima; **42** (9), 2683-8 (2003).

**Photodiodes**

Toward integrated single-photon-counting microarrays. — J. Carl Jackson, Don Phelan, Alan P. Morrison, R. Michael Redfern, and Alan Mathewson; **42** (1), 112-8 (2003).
Investigation of optical interconnect receivers in standard micron and submicron MOS technology. — Thomas Heide and Horst Zimmermann; **42** (3), 773-86 (2003).
Performance of a novel planar-processed avalanche photodiode for light and x-ray detection. — Ernesto Gramsch and Ricardo E. Avila; **42** (9), 2496-501 (2003).

**Photoelasticity**

Use of Mueller matrices in the photoelastic determination of the stress distribution in a model for a solid propellant rocket grain. — Guillermo C. Gaunaurd; **42** (2), 467-76 (2003).
Phase-shifting photoelasticity using a flatbed scanner. — T. W. Ng, P. K. Quek, and K. H. Lim; **42** (8), 2375-9 (2003).

**Photogrammetry**

Automatic calibration of low-cost digital cameras. — Ayman F. Habib, Associate Professor and Michel F. Morgan; **42** (4), 948-55 (2003).

**Photonics**

Hybrid mode calculations for novel photonic crystal fibers. — Waleed S. Mohammed, Laurent Vaissié, and Eric G. Johnson; **42** (8), 2311-7 (2003).
Waveband-switchable semiconductor-optical- amplifier-fiber ring laser using a polarization beam splitter and sampled fiber Bragg gratings. — Yong Wook Lee, Bong-Ahn Yu, Byoungho Lee, and Jaehoon Jung; **42** (10), 2786-7 (2003).

**Photons**

Toward integrated single-photon-counting microarrays. — J. Carl Jackson, Don Phelan, Alan P. Morrison, R. Michael Redfern, and Alan Mathewson; **42** (1), 112-8 (2003).

Simultaneous image restoration and distance estimation of an object from a strongly defocused photon image. — Shinya Ono and Shinichi Komatsu; **42** (4), 1024-8 (2003).

*In situ* analysis of a vertical-cavity surface-emitting laser active layer by two-photon spectroscopy. — Bruno Ullrich, Raoul Schroeder, A. Knigge, M. Zorn, and M. Weyers; **42** (4), 1152-6 (2003).

Third-generation infrared photon detectors. — Antoni Rogalski; **42** (12), 3498-516 (2003).

**Photopolymers**

Experimental characterization of phenanthrenequinone-doped poly(methyl methacrylate) photopolymer for volume holographic storage. — Ken Y. Hsu, Shiuan Huei Lin, Yi-Nan Hsiao, and Wha Tzong Whang; **42** (5), 1390-6 (2003).

**Photorefraction**

Beamsplitter testing using the photorefractive effect. — Arun Anand and C. S. Narayanamurthy; **42** (3), 608-12 (2003).

Collimation testing using photorefractive crystal and temporal coherence. — Arun Anand and C. S. Narayanamurthy; **42** (4), 1108-13 (2003).

**Photoresists**

Fabrication of optical structures using SU-8 photoresist and chemically assisted ion beam etching. — Lin Pang, Wataru Nakagawa, and Yeshaiahu Fainman; **42** (10), 2912-7 (2003).

**Plasmas**

Improved surface characteristics of *n*-GaN epitaxial structures after reactive ion etching. — Hoshin H. Yee, H. F. Hong, and J. Y. Chang; **42** (10), 2918-22 (2003).

**Point spread functions**

Effect of the fill factor of CCD pixels on digital holograms: comment on the papers "Frequency analysis of digital holography" and "Frequency analysis of digital holography with reconstruction by convolution". — Cheng-Shan Guo, Li Zhang, Zhen-Yu Rong, and Hui-Tian Wang; **42** (9), 2768-71 (2003).

Response to "Effect of the fill factor of CCD pixels on digital holograms: comment on the papers 'Frequency analysis of digital holography' and 'Frequency analysis of digital holography with reconstruction by convolution' ". — Thomas M. Kreis; **42** (9), 2772 (2003).

**Polarization**

Polarization-multiplexed volume holograms in $LiNbO_3$ with 90-deg geometry. — Wei-Chia Su, Ching-Cherng Sun, Nicholai Kukhtarev, and Arthur E. T. Chiou; **42** (1), 9-10 (2003).

Investigation on the optical properties of side-polished fiber contacted with planar waveguide including a thin metal film. — Kwang Taek Kim, Jung Ho Hwang, Jun Ock Lee, Jae Pyung Mah, Cheol Ho Kim, and Seung Hwangbo; **42** (3), 675-81 (2003).

Aberration measurements and birefringence effects in gradient index rod relays. — Marcial Montoya, Daniel Malacara-Hernández, and Saul Almazán; **42** (3), 696-700 (2003).

Image assessment of a birefringent lens based on the factor of encircled energy. — Sucharita Sanyal and Ajay Ghosh; **42** (4), 1058-64 (2003).

Modulation, alignment, and calibration methods for phase-modulated optical polarimeters. — Jeffrey R. Mackey, Ezzatollah Salari, and Padateha Tin; **42** (5), 1460-6 (2003).

Optical properties of semiinfinite turbid media: some simple analytical approximations. — Alexander A. Kokhanovsky; **42** (7), 2040-6 (2003).

Displacement sensors based on feedback effect of orthogonally polarized lights of frequency-split HeNe lasers. — Yingchun Ding, Shulian Zhang, Yan Li, Jun Zhu, Wenhua Du, and Rui Suo; **42** (8), 2225-8 (2003).

Ring resonator for multiwavelength fiber laser using a Sagnac loop filter. — Gautam Das and John W. Y. Lit; **42** (8), 2257-62 (2003).

Waveband-switchable semiconductor-optical- amplifier-fiber ring laser using a polarization beam splitter and sampled fiber Bragg gratings. — Yong Wook Lee, Bong-Ahn Yu, Byoungho Lee, and Jaehoon Jung; **42** (10), 2786-7 (2003).

Method for the rotational alignment of polarization-maintaining optical fibers and waveguides. — Timo T. Aalto, Mikko Harjanne, and Markku Kapulainen; **42** (10), 2861-7 (2003).

Sagnac loop reflector and its multiwavelength laser application. — Gautam Das and John W. Y. Lit; **42** (10), 2880-5 (2003).

Vector iterative algorithms for beam shaping. — Yiqiong Zhao and Yong-Ping Li; **42** (11), 3080-1 (2003).

Generation and focusing of radially polarized electric fields. — T. Wilson, F. Massoumian, and R. Juškaitis; **42** (11), 3088-9 (2003).

Performance comparison of standard FEC and enhanced FEC in coded systems with high polarization mode dispersion. — Juanjuan Yan, Minghua Chen, Shizhong Xie, and Bingkun Zhou; **42** (12), 3456-60 (2003).

Power, efficiency, and polarization analysis of a beamsplitter for the equipartition of infrared input power in the presence of angular, film-thickness, and spectral deviations. — A. M. El-Saba and Rasheed M. A. Azzam; **42** (12), 3487-90 (2003).

Fabrication of Ag-doped polarizing glass by a sol-gel method. — Dawei Wang, Shiju Guo, and Sheng Yin; **42** (12), 3585-8 (2003).

**Polarization Modes**

Measurement of low differential group delay and fiber birefringence. — Jabulani Dhliwayo, Aiyu Zhang, and Rahim Nathoo; **42** (7), 1896-900 (2003).

**Polarizers**

Method for the rotational alignment of polarization-maintaining optical fibers and waveguides. — Timo T. Aalto, Mikko Harjanne, and Markku Kapulainen; **42** (10), 2861-7 (2003).

**Polishing**

Simple technique for polishing laser rods. — Sanjib Chatterjee; **42** (4), 1076-83 (2003).

**Polymers**

Designing an optical force transducer. — Nashwan T. Younis; **42** (1), 151-8 (2003).

Polymer-based thermo-optic waveguide beam deflector with novel dual folded-thin-strip heating electrodes. — Jin-Ha Kim, Lin Sun, Chiou-Hung Jang, Chul-Chae Choi, and Ray T. Chen; **42** (3), 620-4 (2003).

Long-term thermally interfacial-shear-stress-induced delamination of polymeric coatings from glass fibers in double-coated optical fibers. — Ting-Ying Shen and Sham-Tsong Shiue; **42** (5), 1456-9 (2003).

Fabrication and characterization of four-layer polymeric optical waveguides based on styrene acrylonitrile. — G. J. Qureshi, V. K. Gupta, Amit Pratap Singh, Avinashi Kapoor, and K. N. Tripathi; **42** (6), 1754-7 (2003).

High performance thermo-optic switches based on low-loss acrylate polymers. — Lawrence W. Shacklette, Paul M. Ferm, Robert Blomquist, MacRae Maxfield, Kevin Killian, and Lip Sun How Kee Chun; **42** (10), 2841-9 (2003).

**Prisms**

Wide-angle achromatic prism beam steering for infrared countermeasure applications. — Bradley D. Duncan, Philip J. Bos, and Vassili Sergan; **42** (4), 1038-47 (2003).

Design considerations and fabrication techniques of Nomarski reflection microscope. — Sanjib Chatterjee; **42** (8), 2202-13 (2003).

**Profiles**

Three-dimensional surface profile measurement of a moving object by a spatial-offset phase stepping method. — Satoru Yoneyama, Yoshiharu Morimoto, Motoharu Fujigaki, and Yasuyuki Ikeda; **42** (1), 137-42 (2003).

Pedestal-free 10-GHz pulse compression using comb-like dispersion profiled fibers and its application in 40-Gb/s OTDM systems. — Jianping Wang, Yue Wu, Caiyun Lou, and Yizhi Gao; **42** (8), 2380-3 (2003).

Three-dimensional profilometer for supersmooth surface. — Yuanqing Wang; **42** (10), 3013-6 (2003).

**Profiling**

Large surface profile measurement with instantaneous phase-shifting interferometry. — N. R. Sivakumar, W. K. Hui, K. Venkatakrishnan, and B. K. A. Ngoi; **42** (2), 367-72 (2003).

Fabrication of digital sinusoidal gratings and precisely controlled diffusive flats and their application to highly accurate projected fringe profilometry. — Wei-Hung Su, Hongyu Liu, Karl Reichard, Shizhuo Yin, and Francis T. S. Yu; **42** (6), 1730-40 (2003).

**Projection**

Profilometry by fringe projection. — Luis Salas, Esteban Luna, Javier Salinas, Víctor García, and Manuel Servín; **42** (11), 3307-14 (2003).

**Projection systems**

Cathode ray tube addressed liquid crystal light valve projection display. — Qiong-Hua Wang, Jianbo Cheng, Shin-Tson Wu, Changjun Ge, Guangjiu Fang, Kangcheng Qi, and Haibo Rao; **42** (3), 837-9 (2003).

Contrast-improving methods for Digital Micromirror Device projectors. — Youri Meuret and Patrick De Visschere; **42** (3), 840-5 (2003).

Absolute phase analysis method for three-dimensional surface profilometry using frequency-modulated grating. — Yasuyuki Ikeda, Satoru Yoneyama, Motoharu Fujigaki, and Yoshiharu Morimoto; **42** (5), 1249-56 (2003).

New method for measuring dynamic response of small components by fringe projection. — Cho J. Tay, Chenggen Quan, Huai M. Shang, T. Wu, and Shihua Wang; **42** (6), 1715-20 (2003).

Reducing artifacts in block-coded images using adaptive constraints. — Ju Jia Zou, Hong Yan, and David C. Levy; **42** (10), 2900-11 (2003).

Optical engines for high-performance liquid crystal on silicon projection systems. — Youri Meuret and Patrick De Visschere; **42** (12), 3551-6 (2003).

**Projectors**

High-speed 3-D shape measurement based on digital fringe projection. — Peisen S. Huang, Chengping Zhang, and Fu-Pen Chiang; **42** (1), 163-8 (2003).

Measuring 3-D shapes of a human face using photometric stereo method with color light sources and slit patterns. — Hitoshi Saji and Hiromasa Nakatani; **42** (9), 2727-33 (2003).

**Propagation**

Tapered waveguide with parabolic lens: theory and experiment. — Atef M. Rashed, Kevin A. Williams, Peter J. Heard, Richard V. Penty, and Ian H. White; **42** (3), 792-7 (2003).

Applications of active arrayed-waveguide grating in future wavelength division multiplexing networks. — F. I. El-Nahal and R. J. Mears; **42** (3), 867-74 (2003).

Development of the Mediterranean extinction code (MEDEX). — Jacques Piazzola, Frédéric Bouchara, Gerrit de Leeuw, and Alexander M. J. Van Eijk; **42** (4), 912-24 (2003).

Fiber design—from optical mode to index profile. — Pao-Lo Liu and Swades De; **42** (4), 981-4 (2003).

Short Hermite-Gaussian optical pulse propagation in dense dispersion-compensated systems. — Yan Xiao, Wenrui Xue, Zhonghao Li, Dachun Su, and Guosheng Zhou; **42** (9), 2534-41 (2003).

Light coupling and propagation in a fiber–dielectric-slab composite with a conductor cladding. — Kwang-Hee Kwon, Jae-Won Song, Euy-Don Park, and Don-Muk Choi; **42** (9), 2630-41 (2003).

Numerical analysis of amplification characteristic of ytterbium-sensitized erbium-doped waveguide amplifiers by the finite difference beam propagation method. — Zhong Yu, Wei Wei, and Xun Hou; **42** (10), 2790-1 (2003).

High performance thermo-optic switches based on low-loss acrylate polymers. — Lawrence W. Shacklette, Paul M. Ferm, Robert Blomquist, MacRae Maxfield, Kevin Killian, and Lip Sun How Kee Chun; **42** (10), 2841-9 (2003).

Image multiplying and high-frequency oscillations effects in the Fresnel region light propagation simulation. — Maciej Sypek, Czesław Prokopowicz, and Michał Górecki; **42** (11), 3158-64 (2003).

Single-model position-fusion algorithm based on weight reciprocal propagation. — Tingwu Yang, Shangqian Liu, and Yingle Li; **42** (11), 3290-4 (2003).

**Propagation constant**

Analytical model for computing propagation constant of Ti:$LiNbO_3$ periodically segmented waveguides by effective-index-based matrix method. — R. Chakraborty, J. C. Biswas, and S. K. Lahiri; **42** (9), 2624-9 (2003).

**Pulses**

Stabilization of pulse-to-pulse energy and width by gain-controlled prelase in laser-diode-pumped *Q*-switched laser. — Ping Yan, Ma-li Gong, Tao Xie, and Xing-zhan Liu; **42** (1), 159-62 (2003).

Near-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam from a circular aperture. — Hone-Ene Hwang, Gwo-Huei Yang, and Pin Han; **42** (3), 686-95 (2003).

Regenerative amplifier with continuously variable pulse duration used in an optical parametric chirped-pulse amplification laser system for synchronous pumping. — Yuxin Leng, Lihuang Lin, Xiaodong Yang, Haihe Lu, Zhengquan Zhang, and Zhizhan Xu; **42** (3), 862-6 (2003).

Fast and full-field measurement of brake squeal using pulsed ESPI technique. — Rene Krupka, Thomas Walz, and Andreas Ettemeyer; **42** (5), 1354-8 (2003).

Recent advances in brake noise and vibration engineering using laser metrology. — F. Chen, G. M. Brown, M. M. Marchi, and M. Dale; **42** (5), 1359-69 (2003).

Differential pulse code modulation predictor design procedure using a genetic algorithm. — Yung-Gi Wu; **42** (6), 1649-55 (2003).

Short Hermite-Gaussian optical pulse propagation in dense dispersion-compensated systems. — Yan Xiao, Wenrui Xue, Zhonghao Li, Dachun Su, and Guosheng Zhou; **42** (9), 2534-41 (2003).

Dual-amplitude pulse interval modulation for optical wireless communications. — Kai Zhang, Haitao Zhang, Mali Gong, Ping Yan, and Xin Yang; **42** (9), 2721-6 (2003).

Repetition frequency quadruplication through Fabry-Perot filtering. — K. Vyrsokinos, K. Yiannopoulos, E. Kehayas, N. Pleros, T. Houbavlis, and H. Avramopoulos; **42** (11), 3075-6 (2003).

Tunable pulse-duration optical parametric oscillator pumped by stimulated Brillouin scattering phase-conjugation wave. — Qiang Liu, Bin Shi, Mali Gong, Ping Yan, Yuezhu Wang, and Qi Wang; **42** (11), 3265-9 (2003).
Recording on $As_2S_3$ glassy films by pulsed and continuous illumination—optical evaluation and comparison. — Boris Spektor, Joseph Shamir, Victor Lyubin, and Matvei Klebanov; **42** (11), 3279-84 (2003).
Far-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam incident on the reflection grating. — Hone-Ene Hwang; **42** (11), 3374-82 (2003).
Optical and electro-optical properties of pulse laser deposited PLZT thin films. — Ludovic Escoubas, Pascal Huguet-Chantôme, Miroslav Jelinek, Francois Flory, Emmanuel Drouard, Ján Lančok, Jean-Jacques Simon, and Thomas Mazingue; **42** (12), 3579-84 (2003).
Self-triggering pulsed time-of-flight laser range-finding method. — Qiansong Chen, Dalong Zhao, Chengwei Yang, and Yujing Huo; **42** (12), 3608-11 (2003).

**Quantization**
Intensity variations using a quantized spatial light modulator for nonmechanical beam steering. — Emil Hällstig, Lars Sjöqvist, and Mikael Lindgren; **42** (3), 613-9 (2003).
Wavelet packet image coding algorithm combined with the actual coding costs. — Xingsong Hou and Guizhong Liu; **42** (6), 1640-8 (2003).

**Quantum dots**
Fabrication of a far-infrared photodetector based on InAs/GaAs quantum-dot superlattices. — Yi-Chang Cheng, San-Te (Ching-Ming) Yang, Jyh-Neng Yang, Wen-How Lan, Liann-Be Chang, and Li-Zen Hsieh; **42** (1), 119-23 (2003).

**Quantum efficiency**
Theoretical analysis of $Si_{1-x-y}Ge_xC_y$ near-infrared photodetectors. — Baojun Li, Soo-Jin Chua, and Eugene A. Fitzgerald; **42** (7), 1993-9 (2003).

**Quantum wells**
Effect of spontaneous noise on mode-locked fiber grating external cavity lasers. — Nuran Dogru and M. Sadettin Ozyazici; **42** (1), 18-22 (2003).
Comparison of HgCdTe and quantum-well infrared photodetector dual-band focal plane arrays. — Arnold C. Goldberg, Stephen W. Kennerly, John W. Little, Thomas A. Shafer, C. Lynn Mears, Herbert F. Schaake, Michael Winn, Michael Taylor, and Parvez N. Uppal; **42** (1), 30-46 (2003).
Progress in development of multiple-quantum-well retromodulators for free-space data links. — G. Charmaine Gilbreath, William S. Rabinovich, Timothy J. Meehan, Michael J. Vilcheck, Mena Stell, Rita Mahon, Peter G. Goetz, Eun Oh, John A. Vasquez, Kerry Cochrell, Robert L. Lucke, and Sharon Mozersky; **42** (6), 1611-7 (2003).

**Radar**
Comparative study of maximum average correlation height filter variants using ladar imagery. — Alan Van Nevel and Abhijit Mahalanobis; **42** (2), 541-50 (2003).

**Radiation**
Spike detection and correction in Brewer spectroradiometer ultraviolet spectra. — Outi Meinander, Weine Josefsson, Jussi Kaurola, Tapani Koskela, and Kaisa Lakkala; **42** (6), 1812-9 (2003).

**Radiative transfer**
Optical properties of semiinfinite turbid media: some simple analytical approximations. — Alexander A. Kokhanovsky; **42** (7), 2040-6 (2003).
Modeling of Spectralon diffusers for radiometric calibration in remote sensing. — G. Bazalgette Courrèges-Lacoste, J. Groote Schaarsberg, R. Sprik, and S. Delwart; **42** (12), 3600-7 (2003).

**Radiometry**
Modeling of Spectralon diffusers for radiometric calibration in remote sensing. — G. Bazalgette Courrèges-Lacoste, J. Groote Schaarsberg, R. Sprik, and S. Delwart; **42** (12), 3600-7 (2003).

**Raman effect**
Improved transmission performance by hybrid optical amplification in DWDM systems. — Tao Xu and Bernard J. Maxum; **42** (3), 882-5 (2003).
Raman crosstalk cancellation in wavelength-division multiplexing by using neural networks. — Ramón M. Rodríguez-Dagnino, José A. Faz-Gómez, and Ignacio Lárraga-Orozco; **42** (6), 1843-9 (2003).
Impacts of cavity losses on cw Raman fiber lasers. — Yong Wang and Hong Po; **42** (10), 2872-9 (2003).
Optimal design for bidirectionally pumped Raman transmission systems. — Yonghong Ma, Shizhong Xie, Shouxian She, and Minghua Chen; **42** (10), 2942-6 (2003).
Gain-flattened ultra-wideband fiber amplifiers. — Yang Cao and M. Yasin Akhtar Raja; **42** (12), 3447-51 (2003).

**Random transform**
Rotation-, scale-, and translation-invariant image watermark using higher order spectra. — Hyung-Shin Kim, Yunju Baek, and Heung-Kyu Lee; **42** (2), 340-9 (2003).

**Ranging**
Compact robotics perception system based on a laser range finder coupled with silicon micromirrors. — Marc Lescure, Christian Ganibal, Roland Prajoux, and Maurice Briot; **42** (9), 2653-8 (2003).
Self-triggering pulsed time-of-flight laser range-finding method. — Qiansong Chen, Dalong Zhao, Chengwei Yang, and Yujing Huo; **42** (12), 3608-11 (2003).

**Rayleigh scattering**
Remote sensing with ultra-low-reflective Bragg gratings written in standard telecommunication fiber. — I. Márquez-Borbón, M. G. Shlyagin, O. Esteban, S. V. Miridonov, and V. V. Spirin; **42** (5), 1182-3 (2003).

**Real-time imaging**
Distortion correction for a wide-angle lens based on real-time digital image processing. — Jie Jiang, Guangjun Zhang, Fuqiang Zhou, Daoyin Yu, Hongbo Xie, and Hang Liu; **42** (7), 2029-39 (2003).
Face recognition based on singular-value feature vectors. — Quan Pan, Min-Gui Zhang, De-Long Zhou, Yong-Mei Cheng, and Hong-Cai Zhang; **42** (8), 2368-74 (2003).

**Receivers**
Integrated optoelectronic transmitter and receiver multi-chip modules for three-dimensional chip-level micro-optical interconnects. — Saurabh K. Lohokare, Dennis W. Prather, Jeffery A. Cox, Paul E. Sims, Michael G. Mauk, and Oleg V. Sulima; **42** (9), 2683-8 (2003).

**Reduction**
Adaptive neighborhood contrast enhancement in mammographic phantom images. — Vincente H. Guis, Mouloud Adel, Monique Rasigni, Georges Rasigni, Brigitte Séradour, and Patrice Heid; **42** (2), 357-66 (2003).

**Reflectance**
Optical properties of semiinfinite turbid media: some simple analytical approximations. — Alexander A. Kokhanovsky; **42** (7), 2040-6 (2003).
Forward scattering of fiber-containing surfaces studied by 3-D reflectance distribution simulations and measurements. — Hjalmar Granberg, Jon Jensen, and Lars Mattsson; **42** (8), 2384-90 (2003).
Modeling of Spectralon diffusers for radiometric calibration in remote sensing. — G. Bazalgette Courrèges-Lacoste, J. Groote Schaarsberg, R. Sprik, and S. Delwart; **42** (12), 3600-7 (2003).

**Reflection**
Optical touch switch based on total internal reflection. — Sarun Sumriddetchkajorn; **42** (3), 787-91 (2003).
Determination of the optical constants of an arbitrarily oriented anisotropic thin film by exciting surface plasmons analyzed by the nonsymmetric theory. — Yi-Jun Jen and Cheng-Chung Lee; **42** (4), 925-8 (2003).
Sensitivity analysis of angle-sensitive detectors based on a film resonator. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Joel Villatoro; **42** (4), 1084-92 (2003).
1.55-$\mu$m silicon-based reflection-type waveguide-integrated thermo-optic switch. — Francesca Cantore and Francesco G. Della Corte; **42** (10), 2835-40 (2003).
Profilometry of optically smooth surfaces by a Gaussian probe beam. — Bernardino Barrientos García, Moisés Cywiak, and Manuel Servín; **42** (10), 3004-12 (2003).
Far-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam incident on the reflection grating. — Hone-Ene Hwang; **42** (11), 3374-82 (2003).

**Reflectivity**
Synthetic-aperture-radar surface reflectivity estimation using a marked point-process speckle model. — Jihad S. Daba and Mark R. Bell; **42** (1), 211-27 (2003).
Performance variation of preamplifier integrated cross-phase modulation wavelength converter by internal reflectivity of semiconductor optical amplifiers. — Jeung-Mo Kang, Yong-Soo Jeon, Sang-Kook Han, and Seok Lee; **42** (6), 1836-42 (2003).

**Reflectometry**
Design of an optical probe based on angle scanning reflectometry near the critical angle. — Mary Carmen Peña-Gomar, Augusto García-Valenzuela, and Martha Rosete-Aguilar; **42** (3), 853-61 (2003).
Optical time-domain reflectometry interrogation of multiplexing low-reflectance Bragg-grating-based sensor system. — Po Zhang, H. H. Cerecedo-Núñez, B. Qi, G. Pickrell, and Anbo Wang; **42** (6), 1597-603 (2003).

**Reflectors**
Active deformable sheets: prototype implementation, modeling, and control. — Robert J. Lind and Charalabos C. Doumanidis; **42** (2), 304-16 (2003).
Sagnac loop reflector and its multiwavelength laser application. — Gautam Das and John W. Y. Lit; **42** (10), 2880-5 (2003).

**Refractive index**
Measurements of the temperature profile of a two-dimensional slot burner using a Lau phase interferometer with linear gratings. — Madhuri Thakur, S. K. Angra, and Chandra Shakher; **42** (1), 86-91 (2003).
Complete characterization of a high-numerical-aperture small-core fiber with subwavelength resolution using atomic force microscopy and near-field scanning optical microscopy. — Shane T. Huntington, Ann Roberts, Keith A. Nugent, and Simon C. Fleming; **42** (7), 1893-5 (2003).
Analytical model for computing propagation constant of Ti:$LiNbO_3$ periodically segmented waveguides by effective-index-based matrix method. — R. Chakraborty, J. C. Biswas, and S. K. Lahiri; **42** (9), 2624-9 (2003).
Laser-induced changes on the complex refractive indices of phase-change thin film. — Bo Liu, Hao Ruan, and Fuxi Gan; **42** (9), 2702-6 (2003).
Design of single-channel optical rotary joint using bulk optical detector. — Wencai Jing, Yi-Mo Zhang, Ge Zhou, Dagong Jia, Bao Liu, and Feng Tang; **42** (11), 3285-9 (2003).

**Refractometry**
Design of an optical probe based on angle scanning reflectometry near the critical angle. — Mary Carmen Peña-Gomar, Augusto García-Valenzuela, and Martha Rosete-Aguilar; **42** (3), 853-61 (2003).
Automatic refractometer. — A. F. Leung and J. J. Vandiver; **42** (4), 1128-31 (2003).
Linear and steplike characteristics in an optical fiber refractometric transducer with hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **42** (5), 1383-9 (2003).

**Remote sensing**
Considerations in designing a marine-mammal–ship collision avoidance system based on aerial imagery by an unmanned airborne vehicle. — Henry Stark, Prasanna Parthasarathy, and Richard N. Johnson; **42** (1), 11-7 (2003).
Operations and calibration of the solid-state imaging system during the Galileo extended mission at Jupiter. — Kenneth P. Klaasen, H. Herbert Breneman, Amy A. Simon-Miller, Donald Banfield, and Greg C. Levanas; **42** (2), 494-509 (2003).
Meteorological structures and pattern recognition: Modal analysis of shapes extracted from satellite images. — Fabio Dell'Acqua and Paolo Gamba; **42** (3), 822-9 (2003).
Multispectral illumination invariant classification with three visible bands and a near-infrared band. — Toshihiro Okamura, Jun-ichi Kudo, and Kunihiro Tanikawa; **42** (6), 1665-72 (2003).

**Resolution**
High-performance absolute rotary encoder using multitrack and M-code. — Yuji Matsuzoe, Nobuhiko Tsuji, Tomoharu Nakayama, Koetsu Fujita, and Toru Yoshizawa; **42** (1), 124-31 (2003).
Three-dimensional optical metrology with extended depth-measuring range using a holographic axilens. — Erez Hasman and Vladimir Kleiner; **42** (1), 132-6 (2003).
Resolution requirements for alphanumeric readability. — John Lester Miller and John M. Wiltse; **42** (3), 846-52 (2003).
Reconstruction and enhancement of active thermographic image sequences. — Steven M. Shepard, James R. Lhota, Bruce A. Rubadeux, David Wang, and Tasdiq Ahmed; **42** (5), 1337-42 (2003).
Multiresolution vessel tracking in angiographic images using valley courses. — Zikuan Chen and Sabee Molloi; **42** (6), 1673-82 (2003).
Formation of orthoscopic three-dimensional real images in direct pickup one-step integral imaging. — Ju-Seog Jang and Bahram Javidi; **42** (7), 1869-70 (2003).
New image super-resolution scheme based on residual error restoration by neural networks. — Fengzhi Pan and Liming Zhang; **42** (10), 3038-46 (2003).
New hybrid opto-electronic method for fast and unsupervised object detection. — Jean-Baptiste Fasquel and Michel Bruynooghe; **42** (11), 3352-64 (2003).

Far-field diffraction characteristics of a time-dependent Gaussian-shaped pulsed beam incident on the reflection grating. — Hone-Ene Hwang; **42** (11), 3374-82 (2003).
Interlaced interpolation weighting functions for multislice helical computed tomography. — Patrick J. La Rivière and Xiaochuan Pan; **42** (12), 3461-70 (2003).

**Resonators**
Influence of support structure on microdisk resonator performance. — Shouyuan Shi, Dennis W. Prather, Liuqing Yang, and James Kolodzey; **42** (2), 383-7 (2003).
Design of guided-wave photonic bandgap devices by using the Bloch-Floquet theory. — Agostino Giorgio, Anna Gina Perri, and Mario N. Armenise; **42** (4), 1100-7 (2003).

**Retarders**
Modulation, alignment, and calibration methods for phase-modulated optical polarimeters. — Jeffrey R. Mackey, Ezzatollah Salari, and Padateha Tin; **42** (5), 1460-6 (2003).

**Retroreflectors**
Progress in development of multiple-quantum-well retromodulators for free-space data links. — G. Charmaine Gilbreath, William S. Rabinovich, Timothy J. Meehan, Michael J. Vilcheck, Mena Stell, Rita Mahon, Peter G. Goetz, Eun Oh, John A. Vasquez, Kerry Cochrell, Robert L. Lucke, and Sharon Mozersky; **42** (6), 1611-7 (2003).
Dynamic measurement of displacement with phase-shifting technique. — Yueguang Lu, A. Peter Doel, David D. Walker, and Xia Zhao; **42** (7), 2006-9 (2003).
Axicon as a retroreflector in open-path Fourier transform infrared spectrometry. — Robert L. Richardson and Peter R. Griffiths; **42** (8), 2197-201 (2003).

**Robot vision**
Planar pattern for automatic camera calibration. — Beiwei Zhang, Y. F. Li, and Fu-Chao Wu; **42** (6), 1542-9 (2003).

**Robotics**
Compact automated optical-fiber cross-connect module using micro-optical connectors and a fiber-handling robot. — Masato Mizukami, Nobuhide Tanaka, Kunihiko Sasakura, and Kazumasa Kaneko; **42** (6), 1604-10 (2003).

**Ronchi rulings**
Sinusoidal liquid crystal display grating in the Ronchi test. — Miguel Mora-González and Noe Alcalá Ochoa; **42** (6), 1725-9 (2003).

**Roughness**
Contrast of polychromatic speckle patterns and its dependence to surface heights distribution. — Carlos M. P. Rodrigues and João L. Pinto; **42** (6), 1699-703 (2003).
Morphological quantification of surface roughness. — Yoganand Balagurunathan and Edward R. Dougherty; **42** (6), 1795-804 (2003).
Design considerations and fabrication techniques of Nomarski reflection microscope. — Sanjib Chatterjee; **42** (8), 2202-13 (2003).

**Satellites**
Communication performance analysis of microsatellites using an optical phased array antenna. — Anna Polishuk and Shlomi Arnon; **42** (7), 2015-24 (2003).

**Scanners**
Geometric calibration models of infrared cameras and scanners for photogrammetric and remote sensing applications. — Gürcan Büyüksalih; **42** (7), 1923-34 (2003).
Phase-shifting photoelasticity using a flatbed scanner. — T. W. Ng, P. K. Quek, and K. H. Lim; **42** (8), 2375-9 (2003).

**Scanning**
High-stability white-light interferometry with reference signal for real-time correction of scanning errors. — Artur Olszak and Joanna Schmit; **42** (1), 54-9 (2003).
Continuous scanning laser Doppler vibrometer for mode shape analysis. — Jongpil La, Jieun Choi, Semyung Wang, Kyoungsuk Kim, and Kyihwan Park; **42** (3), 730-7 (2003).
Design of an optical probe based on angle scanning reflectometry near the critical angle. — Mary Carmen Peña-Gomar, Augusto García-Valenzuela, and Martha Rosete-Aguilar; **42** (3), 853-61 (2003).
Noncontact inspection: challenging application in the aircraft industry. — John Palmateer; **42** (5), 1272-6 (2003).
Image reconstruction with a half-detector in single-photon emission computed tomography with nonuniform attenuation. — Emil Y. Sidky and Xiaochuan Pan; **42** (9), 2506-13 (2003).
High speed three-dimensional profilometry utilizing laser diode arrays. — Ming Chang, Wei-Che Chang, and Kao-Hui Lin; **42** (12), 3595-9 (2003).

**Scanning microscopy**
Complete characterization of a high-numerical-aperture small-core fiber with subwavelength resolution using atomic force microscopy and near-field scanning optical microscopy. — Shane T. Huntington, Ann Roberts, Keith A. Nugent, and Simon C. Fleming; **42** (7), 1893-5 (2003).

**Scattering**
Using invariants to recognize airplanes in inverse synthetic aperture radar images. — Shen-Chi Tien, Tsorng-Lin Chia, and Yibin Lu; **42** (1), 200-10 (2003).
Contrast-improving methods for Digital Micromirror Device projectors. — Youri Meuret and Patrick De Visschere; **42** (3), 840-5 (2003).
Optical design of a scatterometer with an ellipsoidal mirror. — Martha Rosete-Aguilar, Oscar G. Rodríguez-Herrera, and Neil C. Bruce; **42** (6), 1772-7 (2003).
Optical properties of semiinfinite turbid media: some simple analytical approximations. — Alexander A. Kokhanovsky; **42** (7), 2040-6 (2003).
Toward target recognition from synthetic aperture radar imagery using electromagnetics-based signatures. — Chen-Pang Yeang, Choongyeun Cho, and Jeffrey H. Shapiro; **42** (7), 2129-49 (2003).
Hybrid mode calculations for novel photonic crystal fibers. — Waleed S. Mohammed, Laurent Vaissié, and Eric G. Johnson; **42** (8), 2311-7 (2003).
Forward scattering of fiber-containing surfaces studied by 3-D reflectance distribution simulations and measurements. — Hjalmar Granberg, Jon Jensen, and Lars Mattsson; **42** (8), 2384-90 (2003).
Classification of single-particle two-dimensional angular optical scattering patterns and heuristic scatterer reconstruction. — Giovanni F. Crosta, Simeone Zomer, Yong-Le Pan, and Stephen Holler; **42** (9), 2689-701 (2003).
Tunable pulse-duration optical parametric oscillator pumped by stimulated Brillouin scattering phase-conjugation wave. — Qiang Liu, Bin Shi, Mali Gong, Ping Yan, Yuezhu Wang, and Qi Wang; **42** (11), 3265-9 (2003).

**Second-harmonic generation**
Seed-source tuning of a broadband noncollinear optical parametric generator based on periodically poled $LiNbO_3$. — S. Haidar, T. Usami, J. Shikata, and H. Ito; **42** (1), 143-7 (2003).

**Segmentation**
Bayes factors for edge detection from wavelet product spaces. — Fionn Murtagh and Jean-Luc Starck; **42** (5), 1375-82 (2003).
Low-complexity and low-bit-rate image compresston scheme based on absolute moment block truncation coding. — Yu-Chen Hu; **42** (7), 1964-75 (2003).
Image restoration from camera vibration and object motion blur in infrared staggered time-delay and integration systems. — Sergey Raiter, Adrian Stern, Ofer Hadar, and Norman S. Kopeika; **42** (11), 3253-64 (2003).

**Semiconductor lasers**
23-channel with 100-GHZ spacing multi-wavelength laser source. — K. Vlachos and H. Avramopoulos; **42** (2), 300-1 (2003).
Tapered waveguide with parabolic lens: theory and experiment. — Atef M. Rashed, Kevin A. Williams, Peter J. Heard, Richard V. Penty, and Ian H. White; **42** (3), 792-7 (2003).

**Semiconductors**
Etching electrode method in loophole technology. — Suxia Xing, Yi Cai, and Benkang Chang; **42** (3), 682-5 (2003).
Semiconductor optical amplifier optical gate with graded strained bulk-like active structure. — Ruiying Zhang, Jie Dong, Zhiwei Feng, Fan Zhou, Huiliang Tian, Huiyun Shu, Lingjuan Zhao, Jing Bian, and Wei Wang; **42** (3), 798-802 (2003).
Photoacoustic study of the effect of doping concentration on the transport properties of GaAs epitaxial layers. — Sajan D. George, S. Dilna, R. Prasanth, P. Radhakrishnan, C. P. G. Vallabhan, and V. P. N. Nampoori; **42** (5), 1476-80 (2003).
Performance variation of preamplifier integrated cross-phase modulation wavelength converter by internal reflectivity of semiconductor optical amplifiers. — Jeung-Mo Kang, Yong-Soo Jeon, Sang-Kook Han, and Seok Lee; **42** (6), 1836-42 (2003).
Theoretical analysis of $Si_{1-x-y}Ge_xC_y$ near-infrared photodetectors. — Baojun Li, Soo-Jin Chua, and Eugene A. Fitzgerald; **42** (7), 1993-9 (2003).
Ultrafast all-optical exclusive OR operation with semiconductor optical amplifier-assisted fiber Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (9), 2481-2 (2003).
Model for illumination-dependent trap occupancy in optically biased GaN metal-semiconductor field effect transistor for improved electrical characteristics. — Adarsh Singh, Mridula Gupta, and R. S. Gupta; **42** (9), 2563-7 (2003).
Waveband-switchable semiconductor-optical- amplifier-fiber ring laser using a polarization beam splitter and sampled fiber Bragg gratings. — Yong Wook Lee, Bong-Ahn Yu, Byoungho Lee, and Jaehoon Jung; **42** (10), 2786-7 (2003).
40 Gb/s all-optical write/store memory using a single semiconductor optical amplifier-based logic gate. — Marios Kalyvas; **42** (11), 3073-4 (2003).
All-optical packet clock generation from decision pulses. — M. Kalyvas, K. Yiannopoulos, G. Theophilopoulos, T. Houbavlis, H. Avramopoulos, and G. Guekos; **42** (12), 3413-4 (2003).
Ultrafast pattern-operated all-optical Boolean XOR with semiconductor optical amplifer-assisted Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (12), 3415-6 (2003).
Optical sensor for semiconductor chip bonding. — T. W. Ng and C. W. Ng; **42** (12), 3572-4 (2003).
All-optical switching with fast-response variable-index materials. — J. J. Robillard and D. Luna-Moreno; **42** (12), 3575-8 (2003).

**Semiconductors: Switches**
10-GHz all-optical recirculating shift register with semiconductor optical amplifier (SOA)-assisted Sagnac switch and SOA feedback. — T. Houbavlis and K. E. Zoiros; **42** (9), 2483-4 (2003).

**Sensors**
Optical fiber interferometer for measuring the *in situ* deflection characteristics of microelectromechanical structures. — Tristan J. Tayag, Edward S. Kolesar, Brandon D. Pitt, Kam See Hoon, James Marchetti, and Ijaz H. Jafri; **42** (1), 105-11 (2003).
Three-dimensional surface profile measurement of a moving object by a spatial-offset phase stepping method. — Satoru Yoneyama, Yoshiharu Morimoto, Motoharu Fujigaki, and Yasuyuki Ikeda; **42** (1), 137-42 (2003).
Research on measurement technology of internal MJ threads used for aerospace with a reflex fiber-optic sensor. — Yong Zhao and Yanbiao Liao; **42** (2), 416-20 (2003).
Triangular-shaped bulk-optic glass sensor for simultaneous measurement of three ac currents. — Ka Hang Kong, Beatrice C. B. Chu, Henry Shu-Hung Chung, and Kin Seng Chiang; **42** (2), 421-4 (2003).
Wavelength multiplexing of microelectromechanical system pressure and temperature sensors using fiber Bragg gratings and arrayed waveguide gratings. — Weizhuo Li, Don C. Abeysinghe, and Joseph T. Boyd; **42** (2), 431-8 (2003).
Thermochromic-effect-based temperature optical fiber sensor for underwater applications. — Carlos Fernández-Valdivielso, Ignacio R. Matías, Francisco J. Arregui, Joaquín Roca-Dorda, Jose A. Vera, and Manuel Jimenez; **42** (3), 656-61 (2003).
Investigation on the optical properties of side-polished fiber contacted with planar waveguide including a thin metal film. — Kwang Taek Kim, Jung Ho Hwang, Jun Ock Lee, Jae Pyung Mah, Cheol Ho Kim, and Seung Hwangbo; **42** (3), 675-81 (2003).
Alternative measurement techniques for infrared sensor performance. — Arie N. de Jong, Eric M. Franken, and Hans Winkel; **42** (3), 712-24 (2003).
Optical touch switch based on total internal reflection. — Sarun Sumriddetchkajorn; **42** (3), 787-91 (2003).
Design of an optical probe based on angle scanning reflectometry near the critical angle. — Mary Carmen Peña-Gomar, Augusto García-Valenzuela, and Martha Rosete-Aguilar; **42** (3), 853-61 (2003).
Multiview connection technique for 360-deg three-dimensional measurement. — Hongwei Guo and Mingyi Chen; **42** (4), 900-5 (2003).
Sensitivity analysis of angle-sensitive detectors based on a film resonator. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Joel Villatoro; **42** (4), 1084-92 (2003).
Signal-to-clutter measure for measuring automatic target recognition performance using complimentary eigenvalue distribution analysis. — Abhijit Mahalanobis, S. Richard F. Sims, and Alan Van Nevel; **42** (4), 1144-51 (2003).
Computational approach for optimal sensor setup. — Xiaoping Qian and Kevin G. Harding; **42** (5), 1238-48 (2003).
Linear and steplike characteristics in an optical fiber refractometric transducer with hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **42** (5), 1383-9 (2003).
Adaptive spatiotemporal multiple sensor fusion. — Hai-Wen Chen and Teresa Olson; **42** (5), 1481-95 (2003).
Continuous unconstrained range sensing of free-form surfaces without sensor-head pose measurement. — Jonathan Kofman and George K. Knopf; **42** (5), 1496-510 (2003).
Lithium niobate electro-optic sensor for examining conductive patterns on display panels. — Changho Lee, Yongbae Jeon, and Kwangsoo No; **42** (6), 1589-96 (2003).
Multispectral illumination invariant classification with three visible bands and a near-infrared band. — Toshihiro Okamura, Jun-ichi Kudo, and Kunihiro Tanikawa; **42** (6), 1665-72 (2003).

Rule-based target differentiation and position estimation based on infrared intensity measurements. — Tayfun Aytaç and Billur Barshan; **42** (6), 1766-71 (2003).
Alternative to strain measurement. — Alexandar Djordjevich; **42** (7), 1888-92 (2003).
Temperature-compensated fiber-Bragg-grating-based magnetostrictive sensor for dc and ac currents. — Kin Seng Chiang, Ramesh Kancheti, and Vipul Rastogi; **42** (7), 1906-9 (2003).
Displacement sensors based on feedback effect of orthogonally polarized lights of frequency-split HeNe lasers. — Yingchun Ding, Shulian Zhang, Yan Li, Jun Zhu, Wenhua Du, and Rui Suo; **42** (8), 2225-8 (2003).
Multipoint fiber Bragg grating laser sensor interrogated by the intermodal beating frequency. — Manuel May-Alarcón, E. A. Kuzin, R. A. Vázquez-Sánchez, M. G. Shlyagin, and I. Márquez-Borbón; **42** (8), 2246-9 (2003).
Information differences between subbands of the mid-wave infrared spectrum. — Steve Moyer, Ronald G. Driggers, Richard H. Vollmerhausen, Michael A. Soel, Gisele Welch, and William T. Rhodes; **42** (8), 2296-303 (2003).
Fiber optic microampere dc current sensor. — Wuu-Wen Lin, Shih-Chu Huang, and Mao-Hsiung Chen; **42** (9), 2551-7 (2003).
Diaphragm-type fiber-optic interferometric acoustic sensor. — Nan Zeng, Chunzheng Shi, Dongning Wang, Min Zhang, and Yanbiao Liao; **42** (9), 2558-62 (2003).
Simulation-based analysis of range and cross-range resolution requirements for the identification of vehicles in ladar imagery. — Brett A. Hutchinson, Ruben L. Galbraith, Barry L. Stann, and Sandor Z. Der; **42** (9), 2734-45 (2003).
Nonlinear optical limiting of the azo dye methyl-red doped nematic liquid crystalline films. — Luogen Deng and Hua-Kuang Liu; **42** (10), 2936-41 (2003).
Single-model position-fusion algorithm based on weight reciprocal propagation. — Tingwu Yang, Shangqian Liu, and Yingle Li; **42** (11), 3290-4 (2003).
Optical sensor for semiconductor chip bonding. — T. W. Ng and C. W. Ng; **42** (12), 3572-4 (2003).
All-optical switching with fast-response variable-index materials. — J. J. Robillard and D. Luna-Moreno; **42** (12), 3575-8 (2003).
Position-invariant surface recognition and localization using infrared sensors. — Billur Barshan and Tayfun Aytaç; **42** (12), 3589-94 (2003).

**Shearography**

Mobile shearography system for the inspection of aircraft and automotive components. — Michael Kalms and Wolfgang Osten; **42** (5), 1188-96 (2003).
Unified approach for holography and shearography in surface deformation measurement and nondestructive testing. — Michael Y. Y. Hung, H. M. Shang, and Lianxiang Yang; **42** (5), 1197-207 (2003).

**Signal detection**

Karhunen-Loeve expansion of stationary random signals with exponentially oscillating covariance function. — Vitaly Kober and Josué Alvarez-Borrego; **42** (4), 1018-23 (2003).
Hyperbolic kernel for time-frequency power spectrum. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (8), 2400-15 (2003).

**Signal processing**

Signal processing methods to improve the performance of a compact Fourier transform spectrometer. — Stéphanie Prunet, Cécile Durieu, and Bernard Journet; **42** (4), 985-93 (2003).
Computational approach for optimal sensor setup. — Xiaoping Qian and Kevin G. Harding; **42** (5), 1238-48 (2003).
Estimating the relative shrinkage profile of newsprint. — Anders P. Kaestner and Carl Magnus Nilsson; **42** (5), 1467-75 (2003).
Multistation data fusion for code-division multiple access wireless communications. — Zhi Tian and Kuo-Chu Chang; **42** (6), 1572-82 (2003).
Differential pulse code modulation predictor design procedure using a genetic algorithm. — Yung-Gi Wu; **42** (6), 1649-55 (2003).
Fiber Bragg-grating-based all-optical microwave filter synthesis using genetic algorithm. — Fei Zeng, Jianping Yao, and Stephen J. Mihailov; **42** (8), 2250-6 (2003).
Laser Doppler vibrometer with body vibration compensation. — Hoseong Kim, Youngjin Lee, Changhyun Kim, Tae-gyu Chang, and Min-Sig Kang; **42** (8), 2291-5 (2003).
Hyperbolic kernel for time-frequency power spectrum. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (8), 2400-15 (2003).
Hyperbolic wavelet power spectra of nonstationary signals. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (10), 3017-37 (2003).
40 Gb/s all-optical write/store memory using a single semiconductor optical amplifier-based logic gate. — Marios Kalyvas; **42** (11), 3073-4 (2003).
Ultrafast pattern-operated all-optical Boolean XOR with semiconductor optical amplifer-assisted Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (12), 3415-6 (2003).
Imaging and analysis of forensic striation marks. — Michael Heizmann and Fernando Puente León; **42** (12), 3423-32 (2003).

**Signal-to-noise ratio**

Improved transmission performance by hybrid optical amplification in DWDM systems. — Tao Xu and Bernard J. Maxum; **42** (3), 882-5 (2003).
Novel method of chaotic-signal estimation. — Stephen T. Feng and Patrick C. Yip; **42** (6), 1550-9 (2003).
Hyperbolic kernel for time-frequency power spectrum. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (8), 2400-15 (2003).

**Silica**

Experimental results of ratio-based erbium-doped-silica temperature sensor. — Gonzalo Paez and Marija Strojnik; **42** (6), 1805-11 (2003).
Advances in silica-based integrated optics. — Mogens Rysholt Poulsen, Peter Ingo Borel, Jacob Fage-Pedersen, Jörg Hübner, Martin Kristensen, Jørn Hedegaard Povlsen, Karsten Rottwitt, Mikael Svalgaard, and Winnie Svendsen; **42** (10), 2821-34 (2003).
Heat transfer analysis of a dynamic infrared-to-visible converter. — Jaime Sandoval, Gonzalo Paez, and Marija Strojnik; **42** (12), 3517-23 (2003).

**Silicon**

Transient analysis of a high-speed thermo-optic modulator integrated in an all-silicon waveguide. — M. Iodice, F. G. Della Corte, I. Rendina, P. M. Sarro, and M. Bellucci; **42** (1), 169-75 (2003).
Fluorescent microscopy of wet-cleaned surfaces: imaging of water stains distribution. — K. Mikhaylichenko and V. V. Yakovlev; **42** (7), 2051-5 (2003).
Size tolerance analysis of a 4×4 tapered multimode interference coupler in a silicon-on-insulator structure. — Qingfeng Yan, Jinzhong Yu, and Zhongli Liu; **42** (8), 2235-9 (2003).
Silicon wafer thickness variation measurements using the National Institute of Standards and Technology infrared interferometer. — Tony L. Schmitz, Angela Davies, Chris J. Evans, and Robert E. Parks; **42** (8), 2281-90 (2003).
Optical output silicon retina chip. — Albert H. Titus and Timothy J. Drabik; **42** (8), 2416-26 (2003).
Compact robotics perception system based on a laser range finder coupled with silicon micromirrors. — Marc Lescure, Christian Ganibal, Roland Prajoux, and Maurice Briot; **42** (9), 2653-8 (2003).
Advances in silica-based integrated optics. — Mogens Rysholt Poulsen, Peter Ingo Borel, Jacob Fage-Pedersen, Jörg Hübner, Martin Kristensen, Jørn Hedegaard Povlsen, Karsten Rottwitt, Mikael Svalgaard, and Winnie Svendsen; **42** (10), 2821-34 (2003).
1.55-$\mu$m silicon-based reflection-type waveguide-integrated thermo-optic switch. — Francesca Cantore and Francesco G. Della Corte; **42** (10), 2835-40 (2003).
Ultrafast laser-induced crystallization of amorphous silicon films. — Tae Y. Choi, David J. Hwang, and Costas P. Grigoropoulos; **42** (11), 3383-8 (2003).
Optical engines for high-performance liquid crystal on silicon projection systems. — Youri Meuret and Patrick De Visschere; **42** (12), 3551-6 (2003).

**Simulations**

Numerical phase front propagation for a large-baseline space interferometer. — Miltiadis V. Papalexandris and Eugene Waluschka; **42** (4), 1029-37 (2003).
Estimating the relative shrinkage profile of newsprint. — Anders P. Kaestner and Carl Magnus Nilsson; **42** (5), 1467-75 (2003).
Introducing anisotropy in the autocorrelation function of natural terrain infrared images. — Zadok Hadas, Kalman Wilner, and Nissim Ben-Yosef; **42** (6), 1683-9 (2003).
Use of a photosimulation laboratory for estimating vehicle detection probability. — Thomas J. Meitzler, David Bednarz, Darryl Bryk, Kimberly Lane, and Euijung Sohn; **42** (6), 1820-5 (2003).
Pulse evolution of a Q-switched ytterbium-doped double-clad fiber laser. — Yong Wang, Alejandro Martinez-Rios, and Hong Po; **42** (9), 2521-6 (2003).
Simulation-based analysis of range and cross-range resolution requirements for the identification of vehicles in ladar imagery. — Brett A. Hutchinson, Ruben L. Galbraith, Barry L. Stann, and Sandor Z. Der; **42** (9), 2734-45 (2003).
High performance thermo-optic switches based on low-loss acrylate polymers. — Lawrence W. Shacklette, Paul M. Ferm, Robert Blomquist, MacRae Maxfield, Kevin Killian, and Lip Sun How Kee Chun; **42** (10), 2841-9 (2003).
Impacts of cavity losses on cw Raman fiber lasers. — Yong Wang and Hong Po; **42** (10), 2872-9 (2003).

**Single-mode fibers**

Phase sensitivity of conventional single-mode and holey optical fibers: a comparison study. — Wilson K. S. Chiu, Jason M. Maguire, and Marilyn J. Berliner; **42** (8), 2304-10 (2003).
Pulse evolution of a Q-switched ytterbium-doped double-clad fiber laser. — Yong Wang, Alejandro Martinez-Rios, and Hong Po; **42** (9), 2521-6 (2003).

**Sol-gels**

Improved sol-gel thin film for fabrication of multilevel structures using a high-energy beam-sensitive gray-scale mask. — X.-C. Yuan, W. X. Yu, N. Q. Ngo, and W. C. Cheong; **42** (2), 302-3 (2003).
Examination of sol-gel production repeatability by statistical pattern recognition methods. — Joanna Kobel, Artur Suchwałko, Halina Podbielska, and Agnieszka Ulatowska-Jarża; **42** (4), 1137-43 (2003).
Simple fabrication of cylindrical sol-gel microlens array by reflowing technique. — M. He, X.-C. Yuan, N. Q. Ngo, W. C. Cheong, and J. Bu; **42** (8), 2180-1 (2003).
Fabrication of multilevel structures in self-development photosensitive hybrid sol-gel glass by a gray scale mask. — Weixing Yu and X.-C. Yuan; **42** (12), 3411-2 (2003).
Fabrication of Ag-doped polarizing glass by a sol-gel method. — Dawei Wang, Shiju Guo, and Sheng Yin; **42** (12), 3585-8 (2003).

**Solid state lasers**

Stabilization of pulse-to-pulse energy and width by gain-controlled prelase in laser-diode-pumped *Q*-switched laser. — Ping Yan, Ma-li Gong, Tao Xie, and Xing-zhan Liu; **42** ( ), 159-62 (2003).
Simple technique for polishing laser rods. — Sanjib Chatterjee; **42** (4), 1076-83 (2003).
Dynamical thermal lensing of high-power solid-state lasers. — Wenjie Xie, Wentao Hu, Jiandong Xu, and Feng Zhou; **42** (5), 1439-44 (2003).
Thermal modeling of solid state lasers with super-Gaussian pumping profiles. — Wenjie Xie, Young Kwon, Wentao Hu, and Feng Zhou; **42** (6), 1787-94 (2003).

**Sources**

Image recovery from noisy transmission using soft bits and Markov random field models. — Alfred Mertins; **42** (10), 2893-9 (2003).

**Space optics**

Numerical phase front propagation for a large-baseline space interferometer. — Miltiadis V. Papalexandris and Eugene Waluschka; **42** (4), 1029-37 (2003).
Observational model for microarcsecond astrometry with the Space Interferometry Mission. — Mark H. Milman and Slava G. Turyshev; **42** (7), 1873-83 (2003).

**Spatial filtering**

CORAL: collective rationality for the allocation of bits. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Xose R. Fdez-Vidal; **42** (4), 1000-12 (2003).

**Spatial filters**

CORAL: collective rationality for the allocation of bits. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Xose R. Fdez-Vidal; **42** (4), 1000-12 (2003).

**Spatial frequencies**

Objective measurements of video quality using the wavelet transform. — Chulhee Lee and Ohjae Kwon; **42** (1), 265-72 (2003).

**Spatial light modulators**

Intensity variations using a quantized spatial light modulator for nonmechanical beam steering. — Emil Hällstig, Lars Sjöqvist, and Mikael Lindgren; **42** (3), 613-9 (2003).
Spatial sampling in pixelated-metal-mirror ferroelectric-liquid-crystal optically addressed spatial-light-modulator devices. — Solon Mias, Neil Collings, Tim D. Wilkinson, Stuart Coomber, Maurice Stanley, and William A. Crossland; **42** (7), 2075-81 (2003).
Optical output silicon retina chip. — Albert H. Titus and Timothy J. Drabik; **42** (8), 2416-26 (2003).
Near-real-time phase difference amplification using multiple-beam interferometry and a liquid-crystal-phase-only spatial light modulator. — Kiyofumi Matsuda, Geoffrey T. Bold, Thomas H. Barnes, Tomoaki Eiju, Chander P. Grover, and Colin J. R. Sheppard; **42** (12), 3537-44 (2003).

**Speckle**

Synthetic-aperture-radar surface reflectivity estimation using a marked point-process speckle model. — Jihad S. Daba and Mark R. Bell; **42** (1), 211-27 (2003).
Impact of speckle on laser range-gated shortwave infrared imaging system target identification performance. — Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, Carl Halford, and Kenneth J. Barnard; **42** (3), 738-46 (2003).

Mobile shearography system for the inspection of aircraft and automotive components. — Michael Kalms and Wolfgang Osten; **42** (5), 1188-96 (2003).
Evolution of white light speckle method and its application to micro/nanotechnology and heart mechanics. — Fu-Pen Chiang; **42** (5), 1288-92 (2003).
Contrast of polychromatic speckle patterns and its dependence to surface heights distribution. — Carlos M. P. Rodrigues and João L. Pinto; **42** (6), 1699-703 (2003).

**Speckle interferometry**
Removing speckle noise and extracting the skeletons from a single speckle fringe pattern by spin filtering with curved-surface windows. — Qifeng Yu, Xiangyi Sun, Xiaolin Liu, Xiaohua Ding, and Zhiqiang Qiu; **42** (1), 68-74 (2003).
Measurement of mechanical properties of materials in the micrometer range using electronic holographic moiré. — Cesar A. Sciammarella and Federico M. Sciammarella; **42** (5), 1215-22 (2003).
Strain measurement by three-dimensional electronic speckle pattern interferometry: potentials, limitations, and applications. — Lianxiang Yang and Andreas Ettemeyer; **42** (5), 1257-66 (2003).
Optoacoustical sensor to examine the structural integrity of transportation systems. — Vladimir Markov, James Trolinger, John Webster, and Gerard Pardoen; **42** (5), 1277-87 (2003).
K100 electronic holography system and HG7000 interferometric computer: instruments for automotive component analysis. — Karl A. Stetson; **42** (5), 1348-53 (2003).
Fast and full-field measurement of brake squeal using pulsed ESPI technique. — René Krupka, Thomas Walz, and Andreas Ettemeyer; **42** (5), 1354-8 (2003).
Digital laser microinterferometer and its applications. — Lianxiang Yang and Paul Colbourne; **42** (5), 1417-26 (2003).
Fourier transform method for measurement of thin film thickness by speckle interferometry. — Canan Karaalioğlu and Yani Skarlatos; **42** (6), 1694-8 (2003).
Nondestructive testing with thermal waves using phase-shifted temporal speckle pattern interferometry. — Guillermo H. Kaufmann; **42** (7), 2010-4 (2003).

**Spectrometers**
Signal processing methods to improve the performance of a compact Fourier transform spectrometer. — Stéphanie Prunet, Cécile Durieu, and Bernard Journet; **42** (4), 985-93 (2003).
Limiting aspect ratios of Sagnac interferometers. — R. Glenn Sellar and Glenn D. Boreman; **42** (11), 3320-5 (2003).
Modeling of Spectralon diffusers for radiometric calibration in remote sensing. — G. Bazalgette Courrèges-Lacoste, J. Groote Schaarsberg, R. Sprik, and S. Delwart; **42** (12), 3600-7 (2003).

**Spectrometry**
Intermodulation in the spectrophotometric cell. — O. D. D. Soares and M. L. de Pedraza; **42** (2), 510-23 (2003).

**Spectrophotometers**
Measurement of the temperature of a gaseous flame using a shearing plate. — Priti Singh and Chandra Shakher; **42** (1), 80-5 (2003).

**Spectroscopy**
Correlation spectroscopy with diffractive grating synthetic spectra and orthogonal subspace projection filters. — Avishai Ben-David, Agustin Ifarraguerri, and Alan C. Samuels; **42** (2), 325-33 (2003).
*In situ* analysis of a vertical-cavity surface-emitting laser active layer by two-photon spectroscopy. — Bruno Ullrich, Raoul Schroeder, A. Knigge, M. Zorn, and M. Weyers; **42** (4), 1152-6 (2003).
Automatic laser frequency locking to gas absorption lines. — Grady J. Koch; **42** (6), 1690-3 (2003).
Empirical modeling and calibration of Fourier transform spectrometers. — Daniel R. Fuhrmann and William H. Smith; **42** (8), 2268-76 (2003).
Examination of thin films of phthalocyanines in plasmon system for application in $NO_2$ sensors. — Jolanta Ignac-Nowicka, Tadeusz Pustelny, Zbigniew Opilski, Erwin Maciak, Wiesław P. Jakubik, and Marian Urbanczyk; **42** (10), 2978-86 (2003).

**Standards**
Striae quality grades for optical glass. — Jackson S. Stroud; **42** (6), 1618-24 (2003).

**Stereoscopy**
Efficient disparity estimation algorithm based on spatial correlation. — Jin-Woo Bae, Ho-Chong Park, Eun-Soo Kim, and Ji-Sang Yoo; **42** (1), 176-81 (2003).
Disparity estimation window size. — Tamás Frajka and Kenneth Zeger; **42** (11), 3334-41 (2003).

**Strain analyis**
Alternative to strain measurement. — Alexandar Djordjevich; **42** (7), 1888-92 (2003).

**Strain analysis**
Unified approach for holography and shearography in surface deformation measurement and nondestructive testing. — Michael Y. Y. Hung, H. M. Shang, and Lianxiang Yang; **42** (5), 1197-207 (2003).
Strain measurement by three-dimensional electronic speckle pattern interferometry: potentials, limitations, and applications. — Lianxiang Yang and Andreas Ettemeyer; **42** (5), 1257-66 (2003).
Deformations in wide, center-notched, thin panels, part I: three-dimensional shape and deformation measurements by computer vision. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1293-305 (2003).
Deformations in wide, center-notched, thin panels, part II: finite element analysis and comparison to experimental measurements. — Jeffrey D. Helm, Michael A. Sutton, and Stephen R. McNeill; **42** (5), 1306-20 (2003).
Digital microholointerferometer: development and validation. — Lei Xu, Xiaoyuan Peng, Anand K. Asundi, and Jianmin Miao; **42** (8), 2218-24 (2003).
Determination of strains from fringe patterns using space-frequency representations. — Cesar A. Sciammarella and Taeeeui Kim; **42** (11), 3182-93 (2003).

**Stress analysis**
Use of Mueller matrices in the photoelastic determination of the stress distribution in a model for a solid propellant rocket grain. — Guillermo C. Gaunaurd; **42** (2), 467-76 (2003).
Strain measurement by three-dimensional electronic speckle pattern interferometry: potentials, limitations, and applications. — Lianxiang Yang and Andreas Ettemeyer; **42** (5), 1257-66 (2003).
Long-term thermally interfacial-shear-stress-induced delamination of polymeric coatings from glass fibers in double-coated optical fibers. — Ting-Ying Shen and Sham-Tsong Shiue; **42** (5), 1456-9 (2003).
Measurement of *J* integral by shadow spot generated from out-of-plane displacement. — Perng-Fei Luo, C. K. Chuang, and Yuh J. Chao; **42** (12), 3433-42 (2003).

**Superlattices**
Fabrication of a far-infrared photodetector based on InAs/GaAs quantum-dot superlattices. — Yi-Chang Cheng, San-Te (Ching-Ming) Yang, Jyh-Neng Yang, Wen-How Lan, Liann-Be Chang, and Li-Zen Hsieh; **42** (1), 119-23 (2003).

**Surface plasmons**
Determination of the optical constants of an arbitrarily oriented anisotropic thin film by exciting surface plasmons analyzed by the nonsymmetric theory. — Yi-Jun Jen and Cheng-Chung Lee; **42** (4), 925-8 (2003).
Measurement of the concentration of a solution with surface plasmon resonance heterodyne interferometry. — Kun-Huang Chen, Cheng-Chih Hsu, and Der-Chin Su; **42** (7), 1884-7 (2003).
Examination of thin films of phthalocyanines in plasmon system for application in $NO_2$ sensors. — Jolanta Ignac-Nowicka, Tadeusz Pustelny, Zbigniew Opilski, Erwin Maciak, Wiesław P. Jakubik, and Marian Urbanczyk; **42** (10), 2978-86 (2003).

**Surfaces**
Synthetic-aperture-radar surface reflectivity estimation using a marked point-process speckle model. — Jihad S. Daba and Mark R. Bell; **42** (1), 211-27 (2003).
Large surface profile measurement with instantaneous phase-shifting interferometry. — N. R. Sivakumar, W. K. Hui, K. Venkatakrishnan, and B. K. A. Ngoi; **42** (2), 367-72 (2003).
Fiber optic off-focus sensor for surface topography measurement. — Yong Zhao, Yanbiao Liao, and Shurong Lai; **42** (3), 670-4 (2003).
Spatial coherence radar applied for tilted surface profilometry. — Mark Gokhler, Zhihui Duan, Joseph Rosen, and Mitsuo Takeda; **42** (3), 830-6 (2003).
Simple technique for polishing laser rods. — Sanjib Chatterjee; **42** (4), 1076-83 (2003).
Measurement of surface shape and deformation by phase-shifting image digital holography. — Ichirou Yamaguchi, Jun-ichi Kato, and Hirokazu Matsuzaki; **42** (5), 1267-71 (2003).
Nondestructive testing of specularly reflective objects using reflection three-dimensional computer vision technique. — Michael Y. Y. Hung and H. M. Shang; **42** (5), 1343-7 (2003).
Continuous unconstrained range sensing of free-form surfaces without sensor-head pose measurement. — Jonathan Kofman and George K. Knopf; **42** (5), 1496-510 (2003).
Introducing anisotropy in the autocorrelation function of natural terrain infrared images. — Zadok Hadas, Kalman Wilner, and Nissim Ben-Yosef; **42** (6), 1683-9 (2003).
Contrast of polychromatic speckle patterns and its dependence to surface heights distribution. — Carlos M. P. Rodrigues and João L. Pinto; **42** (6), 1699-703 (2003).
Fabrication of digital sinusoidal gratings and precisely controlled diffusive flats and their application to highly accurate projected fringe profilometry. — Wei-Hung Su, Hongyu Liu, Karl Reichard, Shizhuo Yin, and Francis T. S. Yu; **42** (6), 1730-40 (2003).
Optical design of a scatterometer with an ellipsoidal mirror. — Martha Rosete-Aguilar, Oscar G. Rodríguez-Herrera, and Neil C. Bruce; **42** (6), 1772-7 (2003).
Morphological quantification of surface roughness. — Yoganand Balagurunathan and Edward R. Dougherty; **42** (6), 1795-804 (2003).
Fluorescent microscopy of wet-cleaned surfaces: imaging of water stains distribution. — K. Mikhaylichenko and V. V. Yakovlev; **42** (7), 2051-5 (2003).
Design considerations and fabrication techniques of Nomarski reflection microscope. — Sanjib Chatterjee; **42** (8), 2202-13 (2003).
Forward scattering of fiber-containing surfaces studied by 3-D reflectance distribution simulations and measurements. — Hjalmar Granberg, Jon Jensen, and Lars Mattsson; **42** (8), 2384-90 (2003).
Full-field heterodyne interferometer for shape measurement: experimental characteristics of the system. — Tomasz Tkaczyk and Romuald Jóźwicki; **42** (8), 2391-9 (2003).
Two algorithms to estimate fractal dimension of gray-level images. — Wen-Shiung Chen, Shang-Yuan Yuan, and Chih-Ming Hsieh; **42** (8), 2452-64 (2003).
Integrated optoelectronic transmitter and receiver multi-chip modules for three-dimensional chip-level micro-optical interconnects. — Saurabh K. Lohokare, Dennis W. Prather, Jeffery A. Cox, Paul E. Sims, Michael G. Mauk, and Oleg V. Sulima; **42** (9), 2683-8 (2003).
Fast surface approximation for volume and surface area measurements using distance transform. — D. J. Lee, Joseph Eifert, Pengcheng Zhan, and Benjamin Westover; **42** (10), 2947-55 (2003).
Profilometry of optically smooth surfaces by a Gaussian probe beam. — Bernardino Barrientos García, Moisés Cywiak, and Manuel Servin; **42** (10), 3004-12 (2003).
Two-dimensional map of gloss of plastics measured by diffractive-element-based glossmeter. — Kari Myller, Kai-Erik Peiponen, and Raimo Silvennoinen; **42** (11), 3194-7 (2003).
Position-invariant surface recognition and localization using infrared sensors. — Billur Barshan and Tayfun Aytaç; **42** (12), 3589-94 (2003).
Optical pumping of the XeF(C→A) and iodine 1.315-$\mu$m lasers by a compact surface discharge system. — B. A. Knecht, R. D. Fraser, D. J. Wheeler, C. J. Zietkiewicz, A. A. Senin, L. D. Mikheev, V. S. Zuev, and J. G. Eden; **42** (12), 3612-21 (2003).

**Switches**
Deformation measurement of a micro-rf capacitive switch membrane using laser interferometry. — C. Quan, S. H. Wang, C. J. Tay, A. Q. Liu, and H. M. Shang; **42** (1), 92-7 (2003).
Stabilization of pulse-to-pulse energy and width by gain-controlled prelase in laser-diode-pumped *Q*-switched laser. — Ping Yan, Ma-li Gong, Tao Xie, and Xing-zhan Liu; **42** (1), 159-62 (2003).
Three-dimensional micro-optical switching system architecture using slab-waveguide-based micro-optical switches. — Tetsuzo Yoshimura, Satoshi Tsukada, Shinji Kawakami, Minoru Ninomiya, Yukihiko Arai, Hiroaki Kurokawa, and Kunihiko Asama; **42** (2), 439-46 (2003).
Jumpstart just-in-time signaling protocol: a formal description using extended finite state machines. — Abdul Halim Zaim, Ilia Baldine, Mark Cassada, George N. Rouskas, Harry G. Perros, and Daniel Stevenson; **42** (2), 568-85 (2003).
Polymer-based thermo-optic waveguide beam deflector with novel dual folded-thin-strip heating electrodes. — Jin-Ha Kim, Lin Sun, Chiou-Hung Jang, Chul-Chae Choi, and Ray T. Chen; **42** (3), 620-4 (2003).
Optical touch switch based on total internal reflection. — Sarun Sumriddetchkajorn; **42** (3), 787-91 (2003).
Ultrafast all-optical exclusive OR operation with semiconductor optical amplifier-assisted fiber Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (9), 2481-2 (2003).
1.55-$\mu$m silicon-based reflection-type waveguide-integrated thermo-optic switch. — Francesca Cantore and Francesco G. Della Corte; **42** (10), 2835-40 (2003).
High performance thermo-optic switches based on low-loss acrylate polymers. — Lawrence W. Shacklette, Paul M. Ferm, Robert Blomquist, MacRae Maxfield, Kevin Killian, and Lip Sun How Kee Chun; **42** (10), 2841-9 (2003).
Study on electro-optic Q switch for $CO_2$ waveguide lasers. — Dingfu Zhou, Dong Jiang, Congzhong Zheng, Yihua Huo, and Jianguo Chen; **42** (11), 3315-9 (2003).
Digital optical switch based on amorphous silicon waveguide. — L. Sirleto, M. Iodice, I. Rendina, and F. G. Della Corte; **42** (12), 3417-8 (2003).
All-optical switching with fast-response variable-index materials. — J. J. Robillard and D. Luna-Moreno; **42** (12), 3575-8 (2003).

**Switching**

Three-dimensional micro-optical switching system architecture using slab-waveguide-based micro-optical switches. — Tetsuzo Yoshimura, Satoshi Tsukada, Shinji Kawakami, Minoru Ninomiya, Yukihiko Arai, Hiroaki Kurokawa, and Kunihiko Asama; **42** (2), 439-46 (2003).

Optical characteristics of PnpN optical thyristor operating at 1.55 $\mu$m. — Doo-Gun Kim, Hee-Hyun Lee, Woon-Kyung Choi, Jung-Jun Lee, Young-Wan Choi, S. Lee, Deokha H. Woo, Young-Tae Byun, J. H. Kim, Soo Hyun Kim, N. Futakuchi, and Yoshiaki Nakano; **42** (4), 1093-9 (2003).

Queueing models of optical delay lines in synchronous and asynchronous optical packet-switching networks. — Xiaoming Zhu and Joseph M. Kahn; **42** (6), 1741-8 (2003).

Time response of optical switching properties of Sb thin films under focused laser pulses. — Jingsong Wei and Fuxi Gan; **42** (6), 1749-53 (2003).

Pulse evolution of a Q-switched ytterbium-doped double-clad fiber laser. — Yong Wang, Alejandro Martinez-Rios, and Hong Po; **42** (9), 2521-6 (2003).

Waveband-switchable semiconductor-optical- amplifier-fiber ring laser using a polarization beam splitter and sampled fiber Bragg gratings. — Yong Wook Lee, Bong-Ahn Yu, Byoungho Lee, and Jaehoon Jung; **42** (10), 2786-7 (2003).

Three-core nonlinear directional coupler with variable coupling coefficient. — Gang Jun Liu, Bin Ming Liang, Qu Li, and Guo Liang Jin; **42** (10), 2930-5 (2003).

All-optical packet clock generation from decision pulses. — M. Kalyvas, K. Yiannopoulos, G. Theophilopoulos, T. Houbavlis, H. Avramopoulos, and G. Guekos; **42** (12), 3413-4 (2003).

Ultrafast pattern-operated all-optical Boolean XOR with semiconductor optical amplifer-assisted Sagnac switch. — T. Houbavlis and K. E. Zoiros; **42** (12), 3415-6 (2003).

**Synthetic aperture radar**

Adaptive filtering approach to chirp estimation and inverse synthetic aperture radar imaging of maneuvering targets. — Genyuan Wang, Xiang-Gen Xia, and Victor C. Chen; **42** (1), 190-9 (2003).

Using invariants to recognize airplanes in inverse synthetic aperture radar images. — Shen-Chi Tien, Tsorng-Lin Chia, and Yibin Lu; **42** (1), 200-10 (2003).

Synthetic-aperture-radar surface reflectivity estimation using a marked point-process speckle model. — Jihad S. Daba and Mark R. Bell; **42** (1), 211-27 (2003).

Dialyte-refractor design for self-correcting lateral color. — Rick Blakley; **42** (2), 400-4 (2003).

Synthetic aperture radar target acquisition model based on a National Imagery Interpretability Rating Scale to probability of discrimination conversion. — Ronald G. Driggers, James A. Ratches, Jon C. Leachtenauer, and Regina W. Kistner; **42** (7), 2104-12 (2003).

Window functions for imaging radar: a maximum energy approach to contiguous and notched spectrums. — Fred M. Dickey, Louis A. Romero, and Armin W. Doerry; **42** (7), 2113-28 (2003).

Toward target recognition from synthetic aperture radar imagery using electromagnetics-based signatures. — Chen-Pang Yeang, Choongyeun Cho, and Jeffrey H. Shapiro; **42** (7), 2129-49 (2003).

Coherent data alignment and baseline calibration for improved two-pass interferometric synthetic aperture radar. — Ana Martinez, Armin W. Doerry, Mo Jamshidi, and Douglas Bickel; **42** (8), 2427-38 (2003).

Detection of invisible moving targets in foliage penetration ultra-wide-band synthetic aperture radar images. — Hanwei Guo, Diannong Liang, Yan Wang, and Xiaotao Huang; **42** (10), 2796-7 (2003).

**Target**

Practical system for tracking multiple maneuvering targets. — Jian-xun Li and Zhong-liang Jing; **42** (8), 2439-51 (2003).

**Targets**

Adaptive filtering approach to chirp estimation and inverse synthetic aperture radar imaging of maneuvering targets. — Genyuan Wang, Xiang-Gen Xia, and Victor C. Chen; **42** (1), 190-9 (2003).

Modeling and algorithm of attitude measurement of moving target by laser tracking systems. — Jia Wang, Yongdong Liu, Zhaohui Hu, and Jinwen Liang; **42** (2), 373-82 (2003).

Automatic target recognition using boundary partitioning and invariant features in forward-looking infrared images. — Sun-Gu Sun and Hyun Wook Park; **42** (2), 524-33 (2003).

Effects of image restoration on target acquisition. — Norman S. Kopeika, Stanley R. Rotman, Israel Taig, and Ariel Vander; **42** (2), 534-40 (2003).

Comparative study of maximum average correlation height filter variants using ladar imagery. — Alan Van Nevel and Abhijit Mahalanobis; **42** (2), 541-50 (2003).

Signal-to-clutter measure for measuring automatic target recognition performance using complimentary eigenvalue distribution analysis. — Abhijit Mahalanobis, S. Richard F. Sims, and Alan Van Nevel; **42** (4), 1144-51 (2003).

Adaptive spatiotemporal multiple sensor fusion. — Hai-Wen Chen and Teresa Olson; **42** (5), 1481-95 (2003).

Rule-based target differentiation and position estimation based on infrared intensity measurements. — Tayfun Aytaç and Billur Barshan; **42** (6), 1766-71 (2003).

Use of a photosimulation laboratory for estimating vehicle detection probability. — Thomas J. Meitzler, David Bednarz, Darryl Bryk, Kimberly Lane, and Euijung Sohn; **42** (6), 1820-5 (2003).

Constrained energy minimization and the target-constrained interference-minimized filter. — Steven Johnson; **42** (6), 1850-4 (2003).

Synthetic aperture radar target acquisition model based on a National Imagery Interpretability Rating Scale to probability of discrimination conversion. — Ronald G. Driggers, James A. Ratches, Jon C. Leachtenauer, and Regina W. Kistner; **42** (7), 2104-12 (2003).

Toward target recognition from synthetic aperture radar imagery using electromagnetics-based signatures. — Chen-Pang Yeang, Choongyeun Cho, and Jeffrey H. Shapiro; **42** (7), 2129-49 (2003).

Simulation-based analysis of range and cross-range resolution requirements for the identification of vehicles in ladar imagery. — Brett A. Hutchinson, Ruben L. Galbraith, Barry L. Stann, and Sandor Z. Der; **42** (9), 2734-45 (2003).

Multistage infrared target detection. — Alex Lipchen Chan, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (9), 2746-54 (2003).

Real-time area correlation tracker implementation based on absolute difference algorithm. — Weichao Zhou, Wenhan Jiang, Mei Li, Chunhong Wang, and Changhui Rao; **42** (9), 2755-60 (2003).

Improved approach for object location under affine transformation using the Hausdorff distance. — Xiaoming Peng, Mingyue Ding, Chengping Zhou, and Tianxu Zhang; **42** (10), 2794-5 (2003).

Detection of invisible moving targets in foliage penetration ultra-wide-band synthetic aperture radar images. — Hanwei Guo, Diannong Liang, Yan Wang, and Xiaotao Huang; **42** (10), 2796-7 (2003).

Fifty-percent probability of identification ($N_{50}$) comparison for targets in the visible and infrared spectral bands. — John D. O'Connor, Ronald G. Driggers, Richard H. Vollmerhausen, Nicole Devitt, and Jeff Olson; **42** (10), 3047-52 (2003).

Single-model position-fusion algorithm based on weight reciprocal propagation. — Tingwu Yang, Shangqian Liu, and Yingle Li; **42** (11), 3290-4 (2003).

Adaptive anomaly detection using subspace separation for hyperspectral imagery. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (11), 3342-51 (2003).

**Telescopes**

Dialyte-refractor design for self-correcting lateral color. — Rick Blakley; **42** (2), 400-4 (2003).

Ultra-high-speed wide-angle catadioptric corrector system for medium-scale spherical mirror telescopes. — David Beach; **42** (2), 405-15 (2003).

Analysis of the Naval Observatory Flagstaff Station 1-m telescope using annular Zernike polynomials. — Sergio R. Restaino, Scott W. Teare, Michael DiVittorio, G. Charmaine Gilbreath, and David Mozurkewich; **42** (9), 2491-5 (2003).

Coherent telescope array with self-homodyne interferometric detection for optical communications. — Bernard Eng-Kie Souw; **42** (11), 3139-57 (2003).

**Television**

Dispersion compensation and crosstalk reduction in a bidirectional dense wavelength division multiplexing cable television system. — Hai-Han Lu and Wen-Shing Tsai; **42** (1), 281-4 (2003).

Improved performance of an externally modulated system with external light injection technique. — Hai-Han Lu, Heng-Sheng Su, Ming-Chuan Wang, and Hsu-Hung Huang; **42** (5), 1180-1 (2003).

**Temperature**

Measurement of the temperature of a gaseous flame using a shearing plate. — Priti Singh and Chandra Shakher; **42** (1), 80-5 (2003).

Measurements of the temperature profile of a two-dimensional slot burner using a Lau phase interferometer with linear gratings. — Madhuri Thakur, S. K. Angra, and Chandra Shakher; **42** (1), 86-91 (2003).

Thermochromic-effect-based temperature optical fiber sensor for underwater applications. — Carlos Fernández-Valdivielso, Ignacio R. Matías, Francisco J. Arregui, Joaquín Roca-Dorda, Jose A. Vera, and Manuel Jimenez; **42** (3), 656-61 (2003).

Introducing anisotropy in the autocorrelation function of natural terrain infrared images. — Zadok Hadas, Kalman Wilner, and Nissim Ben-Yosef; **42** (6), 1683-9 (2003).

Experimental results of ratio-based erbium-doped-silica temperature sensor. — Gonzalo Paez and Marija Strojnik; **42** (6), 1805-11 (2003).

Temperature-compensated fiber-Bragg-grating-based magnetostrictive sensor for dc and ac currents. — Kin Seng Chiang, Ramesh Kancheti, and Vipul Rastogi; **42** (7), 1906-9 (2003).

Novel data processing techniques for dispersive white light interferometer. — Bing Qi, Gary R. Pickrell, JunCheng Xu, Po Zhang, Yuhong Duan, Wei Peng, Zhenyu Huang, Wei Huo, Hai Xiao, Russell G. May, and Anbo Wang; **42** (11), 3165-71 (2003).

Rapid calculation research of temperature fields in laser heat treatments. — Junchang Li, J. Merlin, Yingxiong Qin, Qiguang Zheng, and Yunchang Fu; **42** (12), 3545-50 (2003).

**Thermal effects**

Photoacoustic study of the effect of doping concentration on the transport properties of GaAs epitaxial layers. — Sajan D. George, S. Dilna, R. Prasanth, P. Radhakrishnan, C. P. G. Vallabhan, and V. P. N. Nampoori; **42** (5), 1476-80 (2003).

Thermal modeling of solid state lasers with super-Gaussian pumping profiles. — Wenjie Xie, Young Kwon, Wentao Hu, and Feng Zhou; **42** (6), 1787-94 (2003).

Measurement of microthermal deformations in an optical pick-up base using holographic interferometry. — Youngmin Seo, Sunghoon Cho, and Shinill Kang; **42** (11), 3198-203 (2003).

Study on electro-optic Q switch for $CO_2$ waveguide lasers. — Dingfu Zhou, Dong Jiang, Congzhong Zheng, Yihua Huo, and Jianguo Chen; **42** (11), 3315-9 (2003).

**Thermal imaging**

Multispectral three-dimensional digital infrared thermal imaging. — Hai Xiao, Yibing Zhang, and Anbo Wang; **42** (4), 906-11 (2003).

Heat transfer analysis of a dynamic infrared-to-visible converter. — Jaime Sandoval, Gonzalo Paez, and Marija Strojnik; **42** (12), 3517-23 (2003).

**Thermo-optics**

Multimode-interference-type thermo-optic variable optical attenuator with a response frequency of 10 kHz. — Lin Yang, Yuliang Liu, Yi Cheng, Wei Wang, and Qiming Wang; **42** (3), 606-7 (2003).

1.55-$\mu$m silicon-based reflection-type waveguide-integrated thermo-optic switch. — Francesca Cantore and Francesco G. Della Corte; **42** (10), 2835-40 (2003).

High performance thermo-optic switches based on low-loss acrylate polymers. — Lawrence W. Shacklette, Paul M. Ferm, Robert Blomquist, MacRae Maxfield, Kevin Killian, and Lip Sun How Kee Chun; **42** (10), 2841-9 (2003).

**Thermography**

Reconstruction and enhancement of active thermographic image sequences. — Steven M. Shepard, James R. Lhota, Bruce A. Rubadeux, David Wang, and Tasdiq Ahmed; **42** (5), 1337-42 (2003).

Contour-based image registration with local deformations. — Wen-Nung Lie and Cheng-Hung Chuang; **42** (5), 1405-16 (2003).

**Thin films**

Second-generation approach to all-organic modulators based on intrinsically polar self-assembled molecular superlattices. — Y.-G. Zhao, S. Chang, A. Wu, H.-L. Lu, S. T. Ho, M. E. van der Boom, and T. J. Marks; **42** (2), 298-9 (2003).

Fourier transform method for measurement of thin film thickness by speckle interferometry. — Canan Karaalioğlu and Yani Skarlatos; **42** (6), 1694-8 (2003).

Time response of optical switching properties of Sb thin films under focused laser pulses. — Jingsong Wei and Fuxi Gan; **42** (6), 1749-53 (2003).

Color correction of metal halide arc lamp sources. — Ronald A. Ferrante, Michael L. Fulton, Robert Cabrera, James Walker, and Holger Claus; **42** (7), 2155-9 (2003).

Examination of thin films of phthalocyanines in plasmon system for application in $NO_2$ sensors. — Jolanta Ignac-Nowicka, Tadeusz Pustelny, Zbigniew Opilski, Erwin Maciak, Wieslaw P. Jakubik, and Marian Urbanczyk; **42** (10), 2978-86 (2003).

Power, efficiency, and polarization analysis of a beamsplitter for the equipartition of infrared input power in the presence of angular, film-thickness, and spectral deviations. — A. M. El-Saba and Rasheed M. A. Azzam; **42** (12), 3487-90 (2003).

Optical and electro-optical properties of pulse laser deposited PLZT thin films. — Ludovic Escoubas, Pascal Huguet-Chantôme, Miroslav Jelínek, Francois Flory, Emmanuel Drouard, Ján Lančok, Jean-Jacques Simon, and Thomas Mazingue; **42** (12), 3579-84 (2003).

**Thin films: Electro-optics**

Single-crystal thin films of organic molecular salt may lead to a new generation of electro-optic devices. — Mrinal Thakur, Jitto Titus, and Alpana Mishra; **42** (2), 456-8 (2003).

**Three dimensions**

High-speed 3-D shape measurement based on digital fringe projection. — Peisen S. Huang, Chengping Zhang, and Fu-Pen Chiang; **42** (1), 163-8 (2003).

Active deformable sheets: prototype implementation, modeling, and control. — Robert J. Lind and Charalabos C. Doumanidis; **42** (2), 304-16 (2003).

Three-dimensional micro-optical switching system architecture using slab-waveguide-based micro-optical switches. — Tetsuzo Yoshimura, Satoshi Tsukada, Shinji Kawakami, Minoru Ninomiya, Yukihiko Arai, Hiroaki Kurokawa, and Kunihiko Asama; **42** (2), 439-46 (2003).

Robust genetic algorithm for high-accuracy particle position estimation in three-dimensional particle image velocimetry applications. — P. Padilla-Sosa, J. E. Valdez, L. R. Berriel-Valdos, L. R. Sahagún-Ortiz, and M. Funes-Gallanzi; **42** (2), 459-66 (2003).

Error compensation for a three-dimensional shape measurement system. — Peisen S. Huang, Qingying Hu, and Fu-Pen Chiang; **42** (2), 482-6 (2003).

Calibration of a three-dimensional shape measurement system. — Qingying Hu, Peisen S. Huang, Qionglin Fu, and Fu-Pen Chiang; **42** (2), 487-93 (2003).

Three-dimensional shape recovery across two views using approximate geometric constraints. — Hau-san Wong and Ronald Chung; **42** (3), 632-41 (2003).

Invariant object recognition under three-dimensional rotations and changes of scale. — Sébastien Roy, Henri H. Arsenault, and Daniel Lefebvre; **42** (3), 813-21 (2003).

Multiview connection technique for 360-deg three-dimensional measurement. — Hongwei Guo and Mingyi Chen; **42** (4), 900-5 (2003).

Multispectral three-dimensional digital infrared thermal imaging. — Hai Xiao, Yibing Zhang, and Anbo Wang; **42** (4), 906-11 (2003).

Research on solidification of resin in stereolithography. — Shigeru Nagamori and Toru Yoshizawa; **42** (7), 2096-103 (2003).

Compact robotics perception system based on a laser range finder coupled with silicon micromirrors. — Marc Lescure, Christian Ganibal, Roland Prajoux, and Maurice Briot; **42** (9), 2653-8 (2003).

Measuring 3-D shapes of a human face using photometric stereo method with color light sources and slit patterns. — Hitoshi Saji and Hiromasa Nakatani; **42** (9), 2727-33 (2003).

Spatial filtering of three-dimensional objects based on volume holography. — Ching-Cherng Sun, Chih-Yuan Hsu, Chia-How Wu, and Wei-Chia Su; **42** (10), 2788-9 (2003).

Fast surface approximation for volume and surface area measurements using distance transform. — D. J. Lee, Joseph Eifert, Pengcheng Zhan, and Benjamin Westover; **42** (10), 2947-55 (2003).

Camera calibration from road lane markings. — George S. K. Fung, Nelson H. C. Yung, and Grantham K. H. Pang; **42** (10), 2967-77 (2003).

Three-dimensional profilometer for supersmooth surface. — Yuanqing Wang; **42** (10), 3013-6 (2003).

Heat transfer analysis of a dynamic infrared-to-visible converter. — Jaime Sandoval, Gonzalo Paez, and Marija Strojnik; **42** (12), 3517-23 (2003).

High speed three-dimensional profilometry utilizing laser diode arrays. — Ming Chang, Wei-Che Chang, and Kao-Hui Lin; **42** (12), 3595-9 (2003).

**Tissues**

Method to segment the brain automatically applied to a magnetic resonance imaging sequence. — Vianney Le Thuc, Abdelmalik Taleb-Ahmed, Xavier Leclerc, and Thierry Saint Michel; **42** (7), 1976-92 (2003).

**Tomography**

Multiaxial beam combiner for optical coherence tomography. — Matthieu Nannini, Philippe Nerin, Pierre Benech, and Isabelle Schanen-Duport; **42** (1), 75-9 (2003).

Spatial coherence radar applied for tilted surface profilometry. — Mark Gokhler, Zhihui Duan, Joseph Rosen, and Mitsuo Takeda; **42** (3), 830-6 (2003).

Image reconstruction with a half-detector in single-photon emission computed tomography with nonuniform attenuation. — Emil Y. Sidky and Xiaochuan Pan; **42** (9), 2506-13 (2003).

Limited-angle optical computed tomography algorithms. — Xiong Wan, Yiqing Gao, Qing Wang, Shuping Le, and Shenglin Yu; **42** (9), 2659-69 (2003).

Interlaced interpolation weighting functions for multislice helical computed tomography. — Patrick J. La Rivière and Xiaochuan Pan; **42** (12), 3461-70 (2003).

**Tracking**

Modeling and algorithm of attitude measurement of moving target by laser tracking systems. — Jia Wang, Yongdong Liu, Zhaohui Hu, and Jinwen Liang; **42** (2), 373-82 (2003).

Measurement of dynamic deformations using a path-unbalance Michelson-interferometer-based optical fiber sensing device. — Sandra LLoret, Pramod Rastogi, Luc Thévenaz, and Daniele Inaudi; **42** (3), 662-9 (2003).

Meteorological structures and pattern recognition: Modal analysis of shapes extracted from satellite images. — Fabio Dell'Acqua and Paolo Gamba; **42** (3), 822-9 (2003).

Practical system for tracking multiple maneuvering targets. — Jian-xun Li and Zhong-liang Jing; **42** (8), 2439-51 (2003).

Real-time area correlation tracker implementation based on absolute difference algorithm. — Weichao Zhou, Wenhan Jiang, Mei Li, Chunhong Wang, and Changhui Rao; **42** (9), 2755-60 (2003).

Single-model position-fusion algorithm based on weight reciprocal propagation. — Tingwu Yang, Shangqian Liu, and Yingle Li; **42** (11), 3290-4 (2003).

**Tranforms**

Fast loop filtering using separable characteristics of the integer 2-D discrete cosine transform. — Yung-Lyul Lee, Il-Hong Shin, and Hyun Wook Park; **42** (9), 2588-94 (2003).

**Transducers**

Designing an optical force transducer. — Nashwan T. Younis; **42** (1), 151-8 (2003).

**Transforms**

Multiview connection technique for 360-deg three-dimensional measurement. — Hongwei Guo and Mingyi Chen; **42** (4), 900-5 (2003).

Karhunen-Loeve expansion of stationary random signals with exponentially oscillating covariance function. — Vitaly Kober and Josué Alvarez-Borrego; **42** (4), 1018-23 (2003).

Noncontact inspection: challenging application in the aircraft industry. — John Palmateer; **42** (5), 1272-6 (2003).

Robust watermarking scheme for still images using frequency shift keying with high-variance block selection. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (6), 1826-35 (2003).

Secret image sharing with capability of share data reduction. — Chang-Chou Lin and Wen-Hsiang Tsai; **42** (8), 2340-5 (2003).

Public-key image steganography using discrete cosine transform and quadtree partition vector quantization coding. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (10), 2886-92 (2003).

Reducing artifacts in block-coded images using adaptive constraints. — Ju Jia Zou, Hong Yan, and David C. Levy; **42** (10), 2900-11 (2003).

Fast surface approximation for volume and surface area measurements using distance transform. — D. J. Lee, Joseph Eifert, Pengcheng Zhan, and Benjamin Westover; **42** (10), 2947-55 (2003).

Transform domain enhanced resizing for a discrete-cosine-transform-based codec. — Gun Shik Shin and Moon Gi Kang; **42** (11), 3204-14 (2003).

Adaptive anomaly detection using subspace separation for hyperspectral imagery. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (11), 3342-51 (2003).

Optical encryption using a localized fractional Fourier transform. — Naveen Kumar Nishchal, G. Unnikrishnan, Joby Joseph, and Kehar Singh; **42** (12), 3566-71 (2003).

**Transistors**

Noise analysis of an optically controlled metal semiconductor field effect transistor at microwave frequencies. — P. Chakrabarti, Badri Nath Tiwari, and Suman Kumar; **42** (2), 447-55 (2003).

Noise modeling of an InP/InGaAs heterojunction bipolar phototransistor. — P. Chakrabarti, Naveen Kumar Agrawal, Pankaj Kalra, Shishir Agrawal, and Gaurav Gupta; **42** (4), 939-47 (2003).

Model for illumination-dependent trap occupancy in optically biased GaN metal-semiconductor field effect transistor for improved electrical characteristics. — Adarsh Singh, Mridula Gupta, and R. S. Gupta; **42** (9), 2563-7 (2003).

**Transmission**

Intermodulation in the spectrophotometric cell. — O. D. D. Soares and M. L. de Pedraza; **42** (2), 510-23 (2003).

Visual range of low-light-level night vision goggles for driving. — Lei Liu and Benkang Chang; **42** (7), 2056-61 (2003).

Improved surface characteristics of $n$-GaN epitaxial structures after reactive ion etching. — Hoshin H. Yee, H. F. Hong, and J. Y. Chang; **42** (10), 2918-22 (2003).

Self-control of quantizer risk attitude in rational embedded wavelet image coding. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Javier Martinez-Baena; **42** (11), 3215-34 (2003).

Optical wireless multibeam transmitter with line strip, diamond, and uniform geometries. — A. G. Al-Ghamdi and J. M. H. Elmirghani; **42** (11), 3295-301 (2003).

Thermal modeling $CO_2$ laser radiation transmission welding of superposed thermoplastic films. — João M. P. Coelho, Manuel A. Abreu, and F. Carvalho Rodrigues; **42** (11), 3365-73 (2003).

**Transmittance**

Improved performance of an externally modulated system with external light injection technique. — Hai-Han Lu, Heng-Sheng Su, Ming-Chuan Wang, and Hsu-Hung Huang; **42** (5), 1180-1 (2003).

**Tunable filters**

Simple tunable chirp of fiber Bragg gratings without center wavelength shift. — Riccardo Falciai and Cosimo Trono; **42** (8), 2263-7 (2003).

All-fiber acousto-optical tunable filter with loop structure. — Hao Li, Tong Liu, Changyun Wen, Yeng Chai Soh, and Ying Zhang; **42** (12), 3409-10 (2003).

**Tunable laers**

Tunable pulse-duration optical parametric oscillator pumped by stimulated Brillouin scattering phase-conjugation wave. — Qiang Liu, Bin Shi, Mali Gong, Ping Yan, Yuezhu Wang, and Qi Wang; **42** (11), 3265-9 (2003).

**Tunable lasers**

Phase-shifting Fizeau interference microscope with a wavelength-shifted laser diode. — Yukihiro Ishii, Jun Chen, Ribun Onodera, and Taizo Nakamura; **42** (1), 60-7 (2003).

Tunable external-cavity diode laser based on integrated waveguide structures. — Kevin S. Repasky, Jennifer D. Williams, John L. Carlsten, Elizabeth J. Noonan, and Gregg W. Switzer; **42** (8), 2229-34 (2003).

Design of a multichannel ring network with tunable laser diodes and fixed optical detectors. — Wencai Jing, Yi-Mo Zhang, and Ge Zhou; **42** (8), 2324-30 (2003).

**Turbulence**

Low-order mode correction anisoplanatism limitations for adaptive optics system. — Hongtao Zhang, Fuchang Yin, Bing Xu, and Wenhan Jiang; **42** (8), 2190-6 (2003).

Criteria for satellite image restoration success. — Dan Arbel, Shlomo Greenberg, Ofer Hadar, and Norman S. Kopeika; **42** (9), 2607-13 (2003).

**Two-wave mixing**

Collimation testing using photorefractive crystal and temporal coherence. — Arun Anand and C. S. Narayanamurthy; **42** (4), 1108-13 (2003).

**Ultrafast phenomena**

Ultrafast laser-induced crystallization of amorphous silicon films. — Tae Y. Choi, David J. Hwang, and Costas P. Grigoropoulos; **42** (11), 3383-8 (2003).

**Ultrasonics**

Response of a fiber Bragg grating ultrasonic sensor. — Pavel Fomitchov and Sridhar Krishnaswamy; **42** (4), 956-63 (2003).

**Ultraviolet**

Improved sol-gel thin film for fabrication of multilevel structures using a high-energy beam-sensitive gray-scale mask. — X.-C. Yuan, W. X. Yu, N. Q. Ngo, and W. C. Cheong; **42** (2), 302-3 (2003).

Spike detection and correction in Brewer spectroradiometer ultraviolet spectra. — Outi Meinander, Weine Josefsson, Jussi Kaurola, Tapani Koskela, and Kaisa Lakkala; **42** (6), 1812-9 (2003).

Fabrication of multilevel structures in self-development photosensitive hybrid sol-gel glass by a gray scale mask. — Weixing Yu and X.-C. Yuan; **42** (12), 3411-2 (2003).

**Vapor deposition**

Optical waveguide fabrication by combination of spin-on-glass and plasma-enhanced chemical vapor deposition for optoelectronic integration. — Tomiyuki Arakawa, Tatsushi Hasegawa, and Masatoshi Kagawa; **42** (4), 898-9 (2003).

Fabrication method of Bragg gratings in silica channel optical waveguides. — Tomiyuki Arakawa, Yutaka Uno, Hideki Ono, Hiromi Takahashi, Kentaro Harase, and Hideaki Okayama; **42** (12), 3419-20 (2003).

**Vector**

Improved vector filtering for color images using fuzzy noise detection. — Edward S. Hore, Bin Qiu, and Hong Ren Wu; **42** (6), 1656-64 (2003).

**Velocimetry**

Robust genetic algorithm for high-accuracy particle position estimation in three-dimensional particle image velocimetry applications. — P. Padilla-Sosa, J. E. Valdez, L. R. Berriel-Valdos, L. R. Sahagún-Ortiz, and M. Funes-Gallanzi; **42** (2), 459-66 (2003).

**Velocity**
Analysis of accuracy of measurement by Doppler laser meters. — Jonas Skeivalas and Vytautas Giniotis; **42** (7), 2025-8 (2003).

**Vibration**
Laser Doppler vibrometer with body vibration compensation. — Hoseong Kim, Youngjin Lee, Changhyun Kim, Tae-gyu Chang, and Min-Sig Kang; **42** (8), 2291-5 (2003).
Evaluation of Young's modulus of a vibrating beam by optical method. — Xin Kang, C. J. Tay, C. Quan, and Xiaoyuan He; **42** (10), 3053-8 (2003).
Cantilever optical vibrometer using fiber Bragg grating. — C. Z. Shi, N. Zeng, H. L. Ho, C. C. Chan, M. Zhang, W. Jin, and Y. B. Liao; **42** (11), 3179-81 (2003).
Image restoration from camera vibration and object motion blur in infrared staggered time-delay and integration systems. — Sergey Raiter, Adrian Stern, Ofer Hadar, and Norman S. Kopeika; **42** (11), 3253-64 (2003).

**Vibration analysis**
Optoacoustical sensor to examine the structural integrity of transportation systems. — Vladimir Markov, James Trolinger, John Webster, and Gerard Pardoen; **42** (5), 1277-87 (2003).
Fast and full-field measurement of brake squeal using pulsed ESPI technique. — René Krupka, Thomas Walz, and Andreas Ettemeyer; **42** (5), 1354-8 (2003).

**Video**
Parallel multiplication-free algorithm and architecture for affine-based motion compensation. — Wael Badawy and Magdy A. Bayoumi; **42** (1), 255-64 (2003).
Objective measurements of video quality using the wavelet transform. — Chulhee Lee and Ohjae Kwon; **42** (1), 265-72 (2003).
Comparison of motion-compensated algorithms for frame interpolation. — Demin Wang; **42** (2), 586-90 (2003).
Video shot boundary detection using relative difference between frames. — In-Shik Jeong and Oh-Jin Kwon; **42** (3), 604-5 (2003).
Adaptive video-dissolve detection method based on correlation between successive scenes. — Jong-Un Won, Jae-Gark Choi, Sang-Keun Oh, Dong-Min Kwak, and Kil-Houm Park; **42** (5), 1511-8 (2003).
Incremental update of computer-generated holograms. — Wendy Plesniak; **42** (6), 1560-71 (2003).
Fast algorithm for discrete cosine transform (DCT)-domain image downsampling using Winograd DCTs. — Donyeon Kim and Yoonsik Choe; **42** (9), 2485-6 (2003).

**Vision**
New disparity estimation scheme based on adaptive matching windows for intermediate view reconstruction. — Kyung-Hoon Bae, Jung-Jin Kim, and Eun-Soo Kim; **42** (6), 1778-86 (2003).
Visual range of low-light-level night vision goggles for driving. — Lei Liu and Benkang Chang; **42** (7), 2056-61 (2003).
Calibration approach for structured-light-stripe vision sensor based on the invariance of double cross-ratio. — Zhenzhong Wei, Guangjun Zhang, and Yuan Xu; **42** (10), 2956-66 (2003).

**Volume holography**
Polarization-multiplexed volume holograms in $LiNbO_3$ with 90-deg geometry. — Wei-Chia Su, Ching-Cherng Sun, Nicholai Kukhtarev, and Arthur E. T. Chiou; **42** (1), 9-10 (2003).
Simplified model for diffraction analysis of volume holograms. — Ching-Cherng Sun; **42** (5), 1184-5 (2003).
Multilayer storage in a shift-multiplexed holographic disk. — Wei-Chia Su, Yu-Weng Chen, Ching-Cherng Sun, and Yueh Ouyang; **42** (6), 1528-9 (2003).
Multiplexed edge-lit holograms. — Wei-Chia Su, Ching-Cherng Sun, and Nicholai Kukhtarev; **42** (7), 1871-2 (2003).
Spatial filtering of three-dimensional objects based on volume holography. — Ching-Cherng Sun, Chih-Yuan Hsu, Chia-How Wu, and Wei-Chia Su; **42** (10), 2788-9 (2003).

**Wavefront sensors**
Shack-Hartmann wavefront sensor with holographic memory. — Jung-Young Son, Dmytro V. Podanchuk, Volodymir P. Dan'ko, and Kae-Dal Kwak; **42** (11), 3389-98 (2003).

**Waveguides**
Polymer-based thermo-optic waveguide beam deflector with novel dual folded-thin-strip heating electrodes. — Jin-Ha Kim, Lin Sun, Chiou-Hung Jang, Chul-Chae Choi, and Ray T. Chen; **42** (3), 620-4 (2003).
Investigation on the optical properties of side-polished fiber contacted with planar waveguide including a thin metal film. — Kwang Taek Kim, Jung Ho Hwang, Jun Ock Lee, Jae Pyung Mah, Cheol Ho Kim, and Seung Hwangbo; **42** (3), 675-81 (2003).
Design of praseodymium-doped optical waveguides. — Antonella D'Orazio, Marco De Sario, Luciano Mescia, Vincenzo Petruzzelli, Francesco Prudenzano, Anna P. Caricato, Gilberto Leggieri, and Maurizio Martino; **42** (3), 765-72 (2003).
Applications of active arrayed-waveguide grating in future wavelength division multiplexing networks. — F. I. El-Nahal and R. J. Mears; **42** (3), 867-74 (2003).
Optical waveguide fabrication by combination of spin-on-glass and plasma-enhanced chemical vapor deposition for optoelectronic integration. — Tomiyuki Arakawa, Tatsushi Hasegawa, and Masatoshi Kagawa; **42** (4), 898-9 (2003).
Optical characteristics of PnpN optical thyristor operating at 1.55 $\mu$m. — Doo-Gun Kim, Hee-Hyun Lee, Woon-Kyung Choi, Jung-Jun Lee, Young-Wan Choi, S. Lee, Deokha H. Woo, Young-Tae Byun, J. H. Kim, Soo Hyun Kim, N. Futakuchi, and Yoshiaki Nakano; **42** (4), 1093-9 (2003).
Fabrication and characterization of four-layer polymeric optical waveguides based on styrene acrylonitrile. — G. J. Qureshi, V. K. Gupta, Amit Pratap Singh, Avinashi Kapoor, and K. N. Tripathi; **42** (6), 1754-7 (2003).
Wavelength tuning and multiple-wavelength array-waveguide-grating lasers. — Shien-Kuei Liaw, Fu-Chung Hung, Zhengchun Xu, Yueguang Jiao, Tao Qin, Hanyi Zhang, Yili Guo, and Xiaoping Zheng; **42** (8), 2178-9 (2003).
Tunable external-cavity diode laser based on integrated waveguide structures. — Kevin S. Repasky, Jennifer D. Williams, John L. Carlsten, Elizabeth J. Noonan, and Gregg W. Switzer; **42** (8), 2229-34 (2003).
Size tolerance analysis of a 4×4 tapered multimode interference coupler in a silicon-on-insulator structure. — Qingfeng Yan, Jinzhong Yu, and Zhongli Liu; **42** (8), 2235-9 (2003).
Analytical model for computing propagation constant of Ti:$LiNbO_3$ periodically segmented waveguides by effective-index-based matrix method. — R. Chakraborty, J. C. Biswas, and S. K. Lahiri; **42** (9), 2624-9 (2003).
Light coupling and propagation in a fiber–dielectric-slab composite with a conductor cladding. — Kwang-Hee Kwon, Jae-Won Song, Euy-Don Park, and Don-Muk Choi; **42** (9), 2630-41 (2003).
Numerical analysis of amplification characteristic of ytterbium-sensitized erbium-doped waveguide amplifiers by the finite difference beam propagation method. — Zhong Yu, Wei Wei, and Xun Hou; **42** (10), 2790-1 (2003).
Characterization of ion-exchanged waveguides in tungsten tellurite and zinc tellurite $Er^{3+}$-doped glasses. — G. Nunzi Conti, V. K. Tikhomirov, M. Bettinelli, S. Berneschi, M. Brenci, B. Chen, S. Pelli, A. Speghini, A. B. Seddon, and G. C. Righini; **42** (10), 2805-11 (2003).
Measurement and modeling of ion-exchange parameters for IOG-10 glass. — Peng Y. Choo, Jesse A. Frantz, James T. A. Carriere, David L. Mathine, Raymond K. Kostuk, and Nasser Peyghambarian; **42** (10), 2812-6 (2003).
Advances in silica-based integrated optics. — Mogens Rysholt Poulsen, Peter Ingo Borel, Jacob Fage-Pedersen, Jörg Hübner, Martin Kristensen, Jørn Hedegaard Povlsen, Karsten Rottwitt, Mikael Svalgaard, and Winnie Svendsen; **42** (10), 2821-34 (2003).
1.55-$\mu$m silicon-based reflection-type waveguide-integrated thermo-optic switch. — Francesca Cantore and Francesco G. Della Corte; **42** (10), 2835-40 (2003).
Method for the rotational alignment of polarization-maintaining optical fibers and waveguides. — Timo T. Aalto, Mikko Harjanne, and Markku Kapulainen; **42** (10), 2861-7 (2003).
Three-core nonlinear directional coupler with variable coupling coefficient. — Gang Jun Liu, Bin Ming Liang, Qu Li, and Guo Liang Jin; **42** (10), 2930-5 (2003).
Fabrication method of Bragg gratings in silica channel optical waveguides. — Tomiyuki Arakawa, Yutaka Uno, Hideki Ono, Hiromi Takahashi, Kentaro Harase, and Hideaki Okayama; **42** (12), 3419-20 (2003).

**Wavelet transforms**
Objective measurements of video quality using the wavelet transform. — Chulhee Lee and Ohjae Kwon; **42** (1), 265-72 (2003).
Optimal model for biorthogonal wavelet filters. — Guoqiu Wang and Weiwei Yuan; **42** (2), 350-6 (2003).
Bayes factors for edge detection from wavelet product spaces. — Fionn Murtagh and Jean-Luc Starck; **42** (5), 1375-82 (2003).
Scalable and robust image transmission using block-based layered set partitioning in hierarchical trees. — Wen-Jyi Hwang, Ching-Fung Chine, and Wen-Liang Hwang; **42** (5), 1397-404 (2003).
General construction of wavelet filters via a lifting scheme and its application in image coding. — DianLong Liang, Lizhi Cheng, and ZengHui Zhang; **42** (7), 1949-55 (2003).
Sensitivity improvement in phase-shifted moiré interferometry using 1-D continuous wavelet transform image processing. — Heng Liu, Alexander N. Cartwright, and Cemal Basaran; **42** (9), 2646-52 (2003).
Hyperbolic wavelet power spectra of nonstationary signals. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (10), 3017-37 (2003).

**Wavelets**
CORAL: collective rationality for the allocation of bits. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquin Fdez-Valdivia, and Xose R. Fdez-Vidal; **42** (4), 1000-12 (2003).
Wavelet packet image coding algorithm combined with the actual coding costs. — Xingsong Hou and Guizhong Liu; **42** (6), 1640-8 (2003).
Multiresolution vessel tracking in angiographic images using valley courses. — Zikuan Chen and Sabee Molloi; **42** (6), 1673-82 (2003).
Robust watermarking scheme for still images using frequency shift keying with high-variance block selection. — Wen-Yuan Chen and Chin-Hsing Chen; **42** (6), 1826-35 (2003).
Hyperbolic wavelet power spectra of nonstationary signals. — Khoa N. Le, Kishor P. Dabke, and Gregory K. Egan; **42** (10), 3017-37 (2003).
Determination of strains from fringe patterns using space-frequency representations. — Cesar A. Sciammarella and Taeeeui Kim; **42** (11), 3182-93 (2003).
Self-control of quantizer risk attitude in rational embedded wavelet image coding. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Javier Martinez-Baena; **42** (11), 3215-34 (2003).

**Wigner distribution functions**
Assessment of a Wigner-distribution-function-based method to compute the polychromatic axial response given by an aberrated optical system. — Walter D. Furlan, Genaro Saavedra, Enrique Silvestre, Juan A. Monsoriu, and José D. Patrignani; **42** (3), 753-8 (2003).

**Windows**
Removing speckle noise and extracting the skeletons from a single speckle fringe pattern by spin filtering with curved-surface windows. — Qifeng Yu, Xiangyi Sun, Xiaolin Liu, Xiaohua Ding, and Zhiqiang Qiu; **42** (1), 68-74 (2003).
Window functions for imaging radar: a maximum energy approach to contiguous and notched spectrums. — Fred M. Dickey, Louis A. Romero, and Armin W. Doerry; **42** (7), 2113-28 (2003).
Disparity estimation window size. — Tamás Frajka and Kenneth Zeger; **42** (11), 3334-41 (2003).
Adaptive anomaly detection using subspace separation for hyperspectral imagery. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **42** (11), 3342-51 (2003).

**X-rays**
Profile coating and its application for Kirkpatrick-Baez mirrors. — Chian Liu, Lahsen Assoufid, Ray Conley, Albert T. Macrander, Gene E. Ice, and J. Z. Tischler; **42** (12), 3622-8 (2003).

**Zone plates**
Parameters for designing autostereoscopic imaging systems based on lenticular, parallax barrier, and integral photography plates. — Jung-Young Son, Vladmir V. Saveljev, Yong-Jin Choi, Ji-Eun Bahn, Sung-Kyu Kim, and Hyunhee Choi; **42** (11), 3326-33 (2003).